CENTRAL AVIATION SPARES DEPOT (EME)
QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI
TENDER NOTICE

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased**. Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

Ser	Tender No	Detail of Required Stores	No of Items	Delivery Period	Date and Time of Tender	
					Submission	Opening
a.	81201-EME/LP/26-27/IT-21 dated 20 Nov 2026	Misc	(List attached as Annexure A & B)	30 Days for Local Stores & 90 Days for Foreign Stores	3 December 2026 at 1030 Hrs	3 December 2026 at 1100 Hrs

2. **Submission of Offers by the Firms**.

a. Quoted rates must be valid up to **30 Jun 2027**.

b. Delivery Period should be 1 x month for local and 3 x months for imported items.

c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.

d. Remaining life of shelf life / life expiry items should be 80% of total life at the time of delivery.

e. **Bids of firms registered with Central Aviation Spares Depot or having valid Military Intelligence Directorate security clearance for interaction with Army will only be accepted**.

f. Firm must quote items in separate envelopes clearly marked “Technical Offer” and Commercial Offer” in separate categories Annexures wise as given below. **IT number must be mentioned on both envelopes**: -

Category	Heading on Envelop (Technical)	Heading on Envelop (commercial)
Misc	**Annexure** A & B (Technical)	**Annexure** A & B (Commercial)

g. **Technical Offer.** The offer must include the following information / documents which will be evaluated by respective boards for completeness and acceptance: -

(1) **Tender Fees (non-refundable) amounting to Rs 3,000/- per tender**.

(2) **Bid Security / Earnest Money amounting to 5% of the total amount of bid (unit price x required quantity x 0.05) must accompany in the shape of PAY ORDER / BANK DRAFT in the name of Commandant CASD. Same will be returned on delivery of ordered items. Bid**

Security will be confiscated if bidder withdraws his bid during the period of bid validity, changes his original bid in any manner, fails to deliver item or to provide CDR/ BG (when required/ due). Tender without bid security / earnest money or if the amount of bid security / earnest money deposited is less than 5% of the total amount of bid, will not be entertained.

(3) Brand name, specification, country of origin.

(4) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.

(5) Validity of offer should be upto 30 Jun 2027.

(6) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of Purchase Orders. If firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items than firm should approach this office before expiry of delivery period.

(7) Remaining shelf life / expiry of items should be 80% of total life at the time of delivery.

(8) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.

(9) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.

(10) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test / inspect samples before placing of purchase orders.

(11) During warranty period (if stores supplied is/ are backed by warranty), if a fault occurs in supplied stores then supplier will be responsible to either rectify the fault communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.

(12) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.

(13) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.

(14) Make / model / brand and country of origin of stores must be mentioned where applicable.

(15) Manufacturer certificate / Certificate of Conformance matching with batch number/ reference number of delivered items must be provided.

(16) Prices / rates will be quoted on delivery basis at locations all over Pakistan.

(17) Prices / rates will be inclusive of all applicable taxes / duties.

(18) Prices / rates quoted must be as per accounting unit.

(19) More than one manufacturer / model may also be quoted giving separate

price of each manufacturer / model.

(20) Prices / rates will be quoted in Pakistani currency.

(21) Partial delivery / partial payment will not be accepted / made.

(22) Payment will be made through Controller Military Accounts Rawalpindi after receipt and acceptance of ordered stores.

(23) If stores are not delivered within delivery period, penalty will be imposed.

(24) Items should be packed properly at the time of delivery as per standard packing regime.

(25) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.

(26) Technical detail may be sought out by firms.

h. **Commercial Offer**. This offer must include the item wise rate and total amount of stores to be offered. This offered will only be considered after acceptance of technical offer.

(1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**

(2) Technical Scrutiny Board report regarding technical evaluation and status of technical offers will be available/ presented during commercial offer opening for information/ record/ evaluation.

(3) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words “NOT QUOTED”

(4) List of stores(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.

(5) Quoted rates are only valid on firm’s letter head.

(6) No change should be made in tender inquiry provided (part number, nomenclature, accounting unit, photo and technical details/ specifications). Bidders should fill prices / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers. In case of any change/ amendment in quoted item (without which correct quote is not possible), details of same should be clearly mentioned in bold italics.

(7) Incorrect/ Unrealistic rates quoted against technical specification of quoted item will be rejected and disciplinary action will be taken as per procedure in vogue.

(8) Difference/ Change in technical specification or any other critical information in commercial and technical offer of quoted item will be considered as fraudulent practice and will be dealt accordingly. Fraud will also lead to rejection of complete bid in addition to disciplinary action.

3. **Essential Documents Requirement**. Firm shall ensure submission of following essential documents along with technical offer to participate in tender: -

a. Certificate that firm is neither defaulter nor blacklisted by any Government / Military Organization directly or indirectly.

b. Undertaking for adequate financial capability to the value of tender.

c. **Each bid should accompany 5% of the bid amount of items as bid security / earnest money (COMPULSORY) in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained**.

d. **Tender fee amounting to Rs. 3,000/-** per tender.

4. **Purchasers Right**. Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **Liquated Damage charges will be imposed on weekly basis after expiry of delivery period**.

5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para 1a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.

6. **Additional details required for each item separately**

a. Rate including taxes / duties.
b. Delivery period of each item.
c. Offer validity till **30 June 2027**.
d. Performance guarantee.
e. Clarify shipping plan (By Air / Sea).
f. Specify warranty period.

For further details contact.
Phone: 051-5686289 or Visit Web site www.ppra.org.pk

Anx A


CAPACITY BUILDING

Ser	Part No	Nomen	A/U	Tech Spec / Mfr	Phot
1.	831-595	Tool Kit Mecable	Nos	Used for nitrogen and hydraulic charging / purging of landing gears of puma Hel. Nitrogen filling pressure req (Low Pressure-16.5 Bar, High Pressure-132 Bar) Hydraulic Filling pressure **AIR-HYDRAULIC STANDARD NATO No 831-595-4**	
2.	4930-233-334	Grease Gun	Nos	Pressure 12000 psi Hose Length 18 inch **PRIDE TOOL 12000 PSI**	
3.	RF-80K	Analyzer Christie Bty Charger 220 V	Nos	Professional grade unit widely used in aviation for servicing both lead-acid and nickel-cadmium batteries. It features a 7 inch touchscreen display supports multiple charging modes. **121636-006 Marathon Power Technology CO Model RF-80K**	

4.	AVN-NIV-A-81	Air Compressor 700 PSI	Nos	Air compressor with capacity of 20 CFM, pressure of 175 psi & powered by 5 HP electric motor (single Phase 200 volts) **Schulz Model 580HV20X** (Part # 932.9345-0)	
5.	77960	AC Cleaning Kit	Kit	Polish, Brushes, Soft pads / clothes for cleaning of Aircraft **Brand**: THINKWORK **Model Name**: W6239	
6.	APM2250A	Tyre Pneumatic Vehicle 5.00x8,8 ply, OEM REF No APM200J , 8600 Aircraft towing vehicle GSE Lektro USA	Nos	Used in LEKTRO Aviation helicopter and aircraft towing cart	
7.	8812252000	Insulation Checking	Nos	Impotence: 10 M OHM Normal mode rejection ratio: 60db @ 50HZ or 60HZ **UNI-T Model UT501A**	
8.	TH8401	Programmable DC Electronic Lead Cable Check	Nos	OEM: Tonghui Electronics With additional High Current Test cable TH26035D.	

9.	AV-NIV-A-107 Fanttik NB8 Ultra	AC Washing Kit		OEM: Fanttik Model: NB8 4 Gallon Tank, Max 725PSI Electric Power Washer with 5-in-1 Nozzle, 20FT Hose, Adjustable Pressure washing kit	
10.	GSC-10017	Torque Wrench	Nos	Torque Wrench Set 1/2-inch 10-110 Nm, 72 Teeth Ratchet Wheel **OEM: STANLEY PROTO 10-110NM**	
11.	ATI590RGK-4X	Hammer Kit Pneumatic, OEM REF NO ATI590RGK-4X), RW, PUMA, IDSC HOLDINGDS	Nos	OEM: ATI Tools Model: Part no: ATI590RGK-4X The kit typically includes the **ATIATC4X** pistol-grip rivet gun, 4 bucking bars, cupped/flush rivet sets (such as 3/32", 1/8", 5/32", and 3/16" for AN470/AN426 rivets), retainer spring, air regulator, and a FOD-conforming foam-cut carrying case.	
12.	AVN-4802-422	Cutter	Nos	OEM: Ingco Model: **AG750282** Disc Diameter: 100 mm (4 inch) Input Power: 750W (220–240V ~ 50/60Hz)	
13.	CCP-112	Cleco Plier	Nos	Brand: Aircraft Tool Supply Model: ATS No. 131 Plier for inserting/removing spring-loaded cleco fasteners during sheet-metal alignment work.	


14.	AT-609	Towing Bar	Nos	Modular aircraft tow bar compatible with Puma SA-330L helicopter nose gear; collapsible for transport; durable steel construction with quick attach fittings. Local/ customized manufacture also acceptable	
15.	1FH25113	Hole Finder	Nos	Air Capital / Brown Aviation Tool **General**	
16.	SG-101	Side Grip Clamps (Sheet Holder)	Nos	OEM: MRO Tools Model: KSG 3/4 x 1	
17.	AVN-P-50	Punch	Nos	Sheet Metal Punch (Manual) Heavy-duty punch for clean starter holes before drilling or riveting in aluminum sheet work. Includes hardened punches & dies. **General**	
18.	AVN-NIV-F-49-66	File Round 10”	Nos	OEM: Bahco ERGO™ Model: **6-345-10-1-2** Shape: Round, tapered towards tip	

19.	805-2	Vernier Caliper	Nos	Measuring Range: 0-150 mm / 0-6 inch Resolution: 0.1 mm / 0.01 inch Stainless Steel **General**	
20.	PPLT40AK	Midget Punches and chisel	Nos	Brand: Snap-on Model: PPVP70BK This set includes seven mini punches and chisels. Used for edge trimming, panel clean-up, and light metal removal.	
21.	703A94000300	Clinometer Electronic	Nos	OEM: Baseline Model: **12-1057**	
22.	AVN-366-16047-221	Aluminum Sheet 2x 3‘ x 16 BG	Mtr	A flat aluminum sheet measuring 2 feet by 3 feet with a 16 gauge thickness. Aviation Standard.	
23.	AVN-6810354	Pneumatic Hammer	Nos	OEM: Ingersoll Rand Model: 116 Standard Air Hammer 3,500 BPM, 1.54 kg, 0.401-inch round/hex shank	

24.	WA-10212	Hammer Pneumatic Drill Medium – light Climax F-2A	Nos	OEM: Ingersoll Rand Model: 7802RA Chuck Size: 10 mm Free Speed: 2000 RPM Power: 0.5 HP Weight: 1.2 Kg	
25.	CM6551A	Screw Driver Set	Nos	OEM: KEPENG Model: YMX022 SUNHZ MCKP 66-Piece Magnetic Screwdriver Set	
26.	902-10185-50	Cable Assy Photocell 50 Ft	Nos	Imported item 50-foot aviation-grade shielded cable assembly for field use to be used in aircraft vibration analyzer kit manufactured by Chadwick-Helmuth	
27.	901-12631	Power Supply 24 VDC	Nos	**OEM: RS Pro** **Model: RSPS-2415**	
28.	K-1414	Kit Filter Element	Nos	Hyd Rig Brand: TRONAIR COO: USA NSN: 4330-01-551-3295, Filtration kit for maintaining hydraulic fluid cleanliness during servicing. Compatible with hydraulic power unit no 51101AB9.	

29.	M-240-OLD	Fuel Dispensing Pump	Nos	Pump Refueling Brand: Great Plains Industries, Wichita COO: USA Model - EZ-8 12V, Portable 12-V DC fuel transfer pump for helicopter refueling operations. Flow rate 30 L/min, motor rating 1/10 HP at 2100 RPM, integrated filtration. Compatible with helicopter refueling operations and suitable for deployment environments.	
30.	10200-1	Photocell Processor OEM REF No 10200-1 VXP Kit HINEYWELL USA	Nos	Brand: Chadwick-Helmuth/ Honeywell Aerospace COO: USA Portable optical photocell sensor used for helicopter vibration analysis & dynamic balancing of tail rotor system. Component of the Chadwick VXP Vibration Analysis Kit. Supplied complete with 50-ft aviation-grade shielded cable assembly for field use.	
31.	PHASEC-3D	Eddy Current Tester	EA	Brand: AEROCHECK COO: France Portable eddy current non-destructive testing (NDT) equipment used for detection of surface and near-surface cracks on helicopter blades, skins, and metallic structures. Frequency range 10 Hz – 12 MHz, supplied with aviation-grade probes suitable for rotor blades and airframe insp. Lightweight and field -deployable. **Model No. IAER002**	

32.	332A95-5810-03	Engine Cowling Platform	Nos	Helicopter engine Maintenance Platform. Local Fabrication required. Dimensions: Height 11 ft × Length 10 ft × Width 4 ft). Aluminium, wheeled, modular maintenance platform for Twin engine transport/ Uitlity helicopter engine deck and tail rotor maintenance. Designed for easy assembly/disassembly and packing for air transportation. Provides safe access for technicians during scheduled and unscheduled maintenance. (Aviation-grade aluminium). Said Platform should be collapsable for easy transportation in 20 feet container	
33.	C46539	Guide Orientation OEM REF No C46539 RW, PUMA ,SAFRAN, LANDING SYSTEM, FRANCE	Nos	Locating Guide Hydrometer	
34.	800-00071 Not Upload on eARMS	Ferro Chack 2000- Portable Ferrous Oil Analyzer	Nos	Manufactured by AMETEK Spectro Scientific Model: Ferro Check 2000	

35.	5.82602E+12 / 5826017135130	GPS Garmin 760 / Navigation Set, Satellite Signals, OEM Part No 010-02303-00 (Garmin Internation,INC, USA)	Nos	OEM: Garmin Model: Garmin Aera 760	
36.	7310 / 6680-01-342-9904	Accelerometer / Velocimeter	Nos	**OEM: Honeywell** **Model: 901-7310**	
37.	6140-ZO-210-4466	Lead Acid Bty 12 V 250 AH (GPU)	Nos	OEM: VOLTA / AGS / OSAKA Lead Acid Battery 12 V 250 AH	
38.	B3.1B	350 AH6V Drive Bty (Lektro)	Nos	OEM: Trojan Model: L16G-AC 6V Deep Cycle Flooded Lead-Acid Battery User in LEKTRO Aviation Towing cart	

39.	TM4865G001	Vibration Kit TURMO IV C Eng	Nos	OEM: Safran Helicopter Engines (originally developed with Hottinger Brüel & Kjær)	

ANX B

EXPENDABLE

Ser	Part No	Nomen	A/U	Tech Spec / Mfr	PHOTO
1.	5085	Compound	Kit	**NSN 8030-00-938-1947 Military Specification MIL-PRF-81309 Type II, Class 2, Grade 134a Brown Corrosion Preventive Compound - 14.5 oz Aerosol Can**	