

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 02-03-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DCC97197		840550260122 2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVISE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL <u>GENERAL SPECIFICATION</u> - SHIRT DRESS 4 GENERAL SERVISE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
2	DCC97186		840550260121 3 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVISE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF <u>GENERAL SPECIFICATION</u> - SHIRT DRESS 4 GENERAL SERVISE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
3	DCC96967		840550069258 0 / OVERALL BLUE PANTONE COLOUE SHADE 19- 3920 TC 100% COTTON SIZE- III		120 / EACH/N UMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III <u>GENERAL SPECIFICATION</u> - OVERALL BLUE PANTONE COLOUE SHADE 19- 3920 TC 100% COTTON SIZE-III	ITEM IS PROCURE D AGAINST TENDER SAMPLE,AS PER SPECIFICA TION.
4	DCC97196		840550260122 1 / SHIRT DRESS 4		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVISE DIGITAL CAMOUFLAGE	THE ITEM IS PROCURE

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF								100% COTTON COLLAR 16.5 SIZE XLF <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF</u>	D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
5	DCC972 08		840550270123 4 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML		150 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML</u> <u>GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML</u>	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
6	DCC971 98		840550260122 3 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL		150 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL</u> <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL</u>	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
7	DCC971 90		840550260121 6 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL		150 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL</u> <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL</u>	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
8	DCP973 28		653250040006 3 / BLANKET SCARLET RED HOSPITAL		176 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - BLANKET SCARLET RED HOSPITAL</u> <u>GENERAL SPECIFICATION - BLANKET SCARLET RED HOSPITAL</u>	
9	DCC972 09		840550270123 5 / TROUSER DRESS 4		150 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE</u>	THE ITEM IS PROCURE

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF								100% COTTON WAIST 38 SIZE LF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF	D AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
10	DNJ95511	6CE-12411-00	6685765202499 / THERMOSTAT	OBM YAMAHA ENGINE FL300BETX JAPAN	9 / EACH/NUMBER	FL300BETX	6CF-1009814	YAMAHA MOTO CO LTD. 2500 SHINGAI IWATA SHIZUOKA JAPAN	YAMAHA JAPAN		TECHNICAL SPECIFICATION - OBM YAMAHA ENGINE FL300BETX JAPAN GENERAL SPECIFICATION - OBM YAMAHA ENGINE FL300BETX JAPAN	
11	DNN94567	3888555	3110735180594 / BEARING	engine gearbox	1 / EACH/NUMBER			AB volvo penta, Gropegardsgatan, 405 08 Gote borg, Sweden	AB volvo penta, gote borg, sweden		TECHNICAL SPECIFICATION - item required for the rectification of OPDEF of MST boat gear box GENERAL SPECIFICATION - item required for the rectification of OPDEF of MST boat gear box	
12	DNF96977	LP12-100. /6FM100EX/ P-0160000	6140785166756 / UPS BATTERY 12V100AH SIZE, W330XH173X216MM	PSS	1 / EACH/NUMBER	LP12-100.		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC International CO., LTD		TECHNICAL SPECIFICATION - OEM & SOA: M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China . GENERAL SPECIFICATION - OEM & SOA: M/S CETC Mansion, NO.5 Wulutong North Street, Xicheng Districe, Beijing, China .	
13	DNF97076	PAK / GFC/MILL AT/ EQUIVALENT	0565700000048 / FAN PADESTAL- 230VAC- 24INCH 50CYCLES (PAK FAN)	END USE SELF	5 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
14	DNF97074	pak fan	4140PK5076920 / BRACKET FAN PAK LOUVRE FAN	LOUVRE FAN	5 / EACH/NUMBER						TECHNICAL SPECIFICATION - FAN SIZE: 14 INCH MODEL: 350 VOLT : 220 FREQUENCE: 50 Hz WATT: 55 W RPM: 1360 GENERAL SPECIFICATION - FAN SIZE: 14 INCH MODEL: 350 VOLT : 220 FREQUENCE: 50 Hz WATT: 55 W RPM. 1360	
15	DNF97075	PAK FAN/MILL AT/GFC	4140705031103 / FAN WALL MOUNTING 220V50HZ	GENERAL USE	5 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			SIZE 18 INCH WITH REGULATOR GENFAN									
16	DNF94868	1106	5825705118323 / BATTERY CHARGER I/P 220V 50HZ 1PH O/P 48V (12X4) 20A WITH ACCE		1 / EACH/NUMBER	GZL30A-6/48V					TECHNICAL SPECIFICATION - Picture of equipment is enclosed. Input: 220 Volt AC Single Phase 50 Hz Output: 12V/ 24V/ 36V/ 48V and 30A I/P Voltage Range: 90-280V AC: OEM: Nanchang Shuguang Eledricd Equipment Factory <u>GENERAL SPECIFICATION</u> - Picture of equipment is enclosed. Input: 220 Volt AC Single Phase 50 Hz Output: 12V/ 24V/ 36V/ 48V and 30A I/P Voltage Range: 90-280V AC: OEM: Nanchang Shuguang Eledricd Equipment Factory	
17	DNG95843	NO DATA AVAILABL E	5920008514737 / FUSE NORMAL BLOW, CERAMIC BODY, 2AMP 250V, 7.1 X32MM		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
18	SNF81397	TOA / TC-154SM	5965705051001 / HORN LOUD SPEAKER 15W WITH MATCHING TRANSFORMER	PA SYSTEM, TOA JAPAN	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DNF95584	sc-615/ sc-630m/ TC15ML/T C10ML TOA	9512700030004 / LOUD-SPEAKER HORN TYPE	PA SYSTEM/SRE SYSTEM	2 / EACH/NUMBER	TC15ML/ TC10ML TOA sc-615					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	SNG97304	77AN	6625012139354 / MULTIMETER (FLUKE)		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DNF95318	KFAE-55C	6105705044236 / BLOWER	EXHAUST BLOWER	18 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1.5 KW 380-420V 5AMP RPM 2950	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			EXHAUST 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3PHASE	STEERING COMPART	UMBER						50HZ 3 PHASE <u>GENERAL SPECIFICATION</u> - 1.5KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE	
22	DNF96968	SMT30001 C/SURTD3 000XLI/30 00VA APC	613071506382 3 / UPS 3KVA APCI/P220V O/P220V W/BATTERY BACKUP 25 MINUTES.	SELF	1 / EACH/NUMBER	MODEL ESP-808 (E) /SYSTEK PVT.					<u>TECHNICAL SPECIFICATION</u> - APC SMART-UPS, 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL <u>GENERAL SPECIFICATION</u> - APC SMART-UPS, 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL	
23	DNF96735	DM-1100/403	591076512072 7 / pro Goosnek Desktop MIC Electro-voice pc-12 & 18,48v phantom power	PA SYSTEM	4 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - Multi-pattern gooseneck desk microphones. Dual condenser, back electric element. High pass/ normal response option. PTT/PTM option, MIC audio always On option Noise 26 dB. 50 HZ-20 KHz Freq Response. Nonreflecting black color, gooseneck length 470mm. <u>GENERAL SPECIFICATION</u> - Multi-pattern gooseneck desk microphones. Dual condenser, back electric element. High pass/ normal response option. PTT/PTM option, MIC audio always On option Noise 26 dB. 50 HZ-20 KHz Freq Response. Nonreflecting black color, gooseneck length	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											470mm.	
24	DNF96978	ES75-12/ KB-12700/ HR75-12fr	613073512319 3 / BATTERY 12 VOLTS 70AH SEALED LEAD ACID (MAINTENANC E FREE)	EMERSON LIEBERT UPS80 KVA	2 / EACH/N UMBER	DLS85 70AH/HR 75-12FR /DLS RS85					TECHNICAL SPECIFICATION - COUNTRY OF ORIGIN : KOREA/ PAKISTAN MAKE: DAEWOO ASSEMBLED IN PAKISTANGENERAL SPECIFICATION - COUNTRY OF ORIGIN : KOREA/ PAKISTAN MAKE: DAEWOO ASSEMBLED IN PAKISTAN	
25	DNF96746	DL 160 G9	702579525879 0 / HP Server with accessories as per Part Catalog		1 / EACH/N UMBER	DL 160 G9					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
26	DCC97206		840550270123 2 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
27	DCC97217		840550270124 1 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
28	DNF96922	ZDGgv30	589579528075 7 / YACHT MARINE ais gps antenna		2 / EACH/N UMBER	gv30 combo ais gps antenna					TECHNICAL SPECIFICATION - ENCLOSEDGENERAL SPECIFICATION - ENCLOSED	
29	DNF96923	MCTX- CAT6	591570524871 0 / CAT 6 networkig cable		375 / METER	MCTX- CAT6					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
30	DCC971		840550260122		150 /						TECHNICAL SPECIFICATION -	THE ITEM

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	99		4 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL		EACH/NUMBER						SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL	IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
31	DCC97204		8405502701230 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
32	DCC97185		8405502601212 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS	The item is procured against tender sample, as per specification.
33	DCC97205		8405502701231 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
34	DCC96965		8440500901014 / HANDKERCHIEF WHITE COTTON SAILORS SIZE		7000 / EACH/NUMBER						TECHNICAL SPECIFICATION - HANDKERCHIEF WHITE COTTON SAILORS SIZE 17 X 17 INCH GENERAL SPECIFICATION - HANDKERCHIEF WHITE COTTON SAILORS SIZE 17 X 17 INCH	ITEM IS PROCURED AS PER TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			17 X 17 INCH									
35	DCC97207		8405502701233 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
36	DCC96966		8405500692579 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II	ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
37	DCC97183		8405502601211 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS	the item is procured against tender sample, as per specification
38	DCC97187		8405502601214 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
39	DCC97215		8405502701239 / TROUSER DRESS 4 GENERAL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL	THE ITEM IS PROCURED AGAINST TENDER

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL								GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL	SAMPLE, AS PER SPECIFICATION.
40	DCC97214		8405502701238 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
41	DCC97201		8405502701227 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
42	DCC97189		8405502601215 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
43	DCC97203		8405502701229 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			XSF									
44	DCC97202		8405502701228 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
45	DCC97200		8405502601225 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
46	DCC97195		8405502601220 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
47	DCC97193		8405502601219 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
48	DCC97216		8405502701240 / TROUSER DRESS 4		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE	THE ITEM IS PROCURED AGAINST

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL								100% COTTON WAIST 46 SIZE 2XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL	TENDER SAMPLE, AS PER SPECIFICATION.
49	DCC97210		8405502701236 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
50	DCC97191		8405502601217 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
51	DCC97211		8405502701237 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
52	DCC97192		8405502601218 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			COLLAR 16 SIZE ML								ML	TION.
53	DNF9597 7	SR-H2L / SR/H2S	596537555221 4 / Wall Mount Speakers	UFFAQ	2 / EACH/N UMBER	SR/H2S		TOA Electronic Europe Gmbti, Suderstrabe 282, 20537 Hamburg, Germany Tel: +49 / (0) 40 / 25 17 19- 0 Fax: +49 / (0) 40 / 25 17 19- 98 Web: www.toa.com	TOA Electronic sCoporati on		TECHNICAL SPECIFICATION - Brand: TOA, Japan BASS REFLEX TYPE POWER HANDLING: 180W RATED IMPEDANCE 08 OHM FREQUENCY 90HZ -17 KHZ REMOVABLE INPUT CONNECTOR WEIGHT APPROX: 4.2 KG GENERAL SPECIFICATION - Brand: TOA, Japan BASS REFLEX TYPE POWER HANDLING: 180W RATED IMPEDANCE 08 OHM FREQUENCY 90HZ -17 KHZ REMOVABLE INPUT CONNECTOR WEIGHT APPROX: 4.2 KG	
54	DNN973 60	H380-4U	583650531266 7 / Hades Video Wall Controller		1 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
55	DNO973 61	UA65MU7 000RXMM	6605FT100007 7 / 65 Inch display/Video Wall		4 / EACH/N UMBER	UA65MU7 000RXM M					TECHNICAL SPECIFICATION - 65 Inch display/Video Wall GENERAL SPECIFICATION - 65 Inch display/Video Wall	
56	DNO969 38	13509102	481077523712 7 / (C), CHECK VALVE, 1207. STORM TYPE, RIGHT- ANGLES, DN65, FLANGE, PN 10, FL/PN 10, CAST IRON GG 40.3 (EN- JS 1020), COATED, WITH LOCKING DE		3 / EACH/N UMBER	Not Known					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
57	DNF9755 3	DGS- 008D/E/ DF3709B1 001785	593071518116 2 / D-LINK 8 PORT NETWORK SWITCH	VIRDI AC-4000	1 / EACH/N UMBER	DGS 1008 D/E	NA	USA/CANADA	USA/CAN ADA		TECHNICAL SPECIFICATION - 8 PORT DESKTOP SWITCH SPORTING.803.3 ETHERNET, 80230FAST ETHERNET OR 8023ab GB ETHERNET CATS ETHERNT CABLE GENERAL SPECIFICATION	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											- 8 PORT DESKTOP SWITCH SPORTING.803.3 ETHERNET, 80230FAST ETHERNET OR 8023ab GB ETHERNET CATS ETHERNT CABLE	
58	DNF97613	P-0188000	514078516718 1 / EQUIPMENT BOX METAL (500×500×250 MM) PORTABLE	PSS	2 / EACH/N UMBER			M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120.	M/s CETC International Co., Ltd.		TECHNICAL SPECIFICATION - EQUIPMENT BOX METAL (500×500×250MM) PORTABLE M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120. <u>GENERAL SPECIFICATION - EQUIPMENT BOX METAL (500×500×250MM) PORTABLE M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120.</u>	
59	DNF97595		607070522982 1 / 24 JOINT BOX	PSS SYSTEM	12 / EACH/N UMBER	24 JOINT BOX	NIL	LTE LUB THATOO, ABBOTABAD ROAD, HASANABDAL, PAKISTAN	LTE		TECHNICAL SPECIFICATION - 1. Water proof 2. 24 core optical fiber splice box horizontal type <u>GENERAL SPECIFICATION - 1. Water proof 2. 24 core optical fiber splice box horizontal type</u>	
60	DNF97598	RJ 45	606070522982 4 / RJ 45 CONNECTOR S (100PC/BOX)	PSS SYSTEM	40 / EACH/N UMBER	RJ 45	NIL	LOCAL MARKET	TYCO		TECHNICAL SPECIFICATION - RJ 45 CONNECTORS (100PC/BOX) <u>GENERAL SPECIFICATION - RJ 45 CONNECTORS (100PC/BOX)</u>	
61	DNF97601	US/CHINA BRAND/ P- 0003	603078516496 3 / PREMIERE / PTCL OPTICAL FIBRE 6-CORE CABLE	PSS (CCTV SYS)	1500 / METER			CETC MANSION NO 5 WOLUTONG NORTH STREET, XICHENG DISTRICT, BEIJING, CHINA. 100120	M/S CETC INTERNA TIONAL CO LTD		TECHNICAL SPECIFICATION - DIAMETER 7.5MM Make: PREMIERE/PTCL cables <u>GENERAL SPECIFICATION - DIAMETER 7.5 MM Make: PREMIERE/PTCL cables</u>	
62	DNF95586	05-00- 0049-00	635071519706 1 / 160 KV CONTROLLER	SCANNING MACHINE XIS- 6545 USA	1 / EACH/N UMBER	XIS-6545	ASTNC16 OSS2299	INC. 21481 FERRERO PARKWAY CITY OF INDUSTRY, CA-91789USA	ASTROP HYSICS USA		TECHNICAL SPECIFICATION - Used for Luggage Mail / Baggage Scanning <u>GENERAL SPECIFICATION - Used for Luggage Mail / Baggage Scanning</u>	
63	DNF97556	6U NB106	597570523256 9 / EQUIPMENT RACK WITH COMPLETE ACCESSORIE	RDL-3000	1 / EACH/N UMBER	6U NB106		MTC PAKISTAN	MTC		TECHNICAL SPECIFICATION - EQUIPMENT RACK. <u>GENERAL SPECIFICATION - EQUIPMENT RACK.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			S									
64	DNF97560	A/p SPECCS pak cable/ Allied Cable	614570513268 3 / POWER CABLE 2 CORE 3/29 P. V.C WIRE 220/440 VOLTS	CCTV SYSTEM	1000 / METER	PAK CABLE		PK		M/S AYUB ENGINEERING MANUFACTURES, REPAIRING & GENERAL SUPPLIER GROUND FLOOR, NORTH WING, MULES MANSION KEAMARI KARACHI	TECHNICAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs. GENERAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter; 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.	
65	DNJ95275	HF101224	472073528942 8 / HOSE FUEL A-2 2*3/8 INCH		4 / FOOT	MB10054					TECHNICAL SPECIFICATION - HOSE FUEL A-2 2*3/8 INCH GENERAL SPECIFICATION - HOSE FUEL A-2 2*3/8 INCH	
66	DNZ97615	1B2242002	471072007005 0 / UPVC TEE DN 25		100 / EACH/NUMBER	HSRO-15B					TECHNICAL SPECIFICATION - UPVC TEE DN 25 GENERAL SPECIFICATION - UPVC TEE DN 25	
67	SCF96792		834570504178 7 / FLAG NATIONAL BANGLADESH 8BD FITTED		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NATIONAL BANGLADESH 8BD FITTED GENERAL SPECIFICATION - FLAG NATIONAL BANGLADESH 8BD FITTED	
68	DNC96165	X00003420	293012386012 0 / ELBOW TO PLATE-CORE COOLE		4 / EACH/NUMBER	8V 2000 M84					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
69	DNF97610	PJ210100.03-JB-5	597573534175 6 / Junction Box No 5 (JB-5)		44 / EACH/NUMBER	NA					TECHNICAL SPECIFICATION - JB-5 GENERAL SPECIFICATION - JB-5	
70	DNF97603	DS-2T83G2-21/DS-2CD2T83G2-21 / 4I/DS-2CD2T85G1-I8	674070524915 1 / Fix camera 8MP (Hikvision)		14 / EACH/NUMBER	DS-2CD2T85 FWD-I5					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
71	DNF97608	DS-3EO109P-E/M	593570524915 3 / POE Switch 8 port (Hikvision)		4 / EACH/NUMBER	10009424111					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
72	SCF96791		834550500021 7 / FLAG NTL BANGLADESH 4BD FTD		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NTL BANGLADESH 4BD FTD GENERAL SPECIFICATION - FLAG NTL BANGLADESH 4BD FTD	
73	DNF97604	2310120063	753073530678 1 / HDD 4TB		6 / EACH/NUMBER	IP-BASED CCTV					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
74	SCF96795		834559571457 1 / FLAG NATIONAL BAHRAIN 8 BD FITTED SZ10.00X6.00FT		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NATIONAL BAHRAIN 8 BD FITTED SZ10.00X6.00FT GENERAL SPECIFICATION - FLAG NATIONAL BAHRAIN 8 BD FITTED SZ10.00X6.00FT	
75	SCF96794		834559571457 0 / FLAG NATIONAL BAHRAIN 6 BD FITTED SZ 7.50X4.50FT		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NATIONAL BAHRAIN 6 BD FITTED SZ 7.50X4.50FT GENERAL SPECIFICATION - FLAG NATIONAL BAHRAIN 6 BD FITTED SZ 7.50X4.50FT	
76	DNC97562	A80219	599571531300 3 / HDMI cable 5 m (16.4 ft) cable		4 / EACH/NUMBER						TECHNICAL SPECIFICATION - 5 m (16.4 ft) GENERAL SPECIFICATION - 5 m (16.4 ft)	
77	SCF96793		834559571456 9 / FLAG NATIONAL BAHRAIN 4 BD FITTED SZ 5.00X3.00FT		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NATIONAL BAHRAIN 4 BD FITTED SZ 5.00X3.00FT GENERAL SPECIFICATION - FLAG NATIONAL BAHRAIN 4 BD FITTED SZ 5.00X3.00FT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
78	DNF9328 3	0102- 034006- 226	599978515447 5 / OVER IOAD SS3-120 (0-120 AMP) Range 01 – 120 Amp (Adjustable)	L/PAC	1 / EACH/N UMBER		100-125 PSI	ALPINE INDUSTRIAL CON PVT LTD.305/2 GT ROAD BUGHBAN PURA LAHORE PAKISTAN PHONE:042- 6852313,6862490 FAX;92- 426553674	CHINA		<p><u>TECHNICAL SPECIFICATION -</u> SOURCE OF AVAILABILTY;ALPINE INDUSTRIAL CON PVT LTD.305/2 GT ROAD BUGHBAN PURA LAHORE PAKISTAN PHONE;042- 6852313,6862490 FAX;92- 426553674. SPEC;COIL VOLTAGE 220V AC. MAKE: MAC OPR (MAC ELECTRIC) OF CHINA ORIGIN RANGE 01 – 120 AMP (ADJUSTABLE) MODEL: NOT APPLICABLE. EQUIVALENT: NOT KNOWN. new specification a. General purpose Over Load utilized in multi type machinery controls system. b. Range 01 – 120 Amp (Adjustable) c. Already in use against captioned NSN with satisfactory performance. d. Make: MAC OPR (MAC Electric) of China origin e. Model: Not Applicable. f. Equivalent: Not Known.<u>GENERAL</u> <u>SPECIFICATION - SOURCE OF</u> <u>AVAILABILTY;ALPINE INDUSTRIAL</u> <u>CON PVT LTD.305/2 GT ROAD</u> <u>BUGHBAN PURA LAHORE</u> <u>PAKISTAN PHONE;042-</u> <u>6852313,6862490 FAX;92-</u> <u>426553674. SPEC;COIL VOLTAGE</u> <u>220V AC. MAKE: MAC OPR (MAC</u> <u>ELECTRIC) OF CHINA ORIGIN</u> <u>RANGE 01 – 120 AMP</u> <u>(ADJUSTABLE) MODEL: NOT</u> <u>APPLICABLE. EQUIVALENT: NOT</u> <u>KNOWN. new specification a.</u> <u>General purpose Over Load utilized</u> <u>in multi type machinery controls</u> <u>system. b. Range 01 – 120 Amp</u> <u>(Adjustable) c. Already in use against</u> <u>captioned NSN with satisfactory</u> <u>performance. d. Make: MAC OPR (</u> <u>MAC Electric) of China origin e.</u> <u>Model: Not Applicable. f. Equivalent:</u> <u>Not Known.</u></p>	
79	DNF9314 4	RTAC-01	702558000296	PORTAL CRANE M-4	2 / EACH/N	M-4	21338- 100	Nisantepi Mh. Fabrikalar Sk. No:8 Alemdag	ISTANBU L EURO		<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			9 / DIGITIZER, DATA ENTRY	TURKEY	UMBER			Umraniye 34794 Istanbul TURKEY Phone: +90(216) 585 1818 Fax +90(216) 585 1819 Website: esitscale.com	CRANE (IEC) TURKEY		OUTPUT VOLTAGE 1: +24VDC OUTPUT VOLTAGE 2: +15VDC MAX POWER CONSUMPTION : 140mA(5v)+55mA(24v)GENERAL SPECIFICATION - OUTPUT VOLTAGE 1: +24VDC OUTPUT VOLTAGE 2: +15VDC MAX POWER CONSUMPTION : 140mA(5v)+55mA (24v)	
80	DNF97235	LITHIUM 123 (ENERGIZER)/CR-123A/123	6135765231675 / DRY LITHIUM BATTERY CELL 3 VOLT	NIGHT VISION GOGGLES	300 / EACH/NUMBER	CR-123A		MATSUSHITA ELECTRONIC INDUSTRIAL CO LTD OSAKA 5708511 JAPAN.	PANASONIC		TECHNICAL SPECIFICATION - IDEAL FOR NVG .D BALL, AND TACTICAL FLASH LIHTS ITS A LIGHT WEIGHT AND DURABLE POWER SOURCE. IT POSSESE GREAT PEFOMANCE IN EXTREME TEMPERATURES. country of origin japan GENERAL SPECIFICATION - IDEAL FOR NVG .D BALL, AND TACTICAL FLASH LIHTS ITS A LIGHT WEIGHT AND DURABLE POWER SOURCE. IT POSSESE GREAT PEFOMANCE IN EXTREME TEMPERATURES. country of origin japan	
81	DNZ94395	95602.151	5331014159089 / O RING	MAIN AIR COMPRESSOR	4 / EACH/NUMBER	NO DATA AVAILAB LE		UK	COMPAIR UK LTD. REAVELL 53-56 WHITE HOUSE ROAD IPSWICH ENGLAN D IPI 5PB		TECHNICAL SPECIFICATION - part of compressor maintenance joint kit GENERAL SPECIFICATION - part of compressor maintenance joint kit	
82	DNF93545	BM7500 / IMEI: 358419070009444	6530705205216 / SVAS TAB	SVAS SYSTEM BM7500 PAKISTAN	2 / SET	BM7500	NY-SVAS-08	M/S C Digital, House No 275-C, Street No 13, Chaklala Scheme III, Rawalpindi Tel 051-5155790-92, Fax 051-5133789	INDIGEN OUS PAK		TECHNICAL SPECIFICATION - SVAS TAB (Customized with NADRA compitable bar code reader and biometric scanner module, software and hardware included) with secure date SIM including one year date charges, service, warranty configuration and installation. OEM, ARATEK BIOMATRIC CO LTD TAIWAN E-MAIL SALES@ARATEK. CO TEL:886-5-2501-0001GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - SVAS TAB (Customized with NADRA compatible bar code reader and biometric scanner module, software and hardware included) with secure date SIM including one year date charges, service, warranty configuration and installation. OEM, ARATEK BIOMATRIC CO LTD TAIWAN E-MAIL SALES@ARATEK.CO TEL: 886-5-2501-0001	
83	DNZ90612	D101194.50	4310014164575 / PISTON ASSEMBLY	MAIN AIR COMPRESSOR	2 / EACH/NUMBER	NO DATA AVAILAB LE		UK		COMPAIR UK LTD	TECHNICAL SPECIFICATION - INTERNAL ENGINE COMPONENT COMPRESSING AIR & GAS GENERAL SPECIFICATION - INTERNAL ENGINE COMPONENT COMPRESSING AIR & GAS	
84	SNS93760	3076126	2915014980913 / Barrel & Plunger	Injector	2 / EACH/NUMBER	3609962	0	4155 QUEST WAY MEMPHIS		CUMMINS INC.	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
85	DNF74040	EN 609475	5999715225587 / DIFF PRESSURE CONTROL	MAIN AC PLANT	2 / SET	EN 609475	EN 609475 A/C PLANT	M&M CONTROLS LTD. UNIT 17 AND 18, ROUNHOUSE COURT, BARNES WALLIS WAY, BUCKSHAW VILLAGE, CHORLEY, LANCIRE, UNITED KINGDOM PH# +44(0)17772699999		DANFOS S	TECHNICAL SPECIFICATION - 0 BAR - 4 BAR 220v aC GENERAL SPECIFICATION - 0 BAR - 4 BAR 220v aC	
86	DNF96064	ST4000NM0053/ST4000VX000	7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	6 / EACH/NUMBER	ST4000VX000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888		CHINA	TECHNICAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32 GENERAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32	
87	DNJ92235	90794-46911	2910765231641 / FILTER ELEMENT	YAMAHA ENGINE 100HP	32 / EACH/NUMBER			YAMAHA MOTOR CO. LTD MARINE ENGINE DIVISION 2500 SHINGAI IWATA SHI IWATA SHIZUOKA KEN JAPAN		YAMAHA JAPAN	TECHNICAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch GENERAL SPECIFICATION - 10 Micron fuel/ water separator filter,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch	
88	DNF94500	CMS-118	5998705219304 / POWER EXTENSION BOARD CAMELLION MODEL CMS-118	SM RACK	4 / EACH/NUMBER	CMS-118 (CAMELLION)	NA	Commercially Of The Shelf (COTS)/Local Market	COTS		TECHNICAL SPECIFICATION - 220V Power Connection Board. Used in mounting racks.pakistan GENERAL SPECIFICATION - 220V Power Connection Board. Used in mounting racks.pakistan	
89	DNF96063	05-00-0049-00	6350715197061 / 160 KV CONTROLLER	SCANNING MACHINE XIS-6545 USA	1 / EACH/NUMBER	XIS-6545	ASTNC160SS2299	INC. 21481 FERRERO PARKWAY CITY OF INDUSTRY, CA-91789USA	ASTROPHYSICS USA		TECHNICAL SPECIFICATION - Used for Luggage Mail / Baggage Scanning GENERAL SPECIFICATION - Used for Luggage Mail / Baggage Scanning	
90	DNJ97080	6CB-13016-00	5310765203360 / O-RING	YAMAHA OBM	2 / EACH/NUMBER	NO DATA AVAILABLE	6CE-1029885, 6CF-1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
91	DNF93050	DCC/HFB M/HW/119	7050705215677 / HDMI CABLE 25MTR FIBER OPTIC	OPERATOR CONSOLE DCC-2016 PAKISTAN	2 / EACH/NUMBER	NA	NA	Commercially Of The Shelf (COTS)/Local Market	COTS		TECHNICAL SPECIFICATION - DISPLAY CABLE GENERAL SPECIFICATION - DISPLAY CABLE	
92	DNF94380	N1537	6110705155260 / ENERGY SAVER 220V-240V ,11W. (screw type)	SELF FOR DISTRIBUTION SYS.	40 / EACH/NUMBER			SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.		TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi GENERAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Address: K-2/1, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi	
93	DNF94501	A/p SPECCS pak cable/ Allied Cable	614570513268 3 / POWER CABLE 2 CORE 3/29 P. V.C WIRE 220/440 VOLTS	CCTV SYSTEM	200 / METER	PAK CABLE		PK		M/S AYUB ENGINEERING MANUFACTURES, REPAIRING & GENERAL SUPPLIER GROUND FLOOR, NORTH WING, MULES MANSION KEAMARI KARACHI	<p>TECHNICAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capicity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.</p> <p>GENERAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capicity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.</p>	
94	DNF96061	6500K (E27)	611078514190 0 / ENERGY SAVER DAY LIGHT 220V/20W	LIGHTING	15 / EACH/NUMBER	6500K (E27)		CH		OEM ADDRESS: GE HUNGARY ZRT, H-1340 BUDAPEST, E-MAIL : VACI UT 77.WWW.GELIGHTING.COM, COUNTRY CHINA.	<p>TECHNICAL SPECIFICATION - -</p> <p>GENERAL SPECIFICATION - -</p>	
95	DNF82440	18257(99-943-2443)	055779943244 3 / TEST SET	TEST EQUIPMENT	2 / EACH/N						<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</p> <p>GENERAL</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			INSULATION 500-1500V 13.5" LG 15.5 "H		UMBER						SPECIFICATION - NO DATA AVAILABLE	
96	DNZ91560	C-414	024458000102 3 / ASSY MASH C-414 259/TD	S/M	5 / EACH/ UMBER						TECHNICAL SPECIFICATION - MICROPHONE MOUNTING /SUSPENSION ASSEMBLY AKG C414 03 PIN XLR INTERNAL SUSPENSION : 15-20DB SHIELDING: ZINC ALUMINUM ALLOY FREQUENCY: 20HZ TO 20 KHZ SELF NOISE: 6DB-A LOAD BEARING: 300G UNDER 3G GENERAL SPECIFICATION - MICROPHONE MOUNTING /SUSPENSION ASSEMBLY AKG C414 03 PIN XLR INTERNAL SUSPENSION : 15-20DB SHIELDING: ZINC ALUMINUM ALLOY FREQUENCY: 20HZ TO 20 KHZ SELF NOISE: 6DB-A LOAD BEARING: 300G UNDER 3G	
97	DNF97348	B19	056579923819 7 / POLISHER FLOOR ELECT DOUBLE BRUSH 220V/240V AC/DC		1 / EACH/ UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
98	DNG77094	576139/FS P-0008-12	432000368318 6 / PUMP UNIT CENTRIFUGAL	SELF	1 / EACH/ UMBER						TECHNICAL SPECIFICATION - a. Model: 777D - Bronze 777H - Aluminum b. Motor Rating: HP - 5 Phase - 3 Cycle - 60 RPM - 3450 Voltage - 115,220,440 Ac g. Capacity: 140 GPM at 70 ft Total Head 200 GPM at 50 ft Total Head i. Cable: 45 feet of Conductor Type PHOF - 9 (9030 cm) j. Fresh Water Temperature: 1300 f k. Sea Water Temperature: 1300 f Specification: Maximum discharge flow rate: 180.0 GALLON Total Head:50 FEET gallons per minutes Operating speed at rated capacity: 50.000 feet/110. 000 FEET media for which designed:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>water, salt pumping element operating position: vertical centrifugal pump design: OEM/MANUFACTURERS/CODE: 83590/ STAR ENGINEERING WORKS radial flow centrifugal pump impeller quantity: 1 centrifugal pump impeller suction type: single stage quantity: 1 pump quantity: 1 intake connection quantity: 1 intake connection type: threaded internal INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 nh DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: threaded internal/PIN LOCK SYSTEM DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 NH/2.5" PRIME MOVER TYPES: electric motor PRIME MOVER COOLING MEDIUM: air/WATER PRIME MOVER QUANTITY: 1 CURRENT TYPE: ac VOLTAGE IN VOLTS: 440 FREQUENCY IN HERTZ: 50/60 HZ PHASE: three CURRENT RATING IN AMPS: 7.5 INCLOSURE TYPE: fully inclosed ENVIRONMENTAL PROTECTION: submersible COOLING METHOD: self ventilated SPECIAL FEATURES: controller has magnetic casing, unit will operate in horizontal or any midway position <u>GENERAL SPECIFICATION - a.</u> Model: 777D - Bronze 777H - Aluminum b. Motor Rating: HP - 5 Phase - 3 Cycle - 60 RPM - 3450 Voltage - 115,220,440 Ac g. Capacity: 140 GPM at 70 ft Total Head 200 GPM at 50 ft Total Head i. Cable: 45 feet of Conductor Type PHOF - 9 (9030 cm) j. Fresh Water Temperature: 1300 f k. Sea Water</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Temperature: 1300 f Specification: Maximum discharge flow rate: 180.0 GALLON Total Head:50 FEET gallons per minutes Operating speed at rated capacity: 50.000 feet/110.000 FEET media for which designed: water, salt pumping element operating position: vertical centrifugal pump design: OEM/MANUFACTURERS/CODE: 83590/ STAR ENGINEERING WORKS radial flow centrifugal pump impeller quantity: 1 centrifugal pump impeller suction type: single stage quantity: 1 pump quantity: 1 intake connection quantity: 1 intake connection type: threaded internal INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 nh DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: threaded internal/PIN LOCK SYSTEM DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 NH/2.5" PRIME MOVER TYPES: electric motor PRIME MOVER COOLING MEDIUM: air/WATER PRIME MOVER QUANTITY: 1 CURRENT TYPE: ac VOLTAGE IN VOLTS: 440 FREQUENCY IN HERTZ: 50/60 HZ PHASE: three CURRENT RATING IN AMPS: 7.5 INCLOSURE TYPE: fully inclosed ENVIRONMENTAL PROTECTION: submersible COOLING METHOD: self ventilated SPECIAL FEATURES: controller has magnetic casing, unit will operate in horizontal or any midway position	
99	DNG783 59	576139/FS P-0008-12	432000368318 6 / PUMP UNIT CENTRIFUGAL	SELF	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - a. Model: 777D - Bronze 777H - Aluminum b. Motor Rating: HP - 5 Phase - 3 Cycle - 60 RPM - 3450	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Voltage – 115,220,440 Ac g. Capacity: 140 GPM at 70 ft Total Head 200 GPM at 50 ft Total Head i. Cable: 45 feet of Conductor Type PHOF – 9 (9030 cm) j. Fresh Water Temperature: 1300 f k. Sea Water Temperature: 1300 f Specification: Maximum discharge flow rate: 180.0 GALLON Total Head:50 FEET gallons per minutes Operating speed at rated capacity: 50.000 feet/110.000 FEET media for which designed: water, salt pumping element operating position: vertical centrifugal pump design: OEM/MANUFACTURERS/CODE: 83590/ STAR ENGINEERING WORKS radial flow cerntrifugal pump impeller quantity: 1 centrifugal pump impeller suction type: single stage quantity: 1 pump quantity: 1 intake connection quantity: 1 intake connection type: threaded internal INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 nh DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: threaded internal/PIN LOCK SYSTEM DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 2.500-7 1/2 NH/2.5" PRIME MOVER TYPES: electric motor PRIME MOVER COOLING MEDIUM: air/WATER PRIME MOVER QUANTITY: 1 CURRENT TYPE: ac VOLTAGE IN VOLTS: 440 FREQUENCY IN HERTZ: 50/60 HZ PHASE: three CURRENT RATING IN AMPS: 7.5 INCLOSURE TYPE: fully inclosed ENVIRONMENTAL PROTECTION: submersible COOLING METHOD: self ventilated SPECIAL FEATURES: controller has</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>magnetic casing, unit will operate in horizontal or any midway position</p> <p>GENERAL SPECIFICATION - a.</p> <p>Model: 777D – Bronze 777H – Aluminum b. Motor Rating: HP – 5</p> <p>Phase – 3 Cycle – 60 RPM – 3450</p> <p>Voltage – 115,220,440 Ac g.</p> <p>Capacity: 140 GPM at 70 ft Total Head 200 GPM at 50 ft Total Head i.</p> <p>Cable: 45 feet of Conductor Type PHOF – 9 (9030 cm) j. Fresh Water Temperature: 1300 f k. Sea Water Temperature: 1300 f Specification: Maximum discharge flow rate: 180.0 GALLON Total Head: 50 FEET gallons per minutes Operating speed at rated capacity: 50,000 feet/110,000 FEET media for which designed: water, salt pumping element operating position: vertical centrifugal pump design:</p> <p>OEM/MANUFACTURERS/CODE: 83590/ STAR ENGINEERING WORKS radial flow centrifugal pump impeller quantity: 1 centrifugal pump impeller suction type: single stage quantity: 1 pump quantity: 1 intake connection quantity: 1 intake connection type: threaded internal INTAKE CONNECTION THREAD SIZE AND SERIES/TYP E DESIGNATOR: 2.500-7 1/2 nh DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: threaded internal/PIN LOCK SYSTEM DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYP E DESIGNATOR: 2.500-7 1/2 NH/2.5" PRIME MOVER TYPES: electric motor PRIME MOVER COOLING MEDIUM: air/WATER PRIME MOVER QUANTITY: 1 CURRENT TYPE: ac VOLTAGE IN VOLTS: 440 FREQUENCY IN HERTZ: 50/60 HZ.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											PHASE: three CURRENT RATING IN AMPS: 7.5 INCLOSURE TYPE: fully inclosed ENVIRONMENTAL PROTECTION: submersible COOLING METHOD: self ventilated SPECIAL FEATURES: controller has magnetic casing, unit will operate in horizontal or any midway position	
100	DNF96054	MA3000C-48/BL820E	4440795061524 / DEHUMIDIFIER PORTABLE 110V 60HZ CAPACITY 10LTS/DAY (YSD GEN)	(YSD) GENERAL USE	2 / EACH/NUMBER	PREM-I-AIR ELITE EH1418 XTREEM					TECHNICAL SPECIFICATION - D/ying capc(Ltrs):28-35 per day Power input (Watt): 510 D/ying:4.8 Refrigerant: R22 W/tank cap (Ltr):06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W GENERAL SPECIFICATION - D/ying capc (Ltrs):28-35 per day Power input (Watt): 510 D/ying:4.8 Refrigerant: R22 W/tank cap (Ltr):06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W	
101	SNG96434	NO DATA AVAILABLE	5306546014933 / BOLT WITH NUT STAINLESS STEEL SZ DIA 1/2" LENTH 2	WALCON FALANKS AS&AS P30 BABUR/BADR	500 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
102	DNG95981	271562	5306715054768 / BOLT 5/8" (STEEL)	HYDROULIC MAIN GEAR	300 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
103	DNZ94461	306	5306785039137 / COUPL BOLT WITH NUT&S.	AIR CONDITION SEA WATER PUMP PNS	18 / EACH/NUMBER						TECHNICAL SPECIFICATION - MATERIAL: SSGENERAL SPECIFICATION - MATERIAL: SS	

S. No	LPR.No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WASHER STEELU-352 SZ 53.00 . 00X14.00MM	NASR								
104	DNZ94490	R27429	533078503432 3 / O.RING FOR STARTING AIR VALVE HOUSING ID135.87X7MM CF-122	MAIN ENGINE 8RLB-66 NASR	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
105	DNZ94492	R27231	533078503433 7 / O RING RUBBER 29X3.50MM CF-121	MAIN ENGINE 8RLB 66 NASR	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
106	DNZ94493	R21412	533078503448 5 / RUBBER RING FOR CYLINDER LINER 750X9MM CF-114	MAIN ENGINE 8RLB-66 NASR	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
107	DNF93445	NG 754	583573511487 4 / VINGTOR (INTERCOM)	VINGTOR SP-1-TB	1 / EACH/NUMBER	SP-1-TB					TECHNICAL SPECIFICATION - n/a GENERAL SPECIFICATION - n/a	
108	DNF93680	POWERS HOT G12 CANON	583676509746 3 / DIGITAL CAMERA G3. 4X.41 MILLON PIXELS,SIZE 1/ 1.8	END USE SELF	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
109	DNF92999	120MM2	594079508076 4 / TERMINAL LUGS FOR CABLE SIZE 120MM2	ELECTRICAL CABLE	24 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
110	DNF95640	COM-FDPSM9-ST/PC-ST/PC-03	601571510312 8 / FIBER OPTICL PATCH CORD ST/PC - ST/PC SM9/125UM OS2 D.652D	COMPUTER NETWORK	7 / EACH/NUMBER						TECHNICAL SPECIFICATION - ST/PC - ST/PC SM9/125UM OS2 D. 652D LSZH DUPLEX SC-SC. 3M COLOR YELLOW OEM COMBRIDGE WWW.COMBRIDGENETWORKS. COM GENERAL SPECIFICATION - ST/PC - ST/PC SM9/125UM OS2 D.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			LSZH DUPLEX SC-SC, 3M COLOR YELLOW								652D LSZH DUPLEX SC-SC, 3M COLOR YELLOW OEM COMBRIDGE WWW.COMBRIDGENETWORKS.COM	
111	DNF93711	6 242 01	6130997427670 / CHARGER PANEL LIGHT, TYPE 10-MODIFIED 110/130V AND 200/250V 50/60HZ	PANNEL LIGHT	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - country of origin uk GENERAL SPECIFICATION - country of origin uk	
112	DNF94390	6 242 01	6130997427670 / CHARGER PANEL LIGHT, TYPE 10-MODIFIED 110/130V AND 200/250V 50/60HZ	PANNEL LIGHT	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - country of origin uk GENERAL SPECIFICATION - country of origin uk	
113	DNF97337	PP3 . 6F22. (6135-00-900-2139)	6135701004118 / BATTERY DRY FOR MULTIMETER 09V EVER/ENERGIZ 047X25. 75X017MM	AVO METER	13 / EACH/NUMBER						TECHNICAL SPECIFICATION - 09V EVER/ENERGIZ 047X25 75X017MM OEM RS COMPONENTS LIMITED. GENERAL SPECIFICATION - 09V EVER/ENERGIZ 047X25.75X017MM OEM RS COMPONENTS LIMITED.	
114	DNF89998	0558-198440	5965994624362 / MICROPHONE DYNAMIC HANDHELD WATERPROOF	SRE & BROADCAST SYSTEM	6 / EACH/NUMBER						TECHNICAL SPECIFICATION - OPERATING VOLATAGE: 1.8V TO 4.0V QUIESCENT CURRENT 5.5MA TO 10.0MA POWER: 300MW AUDIO PERFORMANCE VOLTAGE 32 DB CHANNEL BALANCE 1.0DB GENERAL SPECIFICATION - OPERATING VOLATAGE: 1.8V TO 4.0V QUIESCENT CURRENT 5.5MA TO 10.0MA POWER: 300MW AUDIO PERFORMANCE VOLTAGE 32 DB CHANNEL BALANCE 1.0DB	
115	DNG94499	275447-1	5970004327371 / TAPE INSULATIONN ELECTRICAL	CIWS	2 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILBLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
116	DNZ94483	562-432-102	6240785032194 / LAMP FILAMENT 24-30VOLT SIZE 18.2X4.8MM SCREW TYPE		100 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
117	DNF97339	SMT30001 C/SURTD3000XLI/3000VA APC	6130715063823 / UPS 3KVA APC/P220V O/P220V W/BATTERY BACKUP 25 MINUTES.	SELF	1 / EACH/NUMBER	MODEL ESP-808 (E) /SYSTEK PVT.					TECHNICAL SPECIFICATION - APC SMART-UPS, 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL GENERAL SPECIFICATION - APC SMART-UPS, 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL	
118	SNZ92805	BTL-LGCN-PN01	0562580000038 / TERMINAL BATTERY 548TD		53 / EACH/NUMBER	WINDAY NATION					TECHNICAL SPECIFICATION - ITEM WEIGHT 6.4 OUNCE GENERAL SPECIFICATION - ITEM WEIGHT 6.4 OUNCE	
119	SNZ42187	90400171	0582780000009 / LIGHT SHADED STERN NAVIGATION CLEAR HOLDER SBC L202DIA110MM		1 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 230 V 65 W Series- 70 OEM: AQUA SIGNAL GENERAL SPECIFICATION - 230 V 65 W Series- 70 OEM: AQUA SIGNAL	
120	DNF97333	CLIPSAL/VAYA	6145705118997 / NETWORKING	NETWORKING I/O (CLIPSAL, AMP, AVAYA,	190 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			I/O (NETWORK BOX+FACE PLATE+I/O WITH 02 I/O CAPAC	3M)							AVAILABLE	
121	DNA94930	SF710	3610991327148 / DRIVE BELT H.P. PUMP (L.E)	RO PLANT PNS RAHNAWARD	2 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
122	DNN97332	5310-031-963.5	2030FP1020002 / LAMP 031-963.5 SERIES 31, 36V-30mA	SR662 TENFJORD STEERING GEAR	10 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
123	DNF93709	MINI-GBIC-LX-SM1310	5340785289364 / OPTICAL TRANCEIVER MODULE (SFP 1310nm 1000Base-LxSM 1GbB, LC single mode 10Km)		2 / NUMBERS	MINI-GBIC-LX-SM1310					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
124	DNF95140	3632273	2920014981291 / STARTING MOTOR VDC24 VOLTS INPUT VOLTAGES 24 VDC ROTATION CLOCK WISE 11 teeth		1 / EACH/NUMBER	3632273					TECHNICAL SPECIFICATION - STARTING MOTOR vDC24 VOLTS input voltages 24vdc rotation clock wise power : 9 kw mount type : sae 3 pinion : teeth 11 pinion pitchv: 6/8 weight 15.9kg dimm 78 cm x 22.9 cmx 27.6 cm ALTERNATIVE PART NUMBERS DELCO REMY 10479339 PRESTOLITE M128R3850SE GENERAL SPECIFICATION - STARTING MOTOR vDC24 VOLTS input voltages 24vdc rotation clock wise power : 9 kw mount type : sae 3 pinion : teeth 11 pinion pitchv: 6/8 weight 15.9kg dimm 78 cm x 22.9 cmx 27.6 cm ALTERNATIVE PART NUMBERS DELCO REMY 10479339 PRESTOLITE M128R3850SE	
125	DNF96215	AB3600	5280775344230 / Hard Drying Time Apparatus		1 / EACH/NUMBER	AB3600					TECHNICAL SPECIFICATION - HARD DRYING TIME APPARATUS GENERAL SPECIFICATION - HARD DRYING TIME APPARATUS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
126	DCC97635		840570326641 1 / DRESS NO 3 WHITE HALF SLEEVES SIZE 11 WAIST 48" COLLAR 18"		160 / PAIR						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
127	DNO84223	447-8230	293071523401 2 / Seawaterpump Gp Aux		1 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - Seawaterpump Gp Aux GENERAL SPECIFICATION - Seawaterpump Gp Aux	
128	DCC97627		840570326640 3 / DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32" COLLAR 15.5"		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32" COLLAR 15.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32" COLLAR 15.5"	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
129	DCC97581		840550120019 9 / BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS)	the item is procured against tender sample, as per specification.
130	DNT96211	110-244.101	599872535055 8 / Outer Sphere PCB of gyro std 22nx		1 / EACH/NUMBER	110-244.101					TECHNICAL SPECIFICATION - OUTER SPHERE PCB OF GYRO STD 22 NX 101-244.101 GENERAL SPECIFICATION - OUTER SPHERE PCB OF GYRO STD 22 NX 101-244.101	
131	DCC97500		840550069257 9 / OVERALL BLUE PANTONE COLOUR SHADE 19-		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-	THE ITEM IS PROCURED AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			3920 TC 100% COTTON SIZE-II								3920 TC 100% COTTON SIZE-II	AS PER SPECIFICATION.
132	DCC97499		8405500692578 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I	the item is procured against tender sample, as per specification
133	DNO94693	447-8639	6620775263433 / DETECTOR GP-OIL MIST		10 / EACH/NUMBER	3516E					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
134	DCC97503		8405500692582 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
135	DNO97306	349-7378/369-7561	6620775249941 / SENSOR GP-PRESSURE		2 / EACH/NUMBER	C9.3					TECHNICAL SPECIFICATION - SENSOR GP-PRESSURE GENERAL SPECIFICATION - SENSOR GP-PRESSURE	
136	DCC97633		8405703266409 / DRESS NO 3 WHITE HALF SLEEVES SIZE 9 WAIST 44" COLLAR 17.5"		160 / PAIR						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
137	DNF97169	05-00-5497-00 / 05-00-3395-00	5810715300651 / PC AVATAR - PC Based with Windows OS 7, Intel Core i7		1 / EACH/NUMBER	XIS-100XD					TECHNICAL SPECIFICATION - MACHINE LENGTH: 1524 MM, WIDTH: 770 MM, HEIGHT: 1212 MM, TUNNEL WIDTH: 506 MM, HEIGHT: 306 MM, MAX BAG WEIGHT: 165 KG, RESOLUTION: 38 AWG, PENETRATION IN STEEL: 244 MM GENERAL SPECIFICATION	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											- MACHINE LENGTH: 1524 MM, WIDTH: 770 MM, HEIGHT: 1212 MM, TUNNEL WIDTH: 506 MM, HEIGHT: 306 MM, MAX BAG WEIGHT: 165 KG, RESOLUTION: 38 AWG, PENETRATION IN STEEL: 244 MM	
138	DNF96137	05-00-5497-00 / 05-00-3395-00	581071530065 1 / PC AVATAR - PC Based with Windows OS 7, Intel Core i7		1 / EACH/NUMBER	XIS-100XD					TECHNICAL SPECIFICATION - MACHINE LENGTH: 1524 MM, WIDTH: 770 MM, HEIGHT: 1212 MM, TUNNEL WIDTH: 506 MM, HEIGHT: 306 MM, MAX BAG WEIGHT: 165 KG, RESOLUTION: 38 AWG, PENETRATION IN STEEL: 244 MM <u>GENERAL SPECIFICATION</u> - MACHINE LENGTH: 1524 MM, WIDTH: 770 MM, HEIGHT: 1212 MM, TUNNEL WIDTH: 506 MM, HEIGHT: 306 MM, MAX BAG WEIGHT: 165 KG, RESOLUTION: 38 AWG, PENETRATION IN STEEL: 244 MM	
139	DCC97502		840550069258 1 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV <u>GENERAL SPECIFICATION</u> - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
140	DNJ91672	sh49530	291073528941 9 / hose kit steering kit 30 feet		6 / EACH/NUMBER	mb10054					TECHNICAL SPECIFICATION - a. Exceeds SAE Specifications b. Exceeds ABYS Specifications c. Engineered to provide the system with very low expansion properties d. Kink resistant e. Abrasion resistant f. Standard Hose Brass Fitting DIMENSION/ SIZE: a. 30 feet Hydraulic Hose Nylon Tubing (1000 PSI) b. Brass Fitting Adopter 5 X16 <u>GENERAL SPECIFICATION</u> - a. Exceeds SAE Specifications b. Exceeds ABYS Specifications c. Engineered to provide the system	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											with very low expansion properties d. Kink resistant e. Abrasion resistant f. Standard Hose Brass Fitting DIMENSION/ SIZE: a. 30 feet Hydraulic Hose Nylon Tubing (1000 PSI) b. Brass Fitting Adopter 5 X16 1D	
141	DNF97334	12-Fiber SMF G. 652.D	7045705249620 / Optical fiber cables CLT		120 / METER	12-Fiber SMF G. 652.D					TECHNICAL SPECIFICATION - Complete details regarding OFC 12-Fiber are available on page 18 of the provided Brochure named "PTCL Product Catalogue" NOTE: SM G. 652.D is the common standard for all type of OFC just the number of fibers varies i.e. 2 Fiber, 4 Fiber, 8 Fiber, 24 Fiber etc GENERAL SPECIFICATION - Complete details regarding OFC 12-Fiber are available on page 18 of the provided Brochure named "PTCL Product Catalogue" NOTE: SM G.652.D is the common standard for all type of OFC just the number of fibers varies i.e. 2 Fiber, 4 Fiber, 8 Fiber, 24 Fiber etc	
142	DCC97625		8405703266401 / DRESS NO 3 WHITE HALF SLEEVES SIZE 1 WAIST 28" COLLAR 14.5"		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE I WAIST 28" COLLAR 14.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE I WAIST 28" COLLAR 14.5"	the item is procured against tender sample, as per specification
143	DNF95642	AA2500mah	6140715281910 / battery pack rechargeable NIMH (pack of 4) DURACELL AA 2500MAH		30 / PACKETS	AA2500MAH					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
144	DCC97631		8405703266407 / DRESS NO 3 WHITE HALF SLEEVES SIZE 7 WAIST 40" COLLAR 16.5"		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 7 WAIST 40" COLLAR 16.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 7	THE ITEM IS PROCURED AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WAIST 40"COLLAR 16.5"	AS PER SPECIFICATION.
145	DCC976 26		840570326640 2 / DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30" COLLAR 15"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30" COLLAR 15" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30"COLLAR 15"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE. AS PER SPECIFICA TION.
146	DNT9412 3	SD6032-02	6685CH531038 5 / SENSOR, EXH GAS TEM		2 / EACH/N UMBER	NA					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
147	DCC975 83		840550110021 2 / BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 36 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 36 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBROIDRY SIZE 36 (WITH WAIST BAND & SHOULDER EPPLETS)	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE. AS PER SPECIFICA TION.
148	DCC976 28		840570326640 4 / DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34" COLLAR 16"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34" COLLAR 16" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34"COLLAR 16"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE. AS PER SPECIFICA TION.
149	SNF9763 7	AALR6	613573528152 4 / AA2 ENERGIZER LITHIUM BATTERY 1.5V RECHARGEAB LE SIZE H: 145mm		500 / PAIR	ENERGIZ ER LITHIUM					TECHNICAL SPECIFICATION - (2 PACK)GENERAL SPECIFICATION - (2 PACK)	
150	DNF9429	SLR 200G	5820ZO657165		1 /	AIS					TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	5	(MARINE TYPE)	5 / ATOMATIC IDENTIFICATI ON SYSTEM (MARINE TYPE)		EACH/N UMBER	SLR200G					MARINE VHF ANTENNA WITH CABLE & CONNECTOR,MARINE GPS ANTENNA WITH CABLE & CONNECTOR, USB TO SERIAL ADOPTER CABLE,POWER ADOPTER,HP/TOSHIBA/ACER LAPTOP1.6 GHZ GENERAL SPECIFICATION - MARINE VHF ANTENNA WITH CABLE & CONNECTOR,MARINE GPS ANTENNA WITH CABLE & CONNECTOR, USB TO SERIAL ADOPTER CABLE,POWER ADOPTER,HP/TOSHIBA/ACER LAPTOP1.6 GHZ	
151	DNZ94569	ST786PCN PDXXEAC 012	599858530266 5 / Azimuth and Elevation Motor Drive Cards		1 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
152	DNF93143	320623770 280	599570531214 6 / ufone 4g blaze device		1 / EACH/N UMBER	MF920U					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
153	DNF93599	320623770 280	599570531214 6 / ufone 4g blaze device		3 / EACH/N UMBER	MF920U					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
154	DNF94487	320623770 280	599570531214 6 / ufone 4g blaze device		1 / EACH/N UMBER	MF920U					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
155	DCC97582		840550120020 0 / BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBOIDRY SIZE 34 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBOIDRY SIZE 34 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBOIDRY SIZE 34 (WITH WAIST BAND & SHOULDER EPPLETS)	the item is procured against tender sample, as per specification .
156	DCC97501		840550069258 0 / OVERALL BLUE PANTONE COLOUE SHADE 19-		120 / EACH/N UMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			3920 TC 100% COTTON SIZE-III								3920 TC 100% COTTON SIZE-III	AS PER SPECIFICATION.
157	DCC97630		840570326640 6 / DRESS NO 3 WHITE HALF SLEEVES SIZE 6 WAIST 38" COLLAR 16.5"		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 6 WAIST 38" COLLAR 16.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 6 WAIST 38" COLLAR 16.5"	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
158	DNO95852	109-6507	593001466480 2 / SWITCH AS-PUSH BUTTON (ENGINE SHUTOFF)		2 / EACH/NUMBER	3516E					TECHNICAL SPECIFICATION - SWITCH AS-PUSH BUTTON (ENGINE SHUTOFF) GENERAL SPECIFICATION - SWITCH AS-PUSH BUTTON (ENGINE SHUTOFF)	
159	DNJ91670	SH49504	291073528941 7 / Hose kit, steering, 4 ft		6 / EACH/NUMBER	MB10054					TECHNICAL SPECIFICATION - a. Exceeds SAE Specifications b. Exceeds ABYS Specifications c. Engineered to provide the system with very low expansion properties d. Kink resistant e. Abrasion resistant f. Standard Hose Brass Fitting DIMENSION / SIZE: a. 4 feet Hydraulic Hose Nylon Tubing (1000 PSI) b. Brass Fitting Adopter 5 X16 1D GENERAL SPECIFICATION - a. Exceeds SAE Specifications b. Exceeds ABYS Specifications c. Engineered to provide the system with very low expansion properties d. Kink resistant e. Abrasion resistant f. Standard Hose Brass Fitting DIMENSION / SIZE: a. 4 feet Hydraulic Hose Nylon Tubing (1000 PSI) b. Brass Fitting Adopter 5 X16 1D	
160	DNF94570	6HA4041	596375534507 9 / Super capacitor bank MODULE		1 / EACH/NUMBER	SIGCAP 831A					TECHNICAL SPECIFICATION - SUPER CAPACITOR BANK MODULE VOLTAGE STABILIZATION FAST RESPONSE BACK UP ENERGY FOR CONTROL GENERAL SPECIFICATION - SUPER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											CAPACITOR BANK MODULE VOLTAGE STABLIZATION FAST RESPONSE BACK UP ENERGY FOR CONTROL	
161	DCC976 32		840570326640 8 / DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42" COLLAR 17"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42" COLLAR 17" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42"COLLAR 17"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
162	DCC975 85		840550120020 1 / BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBORIDARY SIZE 38 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBORIDARY SIZE 38 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS SUMMER CEREMONIAL WHITE WITH EMBORIDARY SIZE 38 (WITH WAIST BAND & SHOULDER EPPLETS)	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
163	DCC976 36		840570326641 2 / DRESS NO 3 WHITE HALF SLEEVES SIZE 12 WAIST 50" COLLAR 18.5"		160 / PAIR						TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
164	DNJ9603 1	64J-24560- 00.	289576534461 2 / FILTER ASSY		3 / EACH/N UMBER	64J- 24560-00					TECHNICAL SPECIFICATION - FILTER ASSYGENERAL SPECIFICATION - FILTER ASSY	
165	DNO951 15	006-5707	534077526643 3 / ELBOW- PIPE		100 / EACH/N UMBER	3516E					TECHNICAL SPECIFICATION - ELBOW-PIPEGENERAL SPECIFICATION - ELBOW-PIPE	
166	DCC976 29		840570326640 5 / DRESS NO 3 WHITE HALF SLEEVES SIZE 5 WAIST 36" COLLAR 16"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 5 WAIST 36" COLLAR 16" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 5	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WAIST 36"COLLAR 16"	AS PER SPECIFICATION.
167	DCP95592		6532500315003 / PATIENT SUIT SKY BLUE SIZE LARGE		284 / PAIR						TECHNICAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colour blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % GENERAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colour blue CLOTH 80/20 COTTON 80 % POLYSTER 20 %	Item required as per tender sample
168	DNF98586	jl479a/jl253a	5895016877689 / aruba switch 24/48 g 4sfp 8320		2 / EACH/NUMBER	JL479A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
169	DCC97922		8405502701235 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
170	DCC97919		8405502701232 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
171	DCC97928		8405502701241 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL								SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL	AS PER SPECIFICATION.
172	DCC979 12		840550260122 4 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL		150 / EACH/ NUMBER						<u>TECHNICAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL <u>GENERAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
173	DCC979 17		840550270123 0 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL		150 / EACH/ NUMBER						<u>TECHNICAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL <u>GENERAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
174	DCC979 00		840550260121 2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS		150 / EACH/ NUMBER						<u>TECHNICAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS <u>GENERAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
175	DCC979 18		840550270123 1 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF		150 / EACH/ NUMBER						<u>TECHNICAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF <u>GENERAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
176	DCC979		840550270123		150 /						<u>TECHNICAL SPECIFICATION -</u>	THE ITEM

S. No	LPR No.	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	20		3 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF		EACH/NUMBER						TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF <u>GENERAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE MF	IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
177	DCC97899		840550260121 1 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS		150 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS <u>GENERAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS	the item is procured against tender sample, as per specification.
178	DCC97962		840550260121 4 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL		150 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL <u>GENERAL SPECIFICATION -</u> SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
179	DCC97926		840550270123 9 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL		150 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL <u>GENERAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
180	DCC97925		840550270123 8 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL		150 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL <u>GENERAL SPECIFICATION -</u> TROUSER DRESS 4 GENERAL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE,

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL								SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL	AS PER SPECIFICATION.
181	DCC979 14		840550270122 7 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
182	DCC979 03		840550260121 5 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
183	DCC979 16		840550270122 9 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
184	DCC979 15		840550270122 8 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
185	DCC979		840550260122		150 /						TECHNICAL SPECIFICATION -	THE ITEM

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	13		5 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL		EACH/NUMBER						SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL	IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
186	DCC97908		8405502601220 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
187	DCC97907		8405502601219 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
188	DCC97927		8405502701240 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
189	DCC97923		8405502701236 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE,

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL								SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL	AS PER SPECIFICA TION.
190	DCC979 05		840550260121 7 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
191	DCC979 24		840550270123 7 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
192	DCC979 06		840550260121 8 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
193	DCC979 10		840550260122 2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
194	DCC979		840550260121		150 /						TECHNICAL SPECIFICATION -	THE ITEM

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	01		3 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF		EACH/NUMBER						SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF	IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
195	DCC97909		840550260122 1 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
196	DCC97921		840550270123 4 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
197	DCC97911		840550260122 3 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
198	DCC97904		840550260121 6 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL								SERVISE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL	AS PER SPECIFICA TION.
199	DNF9629 6	PP3 . 6F22, (6135-00- 900-2139)	613570100411 8 / BATTERY DRY FOR MULTIMETER 09V EVER/ENERGI Z 047X25. 75X017MM	AVO METER	30 / EACH/N UMBER						TECHNICAL SPECIFICATION - 09V EVER/ENERGIZ 047X25.75X017MM OEM RS COMPONENTS LIMITED. GENERAL SPECIFICATION - 09V EVER/ENERGIZ 047X25.75X017MM OEM RS COMPONENTS LIMITED.	
200	DNF9183 1	SOGO / PHILIPS	623076505940 0 / LIGHT EMERGENCY WITH TWO HEAD RECHARGEAB LE I/P110/220V- O/P6V		38 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	