

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 09-03-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNZ96257	302 298 69	431072534008 6 / Connecting rod / piston compl.		6 / EACH/NUMBER	6FE-50Y				CONNECTING ROD SHOULD COMES AS AN ASSEMBLY COMPRISING OF REMOVEABLE BIG END BEARING.	TECHNICAL SPECIFICATION - Ø 82 mm* GENERAL SPECIFICATION - Ø 82 mm*	
2	DNF89566	7-427-510	392050505695 8 / TROLLY ELECT FOOD WARMING SYSTEM S/STEEL 220V 1PH 44X30X41/48 Inch.	PNS SHIFA	6 / EACH/NUMBER						TECHNICAL SPECIFICATION - (a)- Main frame (top/body)in SS201 material, machine pressed and international standard finishing. (b)- Four iron synthetic Plastic covered tires castors 6" with 2 casters with breaks. (c)- Two top doors opening along with side rest for door support. GENERAL SPECIFICATION - (a)- Main frame (top/body)in SS201 material, machine pressed and international standard finishing. (b)- Four iron synthetic Plastic covered tires castors 6" with 2 casters with breaks. (c)- Two top doors opening along with side rest for door support.	
3	DNF98543	EH-1930/MD-231	444073513969 2 / CROWLINE DEHUMIDIFIER md 231	DEHUMIDIFIER	4 / EACH/NUMBER	MD-231/MFD20-50 CROWN		OC		AMCOR INVESTMENTS SINGAPORE	TECHNICAL SPECIFICATION - Rated voltage: 220-240V Rated frequency: 50Hz Net weight: 14.5kg Electronic touch control panel Extract	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			220/240V 300W						(REGION AL HQS) 545 ORCHAR D ROAD # 13-02, FAR EST SHOPPIN G CENTER SINGAPO RE 238882		up to 20 liters of water per day Water tank capacity: 5.51 Dehumidify capacity: 20l/day (30°c 80%) 10l/day (27°c 60%) Airflow volume: 195m /h Refrigerant charge: r134a/90g 24 hours timer setting Easy to carry using handle Auto turns-off when water tank is full Continuous drainage Box : 65.5 x 38.5 x 25.2 cm Barcode: 6291104512764 44KG, 230V/50HZ <u>GENERAL SPECIFICATION</u> - Rated voltage: 220-240V Rated frequency: 50Hz Net weight: 14.5kg Electronic touch control panel Extract up to 20 liters of water per day Water tank capacity: 5.51 Dehumidify capacity: 20l/day (30°c 80%) 10l/day (27°c 60%) Airflow volume: 195m /h Refrigerant charge: r134a/90g 24 hours timer setting Easy to carry using handle Auto turns-off when water tank is full Continuous drainage Box : 65.5 x 38.5 x 25.2 cm Barcode: 6291104512764 44KG,230V/50HZ	
4	DNF98552	DIN41494	599579514129 2 / 9 U WALL MOUNTED NETWORK RACK WITH 19 INCHES 600MMX60MM FRONT GLASS DOOR,18SWG, 2 FANS	ILS SYSTEM	5 / EACH/N UMBER	D-Link (Pakistan)		UK	CLIPSAL, UNITED KINGDOM		<u>TECHNICAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY: CLIPSAL.UK.GENERAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY:CLIPSAL.UK.</u>	
5	DNF98546	RG-NBS3100-24GT4SFP /J9776A / J9772A+j4 859c/RG-NBS3100-24GT4SFP	589578520783 3 / NETWORK SWITCH HP 2530 24G/48G WITH 2/4 SFP MODULES	NETWORK SWITCH J9772A CHINA	1 / EACH/N UMBER	RG-NBS5200-48GT4xS/ R8N88A-HP/J9776 A/J9772A	NA	HP INC C/O INVENTEE (CHONGGING) CORP. NO. 66 WEST DISTRICT 2ND ROAD SHAPINGBA DISTRICT CHONGGING 401331 CHINA	HP CHINA		<u>TECHNICAL SPECIFICATION - ATTACHED GENERAL SPECIFICATION - ATTACHED</u>	
6	DNF98396	S4600-28P-SI	702514583778 9 / SWITCH	Local Area Network (LAN)	1 / EACH/N UMBER	S4600-28P-SI	0	1 AV DU CANADA LES ULIS LES ULIS	HEWLET T-		<u>TECHNICAL SPECIFICATION - Switch unit 24 port with 4SFP &</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		/J9776A	UNIT 24 PORT WITH 4SFP & Accessories	(Intranet)	UMBER	/CSS326-24G-2SRM				PACKARD CENTRE COMPETENCE FRANCE	Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP GENERAL SPECIFICATION - Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP	
7	DNF98553	BK500-CH	613070519345 3 / APC UPS BK500-CH (220V, 500 VA, 300 W)	PC	4 / EACH/NUMBER	APC BK500-CH	NOT KNOWN	NOT KNOWN (LOCAL MARKET)	APC		TECHNICAL SPECIFICATION - APC UPS BK500-CH VOLTAGES 220 VRMS NOMINAL UPS CAPACITY 500 VA 300 W NET WEIGHT 9.20 IB (4.18 KG) DIMENSIONS: LENGTH : 29.5 CM WIDTH : 17.4 CM HEIGHT : 10.5 CM GENERAL SPECIFICATION - APC UPS BK500-CH VOLTAGES 220 VRMS NOMINAL UPS CAPACITY 500 VA 300 W NET WEIGHT 9.20 IB (4.18 KG) DIMENSIONS: LENGTH : 29.5 CM WIDTH : 17.4 CM HEIGHT : 10.5 CM	
8	DNC94498	ELEC-0366	651079517445 9 / PLASTIC CABLE TIES	H/CRAFT	50 / EACH/NUMBER	H/CRAFT 8100TD		GRIFFON HOVER WORK UK	GRIFFON HOVER WORK		TECHNICAL SPECIFICATION - LENGTH: 24 INCHES COLOUR: BLACK GENERAL SPECIFICATION - LENGTH: 24 INCHES COLOUR: BLACK	
9	DNF98393	HR1221W	613573517880 5 / CSB BATTERY - 12V 21W 2.1A	APC UPS	32 / EACH/NUMBER	HR1221W		CSB TAIWAN	CSB		TECHNICAL SPECIFICATION - CellsPerUnit 6 VoltagePerUnit 12 Capacity 21W@15min-rateto1.67Vpercell @25 (77) Weight Approx. 1.80 kg(3.97 lbs) MaximumDischargeCurrent 60A/90A (5sec) InternalResistance Approx. 25 m OperatingTemperatureRange Discharge: -15 -50 (5 -122) Charge: -15 -40 (5 -104) Storage:-15 -40 (5 -104) OEM, CSB BATTERY CO., LTD. (TAIWAN) GENERAL SPECIFICATION - CellsPerUnit 6 VoltagePerUnit 12 Capacity 21W@15min-rateto1.67Vpercell @25 (77) Weight Approx. 1.80 kg(3.97 lbs) MaximumDischargeCurrent 60A/90A (5sec) InternalResistance Approx. 25 m OperatingTemperatureRange Discharge: -15 -50 (5 -122) Charge:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											-15 ~40 (5 ~104) Storage:-15 ~40 (5 ~104) OEM, CSB BATTERY CO., LTD. (TAIWAN)	
10	DNJ98313	90794-46911	291076523164 1 / FILTER ELEMENT	YAMAHA ENGINE 100HP	50 / EACH/NUMBER			YAMAHA MOTOR CO. LTD MARINE ENGINE DIVISION 2500 SHINGAI IWATA SHI IWATA SHIZUOKA KEN JAPAN	YAMAHA JAPAN		TECHNICAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch GENERAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch	
11	DNZ98419	G4 BVP 432 PHILIPS	623070522925 9 / FLOODLIGHT PHILIPS TANGO G4-BVP 432 LED/NW 120W	FloodLight	6 / EACH/NUMBER	G4 BVP 432 PHILIPS	TANGO G3-BVP38X	Philips.Co	Philips Lighting		TECHNICAL SPECIFICATION - Input Voltage : 220-240V Input Power : 400W Input Frequency : 50/60 Hz Light Source Colour : Neutral white Colour Temperature : 4000K GENERAL SPECIFICATION - Input Voltage : 220-240V Input Power : 400W Input Frequency : 50/60 Hz Light Source Colour : Neutral white Colour Temperature : 4000K	
12	DNJ98319	6E5-12411-30	688576521246 0 / THERMOSTAT	150 AET OBM ENGINE	7 / EACH/NUMBER	150AET 07 (6G 47) 1024899	1024899 6G47	YAMAHA MOTOR CO LTD 2500 SHINGAI LWATA SHIZUOKA 438-8501 JAPAN PHONE 0081-538-37-1668 FAX 0081-538-37-1954	YAMAHA MOTOR CO LTD		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
13	DNS98341	3161436	293022612268 2 / COOLANT PUMP	VOLVO PENTA SSDG D9A2A MG HE SWEDEN	1 / EACH/NUMBER	D9A MG HE	SEE GEN SPECS	AB Volvo Penta SE-405 08 Göteborg, Sweden Tel: +46 31 23 54 60	AB Volvo Penta Sweden		TECHNICAL SPECIFICATION - MADADGAR 1009155503(STBD) 1009155425(PORT) RASADGAR 1009161287(STBD) 1009161290 (PORT) GENERAL SPECIFICATION - MADADGAR 1009155503(STBD) 1009155425(PORT) RASADGAR 1009161287(STBD) 1009161290 (PORT)	
14	DNC98248	02232077/ DANFOS/ WBCL002 301/023z1 471	413074513314 9 / BI-FLOW FILTER/DRYER 1/2 FOR CHILLER-42 T060 MONO	A/C SYSTEM PNS KARRAR	2 / EACH/NUMBER	NO DATA AVAILAB LE		FR	WEBAST O MARINE COMFORT FRANCE		TECHNICAL SPECIFICATION - oem: Danfoss source of availability: YONK-ONUUKJV GENERAL SPECIFICATION - oem: Danfoss source of availability: YONK-ONUUKJV	
15	DNC788	02232077/	413074513314	A/C SYSTEM	1 /	NO DATA		FR	WEBAST		TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	33	DANFOS/ WBCL002 301/023z1 471	9 / BI-FLOW FILTER/DRYE R 1/2 FOR CHILLER-42 T060 MONO	PNS KARRAR	EACH/N UMBER	AVAILAB LE			O MARINE COMFOR T FRANCE		oem: Danfoss source of availability: YONK-ONUJVG <u>GENERAL SPECIFICATION</u> - oem: Danfoss source of availability: YONK-ONUJV	
16	DNF9841 5	N1537	611070515526 0 / ENERGY SAVER 220V-240V .11W. (screw type)	SELF, FOR DISTRIBUTION SYS.	80 / EACH/N UMBER			SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.		<u>TECHNICAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi</u> <u>'GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi</u>	
17	DNF9822 0	N1537	611070515526 0 / ENERGY SAVER 220V-240V .11W. (screw type)	SELF, FOR DISTRIBUTION SYS.	325 / EACH/N UMBER			SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.		<u>TECHNICAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi</u> <u>'GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220- 240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi	
18	DNF98416	6500K (E27)	611078514190 0 / ENERGY SAVER DAY LIGHT 220V/20W	LIGHTING	50 / EACH/N UMBER	6500K (E27)		CH		OEM ADDRES S:GE HUNGAR Y ZRT, H- 1340 BUDAPE ST.E- MAIL : VACI UT 77.WWW. GELIGHTI NG.COM, COUNTR Y CHINA.	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
19	DNF98307	FLUKE 87V	055779000048 1 / DIGITAL MULTI METER FLUKE 87V		1 / EACH/N UMBER	Fluke 87V Max True RMS					TECHNICAL SPECIFICATION - Make / Model/ Brand: Fluke 87V Max True RMS GENERAL SPECIFICATION - Make / Model/ Brand: Fluke 87V Max True RMS	
20	DNG98311	02.08.0056 /02. 08.0081	076071000000 2 / MORSE- CABLE-5.50M	GM DETROIT D/E FOR GRP BOATS	3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DNF98244	61-9PT2	056279900559 9 / BATTERY SEC.ACID TYPE 12V 75AH,16.688", W7.969",H11. 062"		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
22	DNZ98418	ITD/DC- 108	621078503122 9 / FLUORESCEN T LAMP 220V2X30W (LENGTH 3	SOCKET AND JUNCTION BOX NASR	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - 220 2 X 30 W (LENGTH 3 FEET) COMPLETE LIGHT FITTINGGENERAL SPECIFICATION - 220 2 X 30 W (LENGTH 3 FEET) COMPLETE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			FEET) COMPLETE LIGHT FITTING CO- 0001								LIGHT FITTING	
23	DNF98420	FSL / DL-108	624078503086 7 / TUBE LIGHT FLOURESCEN T 220/230V 30W SIZE 894X32.5MM	LIGHTING SYSTEM	80 / EACH/N UMBER	FSL / DL- 108					TECHNICAL SPECIFICATION - 220/230V 30W SIZE 894X32.5MM oem: philips pakistan GENERAL SPECIFICATION - 220/230V 30W SIZE 894X32.5MM oem: philips pakistan	
24	DNF98417	ITD/DP- 176 / DP- 103	621078503105 2 / FLOURSCENT LIGHT ASSMBLY 220V 2X20W DOUBLE TUBE LIGHT	SOCKETS AND JUNCTION BOX	3 / EACH/N UMBER	DMS 1X20					TECHNICAL SPECIFICATION - LOCAL ADDRESS:DIGI TECH, SHOP NO2 NEW MEMON CHAMBERS,ALTAF HUSSAIN ROAD,DENSO HALL KARACHI- 7400.TEL:021-2639514. GENERAL SPECIFICATION - LOCAL ADDRESS:DIGI TECH,SHOP NO2 NEW MEMON CHAMBERS,ALTAF HUSSAIN ROAD,DENSO HALL KARACHI-7400.TEL:021-2639514.	
25	DNF98078	F20T12/C W	624000152299 6 / TUBE LIGHT ROD 18W	LIGHTING	50 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
26	DNF98076	TTB3450S / SC005	791070505097 5 / MACHINE FLOOR POLISHER 120/220V AC 50/60HZ 1000W 150RPM	SELF	1 / EACH/N UMBER	UPDATE D MODED TT 3450 S, NUMATIC . UK.					TECHNICAL SPECIFICATION - UPGRADED MODEL : TT3450S, NUMATIC, UK. GENERAL SPECIFICATION - UPGRADED MODEL : TT3450S, NUMATIC, UK.	
27	DNF98421	210883-1	665500162247 9 / EXPENDABLE BATHY PROBE T7	LEANDER CLASS DEPOT PACKAGE	20 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
28	DNF98241	CAT6 E/CAT 5E	701070511899 6 / STP CAT 5E/CAT6E NETWORK CABLE (4	FAWMIS NETWORKING CABLE	3 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAIR) AMP/AVAYA (1000 FFFT)									
29	DNF9844 4	A-1724	583076512071 0 / 240WATT POWER AMPLIFIER INTER MPA- 600		2 / EACH/N UMBER						<p>TECHNICAL SPECIFICATION - 6 Input 95 x 3 pin XLR, 1 x stereo phono0. Telephone input (screw terminates). priority-telephone, mic 1, mic 2. 5 Band graphic equalizer. Line in / Line out. 5 Zone speaker selection. Chime 7 Siren 19" rack Mount Bracket Option: BKT-PA2000A/ PA6000A Model: PA2000A PA4000A PA6000A output power 240W 2 make : toa corporation model: a 1724 description: 240 w power amplifier inter mpa. 600.</p> <p>GENERAL SPECIFICATION - 6 Input 95 x 3 pin XLR, 1 x stereo phono0. Telephone input (screw terminates). priority-telephone, mic 1, mic 2. 5 Band graphic equalizer. Line in / Line out. 5 Zone speaker selection. Chime 7 Siren 19" rack Mount Bracket Option: BKT-PA2000A/ PA6000A Model: PA2000A PA4000A PA6000A output power 240W 2 make : toa corporation model: a 1724 description: 240 w power amplifier inter mpa. 600.</p>	
30	DNZ9824 5	NO DATA AVAILABL E	058278000001 0 / STERN LANTERNS 24V. 40 WATTS PB SERIES 700		1 / EACH/N UMBER	NO DATA AVAILAB LE					<p>TECHNICAL SPECIFICATION - MESSRS J.H PETTERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11,WEST GERMANY. BABA LIGHT QUALITY GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD KARACHIGENERAL</p> <p>SPECIFICATION - MESSRS J.H PETTERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11,WEST GERMANY. BABA LIGHT QUALITY GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											KARACHI	
31	DCC98148		8405502601220 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE LL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
32	DCW98281		8430700663684 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9		100 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9	ITEM REQUIRED AS PER SPECIFICATIONS
33	DCC98160		8405502701232 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
34	DN098352	DL-473WDL024-02-07-02 / 473WDL024-02-07-02/ZACR-061-SEW	4110FP3050061 / Anti-corrosion zinc bar (Fresh keeping device)		8 / EACH/NUMBER	473WDL024-02-07-02					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
35	DNF98242		7025705249038 / LED TV 50 INCH		8 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
36	DCD98288		8455705152018 / CHEST RANK TWO STAR FCPO SSG(N)		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
37	DCC98170		840550270124 1 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 48 SIZE 3XXL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
38	DNF95579	Winner pro1K	6150TA524965 9 / UPS 1KVA		4 / EACH/N UMBER	Winner pro1K				REJECTED BY END USER.	TECHNICAL SPECIFICATION - Complete Details regarding 2KVA & 1KVA UPS are available in the attached Brochure named "WinnerPro" GENERAL SPECIFICATION - Complete Details regarding 2KVA & 1KVA UPS are available in the attached Brochure named "WinnerPro"	
39	DCC98147		840550260121 9 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
40	DCD98294		845570515201 1 / CHEST RANK DOUBLE ANCHOR PAK MARINE		1000 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
41	DNF98547	rb2011 uias-rm / L009UIGS- RM	591570524633 6 / mikrotik router		1 / EACH/N UMBER	rb2011 uias-rm					TECHNICAL SPECIFICATION - brocher is attached for detials spec GENERAL SPECIFICATION - brocher is attached for detials spec	
42	DCD98291		845570515201 4 / CHEST RANK CRESCENT & STAR MCPO		1000 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAK MARINE									
43	DCW98280		8430700663685 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10		99 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10	ITEM REQUIRED AS PER SPECIFICATIONS
44	DCC98152		8405502601224 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 2XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
45	DCC98169		8405502701240 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 46 SIZE 2XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
46	DCC98158		8405502701230 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
47	DCC98164		8405502701236 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL								SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LL	SPECIFICA TION.
48	DCC981 39		840550260121 2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS	the item is procured against tender sample, as per specification
49	DCC981 44		840550260121 7 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
50	DCC981 65		840550270123 7 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 40 SIZE XLF	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
51	DCC981 46		840550260121 8 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
52	DCC981		840550260122		150 /						TECHNICAL SPECIFICATION -	THE ITEM

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	50		2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL		EACH/NUMBER						SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17 SIZE XLL	IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
53	DCC98278		8405509001699 / DRESS KHAKI 100% COTTON COLLAR 17.5" WAIST 44"		90 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
54	DCC98140		8405502601213 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XSF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
55	DCC98159		8405502701231 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
56	DCW98282		8430700663683 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8		100 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8	ITEM REQUIRED AS PER SPECIFICATIONS

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
57	DCC98277		8405509001698 / DRESS KHAKE 100% COTTON COLLAR 17" WAIST 42"		90 / EACH/ NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
58	DCD98293		8455705152012 / CHEST RANK one STAR cpo PAK MARINE		1000 / EACH/ NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
59	DCD98287		8455705152006 / CHEST RANK DOUBLE ANCHOR SSG (N)		250 / EACH/ NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
60	DCD98290		8455705152019 / CHEST RANK CRESCENT & STAR MCPO SSG(N)		150 / EACH/ NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
61	DCC98149		8405502601221 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF		150 / EACH/ NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16.5 SIZE XLF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
62	DCC98138		8405502601211 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE		150 / EACH/ NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE	the item is procured against tender sample, as per specification.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			100% COTTON COLLAR 14 SIZE 2XS								100% COTTON COLLAR 14 SIZE 2XS	
63	DNN98404	STR-HS-10KRH	590550531271 2 / 10 KV A Double Conversion Online UPS		1 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - 10 KV A GENERAL SPECIFICATION - 10 KV A	
64	DCC98275		840550900169 7 / DRESS KHAKI 100% COTTON COLLAR 16.5" WAIST 40"		90 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	the item is procured against tender sample, as per specification
65	DCC98141		840550260121 4 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
66	DCC98168		840550270123 9 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 44 SIZE XXL	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
67	DCD98292		845570515201 3 / CHEST RANK TWO STAR FCPO PAK MARINE		1000 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
68	DCD97550		845550170202 7 / SOFT POOL INSIGNIA FOR		1000 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			DIVING MEDICAL TECHNICIAN									
69	DCC98166		8405502701238 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICES DIGITAL CAMOUFLAGE 100% COTTON WAIST 42 SIZE XLL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
70	DCC98162		8405502701234 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
71	DCW98283		8430700663482 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7		95 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7	ITEM REQUIRED AS PER SPECIFICATIONS
72	DCD98286		8455705152007 / CHEST RANK ONE STAR CPO SSG(N)		100 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per tender sample
73	DCC98154		8405502701227 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
74	DCC98151		8405502601223 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 17.5 SIZE XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
75	DCC98142		8405502601215 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
76	DCC98148		8405502601216 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE SL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
77	DCC98156		8405502701229 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
78	DCC98155		8405502701228 / TROUSER DRESS 4 GENERAL SERVICE		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS GENERAL SPECIFICATION -	THE ITEM IS PROCURED AGAINST TENDER

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS								TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 30 SIZE XXS	SAMPLE, AS PER SPECIFICATION.
79	DCC98163		8405502701235 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
80	DNF98411	HTS-SFP-850	5915705248696 / SFP MODULE		4 / EACH/NUMBER	SFP-850					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
81	DCC98153		8405502601225 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL		150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 18 SIZE 3XXL	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
82	SCF98351		8345595715760 / FLAG ALPHA Z RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA Z RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA Z RECT NO 4 FITTED SZ 5.00X3.75FT	
83	DNO97787	126-0577	2940775266109 / BREATHER AS (CHROME) (CRANKCASE)		12 / EACH/NUMBER	3516E					TECHNICAL SPECIFICATION - BREATHER AS (CHROME) (CRANKCASE) GENERAL SPECIFICATION - BREATHER AS (CHROME) (CRANKCASE)	
84	SCF98344		8345590040181 / FLAG ALPHA V RECT NO 4 FITTED SZ 4.00X3.33FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA V RECT NO 4 FITTED SZ 4.00X3.33FT GENERAL SPECIFICATION - FLAG ALPHA V RECT NO 4 FITTED SZ 4.00X3.33FT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
85	SCF9867 5		834559571587 0 / FLAG NUMERAL NINE RECT NO 4 FITTED SZ 5.00X3. 75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG NUMERAL NINE RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG NUMERAL NINE RECT NO 4 FITTED SZ 5.00 X3.75FT	
86	SCF9833 8		834559004021 1 / FLAG ALPHA Q RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA Q RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA Q RECT NO 4 FITTED SZ 5.00X3. 75FT	
87	SCF9833 5		834559004022 1 / FLAG ALPHA N RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA N RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA N RECT NO 4 FITTED SZ 5.00X3. 75FT	
88	SCF9834 0		834559004020 1 / FLAG ALPHA S RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA S RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA S RECT NO 4 FITTED SZ 5.00X3. 75FT	
89	SCF9825 7		834559004073 1 / FLAG ALPHA D RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA D RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA D RECT NO 4 FITTED SZ 5.00X3. 75FT	
90	SCF9833 6		834559004019 1 / FLAG ALPHA O RECT NO 4 SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA O RECT NO 4 SZ 5.00 X3.75FT GENERAL SPECIFICATION - FLAG ALPHA O RECT NO 4 SZ 5.00X3.75FT	
91	SCF9833 4		834559571565 6 / FLAG ALPHA M RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA M RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA M RECT NO 4 FITTED SZ 5.00X3. 75FT	
92	SCF9825 6		834559571562 6 / FLAG ALPHA C		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA C RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			RECT NO 4 FITTED SZ 5.00X3.75FT								SPECIFICATION - FLAG ALPHA C RECT NO 4 FITTED SZ 5.00X3. 75FT	
93	DN09412 5	CJJQ-TJ 0103	2990FP115000 3 / Mesh pad stage (INTAKE FILTER)		8 / EACH/N UMBER	CJJQ-TJ 0103					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
94	DNF9756 1	H12L/ M 12L	635077515345 7 / ELECTRIC MARINE HORN	GRP POLICE BOAT (NAVIGATION SYS)	1 / EACH/N UMBER	M 12L		M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010- 4152634 KVK 24219798 0000 SALES@VETUS.NL	VETUS HOLLAN D		TECHNICAL SPECIFICATION - OEM:M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010- 4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL GENERAL SPECIFICATION - OEM: M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010- 4152634 KVK 24219798 0000 SALES@VETUS.NL	
95	DNF9871 0	WPL65- 12AN or P-0159000	614078516675 5 / UPS BATTERY_ 12V 65AH	PSS	18 / EACH/N UMBER			M/s CETC Mansion, No. 5 Wulutong North Street, Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD		TECHNICAL SPECIFICATION - OEM KUNG LONG BATTERIES INDUS.LTD. SOA: AIR PORT BATTERY SHOP G35 FALAK NAZ TOWER SHAHR E FAISAL KARACHI M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China. GENERAL SPECIFICATION - OEM KUNG LONG BATTERIES INDUS.LTD. SOA: AIR PORT BATTERY SHOP G35 FALAK NAZ TOWER SHAHR E FAISAL KARACHI M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China.	
96	DNS988 26	2526438/2 52-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/N UMBER	Marine Genset C 4.4	ZRE0132 3	CATERPILLAR INC! CATERPILLAR PRECISION SEALS 517 INDUSTRIAL PARK RD FRANKLIN, NC, USA TEL: 828-349-8400	CATERPI LLAR USA		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
97	DNS988 26	2526438/2 52-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS			
98	DNF9871 2	A/p SPECCS pak cable/ Allied Cable	614570513268 3 / POWER CABLE 2 CORE 3/29 P. V.C WIRE 220/440 VOLTS	CCTV SYSTEM	250 / METER	PAK CABLE		PK	M/S AYUB ENGINEE RING MANUFA CTURES, REPAIRI NG &GENER AL SUPPLIE R GROUND FLOOR, NORTH WING, MULES MANSION KEAMARI KARACHI		<p><u>TECHNICAL SPECIFICATION -</u> brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.</p> <p><u>GENERAL SPECIFICATION - brand:</u> pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.</p>	
99	DNF9870 7	MD231 (CROWN) /EH1504 /EH1418	444079510254 4 / PREMI-AIR DEHUMIDIFIE RS,300W, 220/240V SIZE: 350X452X275 MM	DEHUMIDIFIE RS	4 / EACH/N UMBER	MD231 (CROWN) /EH1504/ EH1418					<p><u>TECHNICAL SPECIFICATION -</u> Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG</p> <p><u>GENERAL SPECIFICATION</u> _Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG	
100	DNF95457	177-300	512076510133 3 / REVERSABLE BEARING PULLER (ARM 3.65-300MM)	PORTABLE INDUCTION HEATER FOR FMG	1 / SET						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
101	DNF96576		666501510764 8 / METALLIC MINE DETECTOR	EXPLOSIVE SAFETY EQUIPMENT	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
102	DNF98300	SURT6000 XLI	702171503058 5 / 6KVA UPS	USE SELF	1 / SET						<u>TECHNICAL SPECIFICATION - Power requirement 230v AC, 50 Hz Frequency 50/60 Hz Output current rating Power output 6 KVA front panel Sockets up to 03 back panel sockets up to 03 rixed/removable input supply cable unput & output power supply meters OR Apc ups SURT 5000xli, standard backup time 20/30 mins OR Avr 6000 VA with Standard Backup Time</u> <u>GENERAL SPECIFICATION - Power requirement 230v AC, 50 Hz Frequency 50/60 Hz Output current rating Power output 6 KVA front panel Sockets up to 03 back panel sockets up to 03 rixed/removable input supply cable unput & output power supply meters OR Apc ups SURT 5000xli, standard backup time 20/30 mins OR Avr 6000 VA with Standard Backup Time</u>	
103	DNF98713	SURT6000 XLI	702171503058 5 / 6KVA UPS	USE SELF	1 / SET						<u>TECHNICAL SPECIFICATION - Power requirement 230v AC, 50 Hz Frequency 50/60 Hz Output current rating Power output 6 KVA front panel Sockets up to 03 back panel sockets up to 03 rixed/removable input supply cable unput & output</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											power supply meters OR Apc ups SURT 5000xli, standard backup time 20/30 mins OR Avr 6000 VA with Standard Backup Time <u>GENERAL SPECIFICATION</u> - Power requirement 230v AC, 50 Hz Frequency 50/60 Hz Output current rating Power output 6 KVA front panel Sockets up to 03 back panel sockets up to 03 rixed/removable input supply cable unput & output power supply meters OR Apc ups SURT 5000xli, standard backup time 20/30 mins OR Avr 6000 VA with Standard Backup Time	
104	DNF98708	SUA1000I/ APC BRAND	613070509030 1 / UPS OF APC BRAND 240V 1000VA BBACKUP TIME 1-1.30 HOURS	UPS	2 / EACH/NUMBER	APC BRAND					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
105	SCF98259		834559004069 1 / FLAG ALPHA F RECT NO 4 FITTED SIZEZ 2.50 X 2.00 FT		30 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - FLAG ALPHA F RECT NO 4 FITTED SIZEZ 2.50 X 2.00 FT <u>GENERAL SPECIFICATION</u> - FLAG ALPHA F RECT NO 4 FITTED SIZEZ 2.50 X 2.00 FT	
106	SCF98348		834559571572 2 / FLAG ALPHA X RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - FLAG ALPHA X RECT NO 4 FITTED SZ 5.00X3.75FT <u>GENERAL SPECIFICATION</u> - FLAG ALPHA X RECT NO 4 FITTED SZ 5.00X3.75FT	
107	SCF98260		834559571563 8 / FLAG ALPHA G RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - FLAG ALPHA G RECT NO 4 FITTED SZ 5.00X3.75FT <u>GENERAL SPECIFICATION</u> - FLAG ALPHA G RECT NO 4 FITTED SZ 5.00X3.75FT	
108	SCF98254		834559571594 2 / FLAG ALPHA A BURGEE NO 4 FITTED SZ		30 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - FLAG ALPHA A BURGEE NO 4 FITTED SZ 5.00X3.75FT <u>GENERAL SPECIFICATION</u> - FLAG ALPHA A BURGEE NO 4 FITTED SZ 5.00X3.75FT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			5.00X3.75FT								75FT	
109	SCF98350		834559004008 1 / FLAG ALPHA Y RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA Y RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA Y RECT NO 4 FITTED SZ 5.00X3. 75FT	
110	SCF98333		834559571565 3 / FLAG ALPHA L RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA L RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA L RECT NO 4 FITTED SZ 5.00X3. 75FT	
111	DNF96741	CCR2116-12G-4S+	589555001291 4 / CLOUD CORE ROUTER (Mikrotik Network Switch)/ NETWORK MANAGMENT CENTRAL		1 / PACKA GE	CCR2116-12G-4S+					TECHNICAL SPECIFICATION - CLOUD CORE ROUTER (MIKROTIK NETWORK SWITCH) Product code CCR2116-12G-4S+ CPU AL73400 2 GHz CPU architecture ARM 64bit CPU core count 16 Size of RAM 16 GB RAM type DDR4 Storage 128 MB, NAND Number of 1G Ethernet ports 13 Number of 10G SFP+ ports 4 Number of M.2 slots 1 Operating system RouterOS (License level 6) Switch chip model 98DX3255 Dimensions 443 x 199 x 44 mm Storage 128 MB, NAND Number of 1G Ethernet ports 13 Number of 10G SFP+ ports 4 Number of M.2 slots 1 Operating system RouterOS (License level 6) Switch chip model 98DX3255 GENERAL SPECIFICATION - CLOUD CORE ROUTER (MIKROTIK NETWORK SWITCH) Product code CCR2116- 12G-4S+ CPU AL73400 2 GHz CPU architecture ARM 64bit CPU core count 16 Size of RAM 16 GB RAM type DDR4 Storage 128 MB, NAND Number of 1G Ethernet ports 13 Number of 10G SFP+ ports 4 Number of M.2 slots 1 Operating system RouterOS (License level 6) Switch chip model 98DX3255 Dimensions 443 x 199 x 44 mm	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Storage 128 MB, NAND Number of 1G Ethernet ports 13 Number of 10G SFP+ ports 4 Number of M.2 slots 1 Operating system RouterOS (License level 6) Switch chip model 98DX3255	
112	SCF98339		834559004060 1 / FLAG ALPHABATIC RSIZE 4 FITTED		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHABATIC RSIZE 4 FITTED GENERAL SPECIFICATION - FLAG ALPHABATIC RSIZE 4 FITTED	
113	SCF98262		834559571564 4 / FLAG ALPHA I RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA I RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA I RECT NO 4 FITTED SZ 5.00X3.75FT	
114	DNF98621	L-30	451078529091 9 / Hot Water Tap		10 / EACH/NUMBER	FS-30B					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
115	SCF98346		834559004009 1 / FLAG ALPHA W RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA W RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA W RECT NO 4 FITTED SZ 5.00X3.75FT	
116	DNO97800	518-5131	530677526678 5 / BOLT-HEAD (M8X1.25X25-MM)		48 / EACH/NUMBER	3516E					TECHNICAL SPECIFICATION - BOLT-HEAD (M8X1.25X25-MM) GENERAL SPECIFICATION - BOLT-HEAD (M8X1.25X25-MM)	
117	SCF98329		834559571564 7 / FLAG ALPHA J RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA J RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA J RECT NO 4 FITTED SZ 5.00X3.75FT	
118	SCF98679		834559571586 4 / FLAG NUMERAL SEVEN RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NUMERAL SEVEN RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG NUMERAL SEVEN RECT NO 4 FITTED SZ 5.00X3.75FT	
119	SCF98332		834559571565 0 / FLAG ALPHA K		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA K RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA K RECT NO 4 FITTED SZ 5.00X3.75FT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			RECT NO 4 FITTED SZ 5.00X3.75FT								SPECIFICATION - FLAG ALPHA K RECT NO 4 FITTED SZ 5.00X3.75FT	
120	DN097559	WP 1224W	614078531228 9 / valve regulated lead acid battery (12V 24W/Cell/15min)		8 / EACH/N UMBER	wp1224w					TECHNICAL SPECIFICATION - CHARGING METHODS AT 25C (77F) CYCLE USE: CHARGING VOLTAGE 14.4 TO 15.0V COEFFICIENT -5.0MILLI VOLT/C/CELL MAXIMUM CHARGING CURRENT 1.8A STANDBY USE: FLOAT CHARGING VOLTAGE 13.5 TO 13.8V COEFFICIENT -3.0milli Volt/c/cell GENERAL SPECIFICATION - CHARGING METHODS AT 25C (77F) CYCLE USE: CHARGING VOLTAGE 14.4 TO 15.0V COEFFICIENT -5.0MILLI VOLT/C/CELL MAXIMUM CHARGING CURRENT 1.8A STANDBY USE: FLOAT CHARGING VOLTAGE 13.5 TO 13.8V COEFFICIENT -3.0milli Volt/c/cell	
121	SCF98342		834559004030 1 / FLAG ALPHA T RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA T RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA T RECT NO 4 FITTED SZ 5.00X3.75FT	
122	SCF98261		834559571564 1 / FLAG ALPHA H RECT NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA H RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA H RECT NO 4 FITTED SZ 5.00X3.75FT	
123	SCF98677		834559571586 7 / FLAG NUMERAL EIGHT RECT NO 4FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG NUMERAL EIGHT RECT NO 4FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG NUMERAL EIGHT RECT NO 4FITTED SZ 5.00X3.75FT	
124	SCF98337		834559004032 1 / FLAG ALPHA P		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA P RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			RECT NO 4 FITTED SZ 5.00X3.75FT								SPECIFICATION - FLAG ALPHA P RECT NO 4 FITTED SZ 5.00X3. 75FT	
125	DNV975 86	456-7957	611001692768 2 / PANEL CONTROL ELECTRICAL- ELECTRONIC EQUIPMENT		1 / EACH/N UMBER	mcs-3					TECHNICAL SPECIFICATION - mcs-3 deif controller of caterpillar c4. 4 supply: 12/24v, 2amp fuse relay output: 250v ac/24v dc, 5 amp analogue output: 0-20 ma GENERAL SPECIFICATION - mcs-3 deif controller of caterpillar c4.4 supply: 12/24v, 2amp fuse relay output: 250v ac/24v dc, 5 amp analogue output: 0- 20 ma	
126	SCF9825 5		834559571594 6 / FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3. 75FT	
127	SCF9825 8		834559004063 1 / FLAG ALPHABATIC E SIZE 4 FITTED		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG ALPHABATIC E SIZE 4 FITTED GENERAL SPECIFICATION _FLAG ALPHABATIC E SIZE 4 FITTED	
128	DNJ9778 6	65910- 98J01	291076534490 8 / FUEL FILTER / FUEL WATER SEPARATOR ELEMENT		2 / EACH/N UMBER	65910- 98J01- 000					TECHNICAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT GENERAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT	
129	DNF9871 6	1010a	621070535096 6 / LED LIGHT LINEAR TYPE 220 VOLT AC 50HZ		300 / FOOT RUN	1010					TECHNICAL SPECIFICATION - LENGTH 1 METER BODY COLOUR: BLACK/ SILVER LUMENS: 140 LM/W FRONT: 15.6MM CUTTING: 10 MM DEPTH: 10 MM POWER : 42 WATTS CCT AVAILIBLTY 3000K, 4000K,6000K GENERAL SPECIFICATION - LENGTH 1 METER BODY COLOUR: BLACK/ SILVER LUMENS: 140 LM/W FRONT: 15.6MM CUTTING: 10 MM DEPTH: 10 MM POWER : 42 WATTS CCT AVAILIBLTY 3000K, 4000K,6000K.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
130	SNG98501		512000277148 3 / WRENCH PIPE LG 06"TO 11.50" SURFACE 0.125"TO 0.500"		20 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
131	DNF98600	S4600- 28P- SI/DGS- 3000-28XS	593070524633 2 / MANAGED L2 GIGABIT SWITCHES		1 / EACH/N UMBER	DGS- 3000- 28XS	33				TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
132	DNF98605	N250 PLUS EXIDE / OSAKA OR EQUALEN T	056279562000 6 / BATTERY LEAD ACID 12V 200AH	DG USED	1 / EACH/N UMBER	N250 PLUS EXIDE / OSAKA					TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE:511X280X246MM EXIDE PAKISTAN.	
133	SNG98502	02.08.0026	076071000000 1 / TS SINGLE ENGINE CONTROL	GM DETROIT D/ENGINE FOR GRP BOATS	8 / EACH/N UMBER						TECHNICAL SPECIFICATION - M/S EXALTO EMIRATES MARINES EQUIPMENT SHARJAH PO BOX 21567 KALBA ROAD INDUSTRIAL AREA 18 SHARJA UAE GENERAL SPECIFICATION - M/S EXALTO EMIRATES MARINES EQUIPMENT SHARJAH PO BOX 21567 KALBA ROAD INDUSTRIAL AREA 18 SHARJA UAE	
134	DNF98638	RG- NBS3100- 24GT4SFP /J9776A / J9772A+J4 859c/RG- NBS3100- 24GT4SFP	589578520793 3 / NETWORK SWITCH HP 2530 24G/48G WITH 2/4 SFP MODULES	NETWORK SWITCH J9772A CHINA	4 / EACH/N UMBER	RG- NBS5200- 48GT4xS/ R8N88A- HP/J9776 AJ9772A	NA	HP INC C/O INVENTEE (CHONGGING) CORP. NO. 66 WEST DISTRICT 2ND ROAD SHAPINGBA DISTRICT CHONGGING 401331 CHINA	HP CHINA	network switch HP 2530 48G with 4 x SFP modules is required	TECHNICAL SPECIFICATION - ATTACHED GENERAL SPECIFICATION - ATTACHED	
135	DNF99063	GLC-SX- MMD	703571510254 1 / SFP 1000BASE-SX SFP TRANSCEIVE R MODULE	COMPUTER NETWORK (STRUCTURE D CABLING FOR	48 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
136	DNF9871	dgs-1510-	593070524633		1 /	dgs-1510-					TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	5	28p / DGS-1510-28X, DEM-310GT,	3 / D-LINK 24 PORTS 10/100/1000 MBPS+4 10G SFP+PORTS SMARTPRO SWITCH, (EU PLUG) WITH 4 X K-LINK 1-P LX SM SFP (DGS-1510-28X & DEM-310GT)		EACH/NUMBER	28x,DEM-310GT,					null GENERAL SPECIFICATION - null	
137	SNF98758	445CMA4-1971-8592150	791014300838 8 / VACUM CLEANER 110/220 VOLT P/N 445CMA4-1971-8592150	SELF (NATIONAL MODEL NO9025)	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
138	DNF98636	COM-FDPSM9-ST/PC-ST/PC-03	601571510312 8 / FIBER OPTICL PATCH CORD ST/PC - ST/PC SM9/125UM OS2 D.652D LSZH DUPLEX SC-SC, 3M COLOR YELLOW	COMPUTER NETWORK	12 / EACH/NUMBER						TECHNICAL SPECIFICATION - ST/PC - ST/PC SM9/125UM OS2 D. 652D LSZH DUPLEX SC-SC, 3M COLOR YELLOW OEM COMBRIDGE WWW.COMBRIDGENETWORKS. GENERAL SPECIFICATION - ST/PC - ST/PC SM9/125UM OS2 D. 652D LSZH DUPLEX SC-SC, 3M COLOR YELLOW OEM COMBRIDGE WWW.COMBRIDGENETWORKS. COM	
139	DNF98601	A460429101	597570512970 9 / RACK 42 U 800X800 (LOCAL)WITH POWER DISTRIBUTION FAN	LAN	1 / EACH/NUMBER			PK		PAKISTAN	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
140	DNF98637	rg-nbs3200-24SFP/8GT4XS	593078528918 3 / 24 SFP port switch		1 / BOOK	RG-NBS3200-24SFP/8GT4XS					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	