



FAISALABAD ELECTRIC SUPPLY CO. LTD.

☎ 041-9220397
☎ 041-9220691
✉ cedevfesco@yahoo.com


Office of the,
Chief Engineer (Development),
PMU FESCO Faisalabad

CORRIGENDUM

In continuation to this office letter No.2620 dated 12.02.2026, PMU FESCO floated following tenders in "Invitation for Bid" already published in Daily Express dated 14.02.2026 & Daily 92 News dated 14.02.2026 as well as uploaded at FESCO and PPRA Websites are hereby extended as per detail below:

Tender No.	Tender opening date as already published	Extended Tender Opening Date
NCB-794 to NCB-800 and NCB-802 to NCB-804 (Invitation to Bid)	05.03.2026	02.04.2026

All other terms and conditions pertaining to letter bearing No.2620 dated 12.02.2026 will remain intact".


Chief Engineer (Development)
PMU FESCO Faisalabad
24/02/26



FAISALABAD ELECTRIC SUPPLY CO. LTD.

☎ 041-9220397
☎ 041-9220691
✉ cedevfesco@yahoo.com

Office of the,
Chief Engineer (Development),
PMU FESCO Faisalabad

No. 2785 /CE.(Dev)PMU/FESCO

Dated 24-02-26

Director (Public Relation),
FESCO, Faisalabad.

SUBJECT: CORRIGENDUM

In continuation to this office letters No.2620 dated 12.02.2026, a corrigendum is attached herewith for publication in two National Leading Newspapers at the earliest. The relevant newspapers may be sent to this office for record please.

D/A:-

- Copy of corrigendum.


Chief Engineer (Development)
PMU FESCO Faisalabad

CC: -

1. Director General (IT) FESCO Computer Centre Faisalabad with the request to upload the same at PPRA & FESCO websites.



FAISALABAD ELECTRIC SUPPLY CO. LTD.

☎ 041-9220397
☎ 041-9220691
✉ cedevfesco@yahoo.com

Office of the,
Chief Engineer (Development),
PMU FESCO Faisalabad

No. 2620 /CE(Dev)PMU/FESCO

Dated 12-2-26

Director (Public Relation),
FESCO, Faisalabad.

SUBJECT: PUBLICATION OF FESCO TENDER NOTICE

Enclosed please find herewith 01 No. "Invitation for Bid" for publication in 02 Nos. National newspapers (One English & One Urdu) at the earliest. The relevant newspaper may be sent to this office for record please.

DA:-

- Invitation to Bid.

CC: -

1. Director (Procurement) PMU FESCO
2. Director (PF) PMU FESCO
3. Project Director (GSC) FESCO.
4. Dy. Director (Audit) O/O Chief of Audit FESCO

[Handwritten Signature]
12/02/2026
✓ Chief Engineer (Development)
PMU FESCO Faisalabad
[Handwritten Signatures]
11/02/26 12/02/26 12/02/26 12/2

Please participate in tenders opening (NCB-791 to NCB-808) in this office at 11:30 AM on 04 & 05 March, 2026.

5. Director General (IT) FESCO Computer Centre Faisalabad with the request to upload the same at PPRA & FESCO websites.

INVITATION FOR BID

Faisalabad Electric Supply Company Limited (FESCO) invites **E-Bids** from WAPDA/PEPCO/DISCO's approved manufacturers/suppliers duly pre-qualified/registered with PEPCO/NTDC/DISCOs/PPRA in required categories under **Single Stage Single Envelop Method** for the supply of material mentioned against each according to WAPDA/PEPCO/NTDC specifications (amended to date) and also registered with Income Tax and Sales Tax Departments.

TENDER NO.NCB-791/FESCO/PMU/GSC&GSO&DW/2025-26				
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender	
			11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "On LOT Wise Basis"		
LOT-I/(GSC&GSO)				
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLMS-8A:2017 (amended to date)/IEC Standard	Strings (Nos.)	269	
LOT-II/(Deposit Work)				
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLMS-8A:2017 (amended to date)/IEC Standard	Strings (Nos.)	126	
TENDER NO.NCB-792/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender	
			11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "As a whole for tender"		
1	11KV, 25KA, 2500Amp Incoming Panel for 31.5/40MVA Power Transformer as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	19	
TENDER NO.NCB-793/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender	
			11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "On Item Wise Basis"		
1	11KV Bus Coupler 25KA 2500Amp as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	01	
2	11KV, 25KA, 2500Amp Capacitor Control Panel as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	05	
TENDER NO.NCB-794/FESCO/PMU/GSC/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender	
			11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	551481	

[Handwritten Signature]
12/02/26

[Handwritten Signature]
12/02

TENDER NO.NCB-795/FESCO/PMU/GSC/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender 11:30 AM 05/03/2026	
Sr. No.	Item Description			Unit Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	Cairo AAAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 9500
TENDER NO.NCB-796/FESCO/PMU/GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender 11:30 AM 05/03/2026	
Sr. No.	Item Description			Unit Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	Alliance AAAC Conductor as per concerned WAPDA/PEPCO/ NTDC Specification (amended to date)			Mtr. 11000
TENDER NO.NCB-797/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender 11:30 AM 05/03/2026	
Sr. No.	Item Description			Unit Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 17029
TENDER NO.NCB-798/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender 11:30 AM 05/03/2026	
Sr. No.	Item Description			Unit Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 3540
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 2674
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 1812
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 5907
TENDER NO.NCB-799/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender 11:30 AM 05/03/2026	
Sr. No.	Item Description			Unit Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	11KV S/Core Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)			Mtr. 34048

[Signature]
12/02/26

[Signature]
12/02

TENDER NO.NCB-800/FESCO/PMU/GSC&GSO/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender	11:30 AM 05/03/2026
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	11KV S/Core Power Cable 500 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	10930	
2	11KV S/Core Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	195	
TENDER NO.NCB-801/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26				
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender	11:30 AM 04/03/2026
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "As a Whole Tender Basis"		
1	145KV, 40KA, 2000 Amp 110V DC 3-pole SF-6 Gas Capacitor Switching Circuit Breaker with Steel Supporting Structure, grouting bolts and terminal connectors as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	No.	01	
TENDER NO.NCB-802/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender	11:30 AM 05/03/2026
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	9180	
2	Aluminum Conductor 600mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3500	
3	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	6000	
4	Earth Wire 9mm as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2130	
TENDER NO.NCB-803/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26				
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender	11:30 AM 05/03/2026
Sr. No.	Item Description	Unit	Qty	
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"		
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	15000	
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	13000	
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000	
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	16000	

[Handwritten Signature]
12/03/26

[Handwritten Signature]
12/02/2026

TENDER NO.NCB-804/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26			
Time & Date of Receiving of Tender	11:00 AM 05/03/2026	Time & Date of opening of Tender	11:30 AM 05/03/2026
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria:		Tender will be evaluated "as a whole for tender"	
1	11KV S/Core Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	5500
2	11KV S/Core Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	100
3	LT Cable (04-Core) 37/0.083 as per concerned WAPDA/PEPCO/ NTDC Specification (amended to date)	Mtr.	200
TENDER NO.NCB-805/FESCO/PMU/GSO&DW/2025-26			
Time & Date of Receiving of Tender	11:00 AM 04/03/2026	Time & Date of opening of Tender	11:30 AM 04/03/2026
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria:		Tender will be evaluated "On Item Wise Basis"	
1	66KV Pin Insulator	Nos.	25
2	LV Bushing 20/26 MVA Power Transformers	Nos.	04
3	Mobile Phone (Android), Specification: Samsung A-16 (08 GB / 256 GB) or equivalent	Nos.	41
4	Trip Coils ABB or equivalent	Nos.	08
5	Closing Coils ABB or equivalent	Nos.	08
6	Tractor Fiat 640 or Equivalent Feature Specification Engine Power ~75 HP at ~2,500 RPM Torque ~245 Nm at ~1,400-1,600 RPM Transmission 8F/2R, constant mesh, synchromesh PTO Independent 540 RPM Hydraulic Flow ~24.8 L/min (lift ~1,850-2,250 kg)Weight ~2,070 kg Fuel Tank ~54 L Steering Hydraulic (12 L/min pump)Brakes Dry band rear, lever-operated parking brake Air Filter Oil bath with pre-cleaner Battery 12 V, ~110-120 AhTires Front: 7.50-16; Rear: 16.9/14-30Hitch Cat I/II 3-point, sway chains, drawbar hook	Nos.	02
7	Local Control Unit as per NTDC specification P-151:2010, P-149:95	Nos.	09
8	110V Battery Charger as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Nos.	02
TENDER NO.NCB-806/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender	11:00 AM 04/03/2026	Time & Date of opening of Tender	11:30 AM 04/03/2026
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria:		Tender will be evaluated "As a whole basis & Sample Basis"	
1	Temporary Earthing set For 132KV Transmission Line with 8' length rod, Duck bill clamp for earth (PTE), T-Clamp for Earth (PTE), Copper Cable (70mm ²) for Earth lead (PTE) (15 feet each lead)	Nos.	12
2	132KV High Voltage Detector, Rated system voltage: 132 kV Operating voltage detection range: 66 kV to 145 kV (line-to-line) Frequency range: 50 Hz ± 2 Hz and 60 Hz ± 2 Hz Indication method: Dual – high-intensity red LED (visible at ≥ 50 m in daylight) and piezo buzzer ≥ 70 dB at 1 m Detection accuracy: ±3% of rated voltage threshold Response time: ≤ 0.5 seconds from contact with live conductor Self-test function: Built-in test button for circuit and indicator verification Insulation resistance: ≥ 200 MΩ at 1 kV DC Dielectric withstand: 200 kV AC for 1 minute (between electrode and handle) Creepage distance of insulation: ≥ 4000 mm (suitable for 132 kV class) Operating temperature: -20 °C to +55 °C Storage temperature: -30 °C to +70 °C Relative humidity: up to 96% RH (non-condensing) Ingress protection: IP65 (dust tight and water jet resistant) Power supply: 9 V alkaline battery or 3.7 V rechargeable Li-ion (user selectable) Battery life: ≥ 120 continuous operating hours (alkaline) Low-battery warning: Automatic LED flash pattern change and buzzer alert Telescopic fiberglass reinforced epoxy rod, unfolded length 6.5m folded length 1.63m 1.2 kg including pole and detector head Grip: Non-slip rubberized handle, ergonomic design for gloved use Compliance: IEC 61243-1 (Live Working – Voltage Detectors), ASTM F1236, and EN 61243 standards Accessories: Padded carrying case, wrist strap, calibration certificate traceable to ISO/IEC 17025	Nos.	13

Signature
12/02/26

Signature
12/02/26

3	Earth Resistance Tester Digital	Nos.	05
TENDER NO.NCB-807/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender
			11:30 AM 04/03/2026
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria:		Tender will be evaluated "As a whole basis & Sample Basis"	
1	Nystron Rope	Mtr.	500
2	Nylon Rope 1"	Mtr.	250
3	Nylon Rope 3/4"	Mtr.	16
4	Poly Propylene Rope 1"	Mtr.	160
5	Steel Sling 3/4" x 3'	Nos.	05
6	Steel Sling 3/4" x 5'	Nos.	05
7	Nylon Sling 3/4" x 3'	Nos.	05
8	Nylon Sling 3/4" x 5'	Nos.	08
9	Steel Slings 3/4" 3 feet length	Nos.	13
10	Steel Slings 3/4" 5 feet length	Nos.	13
11	Nylon Rope Ladder 32Ft.	Nos.	16
TENDER NO.NCB-808/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender
			11:30 AM 04/03/2026
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria:		Tender will be evaluated "On Item Wise Basis and Sample Basis"	
1	Safety Hat in white color (Insulated)	Nos.	30
2	Power Cutter for tree Trimming/Chainsaw Engine / Motor Power Petrol: 1.5 – 2.5 HP (30–50cc engine) Electric/Battery: ≥ 1.5–2.0 kW (≥ 36–60V Li-ion, ≥ 4.0Ah) Bar Length 14"–20" (35–50 cm). Chain Speed ≥ 18–25 m/s for fast and clean cutting. Cutting Capacity Ability to handle branches/logs up to 20–40 cm diameter. Chain Type Low-kickback, high-performance chain (e.g., 3/8" pitch, 0.325"). Lubrication System Automatic chain lubrication with adjustable oil pump. Safety Features Inertia chain brake, throttle lock, anti-kickback guard, hand guard. Vibration & Noise Control Low vibration (<5 m/s ²) and noise reduction (<110 dB). Weight & Balance Lightweight for tree trimming (≤ 6 kg for handheld). Ergonomics Anti-slip handle, balanced design, easy start (decompression valve / soft start).	Nos.	05
3	Linemen's Safety Belt Size 40"	Nos.	11
4	Rechargeable Torch (Heavy Duty) Brightness (Lumens) – High output, typically 2000–5000 lumens for long-range visibility. Battery Type & Capacity – Rechargeable Li-ion battery (≥ 4000–10000 mAh) with long runtime (6–12 hours). Beam Distance – Powerful spotlight capability, ≥ 500–1000 meters range. Durability – IP65– P68 waterproof, dustproof, and impact-resistant (1–2 meters drop protection). Modes of Operation – Multiple light modes (High / Medium / Low / Strobe / SOS). Charging Options – USB-C fast charging (with power bank function preferred).	Nos.	200
5	Lineman/ALM Uniform (Acc. to Measurement) FESCO Latest Specs	Suit	450
6	Reflective Jacket with FESCO Logo 2-Side	Nos.	75

Signature

Signature
12/02/2026

7	Torque wrench 3/4"	Nos.	04
8	LINEMAN'S TOOL BAG	Nos.	83
9	Air Blower Rated input power 650 - 1000W Weight 1.5 - 2.5 kg, Volumetric flow rate 4.0- 4.5 m ³ /min Voltage, electrical 230 V, No-load speed 8000 - 16,000 rpm	Nos.	25
10	Fire Escape Mask (Helmet Type) Protection Standard – Certified to EN 403, NFPA, or CE standards for fire/smoke escape. Filtration System – Multi-layer filter with CO, HCN, HCl, SO ₂ , and smoke particle protection, ≥ 30 minutes escape time. Material & Heat Resistance – Flame-retardant hood/helmet, withstands ≥ 800°C radiant heat for short exposure. Visor/Face Shield – Wide-angle, anti-fog, impact-resistant visor for clear vision. Breathing Resistance – Low inhalation/exhalation resistance for ease of breathing. Comfort & Fit – Universal size, adjustable straps, and cushioned inner seal.	Nos.	63
11	Pressure Washer for ISO, Transformer Yard, Power > 1200W Voltage 220V-240V, Working Pressure 70-90 Barmotor Type Induction Motor Max Pressure 110 Barmotor = Copper	Nos.	07

TERMS & CONDITIONS

National Competitive Bidding (NCB) will be conducted in accordance with Single Stage Single Envelope Method.

1. A complete set of Bidding Document contain detailed instructions/terms & conditions and specifications, are available for registered bidders on EPADs at (<http://www.eprocure.gov.pk>).
2. The prospective bidder shall submit Bid Security an amount not less than as calculated/mentioned in E-PAD Portal and bidding documents against each tender (in the form of Call Deposit Receipt, Bank Draft, Pay Order, Security Deposit Receipt & Bid Guarantee issued any scheduled bank of Pakistan) in **PKR valid for 148-days** from the date of opening of tender in favor of **Chief Executive Officer FESCO Faisalabad**. Original Bid Security Instrument **MUST** be submitted in the office of undersigned before the online submission deadline of the bid, otherwise respective bid shall not be opened.
3. The e-bids have partial and incomplete documents shall be rejected.
4. The bid shall be valid for a period of 120-days.
5. All the interested Bidders are directed to apply through **E-Pak Acquisition & Disposal System (E-PADS)** portal online (www.eprocure.gov.pk) as per procedures laid down in the regulations of PPRA.
6. Bidding documents containing detailed specifications, terms & conditions and other information etc. are available at EPADS (www.eprocure.gov.pk). Interested eligible bidders are requested to register themselves on EPADS. The electronic bids shall be submitted through EPADS on or

[Signature]
12/12/26

[Signature]
12/02/2026

before the date & time mentioned against each tender and will be opened on the same day in office of **Chief Engineer (Development), FESCO, Old Thermal Plant, FESCO, Abdullahpur, Faisalabad.**

7. Conditional bid shall not be accepted.
8. In case of holiday announced by the Govt. of Pakistan, strike in FESCO or any other reasons whatsoever due to which this office remains closed on the above schedule tender opening date, the tender will be opened on next working day at the same time and place/venue.
9. All the procurement will be done according to PPRA Rules 2004.
10. FESCO reserves the rights to accept or reject all the e-bids as per **PPRA Rule 33(1).**
11. The advertisement is also available on FESCO (www.fesco.com.pk) and PPRA (www.ppra.org.pk) websites.


12/09/2026
✓ Chief Engineer (Development)
PMU FESCO Faisalabad
Tel: 041-9220159 Fax: 041-9220691
E-mail: directorprofesco@gmail.com
11/02/26
cedevfesco@yahoo.com
12/02/26

CC:-

- General Manager (Operation) FESCO Faisalabad for information please.

14 FEB 2026

2025/2026 LHR



Use Electricity Wisely for the Prosperity of the Country

FAISALABAD ELECTRIC SUPPLY COMPANY LIMITED



INVITATION FOR BID

Faisalabad Electric Supply Company Limited (FESCO) Invites E-Bids from WAPDA/PEPCO/DISCOs approved manufacturers/suppliers duly pre-qualified/registered with PEPCO/NTDC/DISCOs/PPRA in required categories under **Single Stage Single Envelope Method** for the supply of material mentioned against each according to WAPDA/PEPCO/NTDC specifications (amended to date) and also registered with Income Tax and Sales Tax Departments:

TENDER NO. NCB-791/FESCO/PMU/GSC&GSO&DW/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "On LOT Wise Basis"			
LOT-I(GSC&GSO)			
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLMS-8A:2017 (amended to date)/IEC Standard	Strings (Nos.)	269
LOT-II/(Deposit Work)			
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLMS-8A:2017 (amended to date)/IEC Standard	Strings (Nos.)	126

TENDER NO. NCB-792/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "As a whole for tender"			
1	11KV, 25KA, 2500Amp Incoming Panel for 31.5/40MVA Power Transformer as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	19

TENDER NO. NCB-793/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "On Item Wise Basis"			
1	11KV Bus Coupler 25KA 2500Amp as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	01
2	11KV, 25KA, 2500Amp Capacitor Control Panel as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	05

TENDER NO. NCB-794/FESCO/PMU/GSC/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "as a whole for tender"			
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	551481

TENDER NO. NCB-795/FESCO/PMU/GSC/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "as a whole for tender"			
1	Cairo AAAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	9500

TENDER NO. NCB-796/FESCO/PMU/GSO/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "as a whole for tender"			
1	Alliance AAAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000

TENDER NO. NCB-797/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "as a whole for tender"			
1	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	17029

TENDER NO. NCB-798/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria			
Tender will be evaluated "as a whole for tender"			
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3540

TENDER NO. NCB-3	
Time & Date of Receiving of Tender	11:00
Sr. No.	Item Description
Evaluation Criteria	
1	11KV 5/0 Core Power Cable 1000 MCM as per concerned
2	11KV 5/0 Core Power Cable 4/0 AWG 3-Core as per concerned
3	LT Cable (04-Core) 37/0.083 as per concerned

TENDER NO. 1	
Time & Date of Receiving of Tender	11:00
Sr. No.	Item Description
Evaluation Criteria	
1	66KV Pin Insulator
2	LV Bushing 20/26 MVA Power Transformers
3	Mobile Phone (Android), Specification: Sams
4	Trip Coils ABB or equivalent
5	Closing Coils ABB or equivalent
6	Tractor Fiat 640 or Equivalent Feature Sps ~1,400-1,600 RPM Transmission 8F/2R, co ~24.8 L/min (lift ~1,850-2,250 kg) Weight ; band rear, lever-operated parking brake Air 7.50-16; Rear: 16.9/14-30 Hitch Cat I/II 3-po
7	Local Control Unit as per NTDC specification)
8	110V Battery Charger as per concerned WAP

TENDER NO. 2	
Time & Date of Receiving of Tender	11:0
Sr. No.	Item Description
Evaluation Criteria	
1	Temporary Earthing set For 132KV Transm (PTE), Copper Cable (70mm ²) for Earth lead
2	132KV High Voltage Detector, Rated sys (line-to-line) Frequency range: 50 Hz ± 2 at ≥ 50 m in daylight and piezo buzzer ± time: ≤ 0.5 seconds from contact with verification Insulation resistance: ≥ 200 M and handle) Creepage distance of insulat +55 °C Storage temperature: -30 °C to -IP65 (dust tight and water jet resistant) Battery life: ≥ 120 continuous operating buzzer alert Telescopic fiberglass reinforce and detector head Grip: Non-slip rubber Working - Voltage Detectors), ASTM F calibration certificate traceable to ISO/IE
3	Earth Resistance Tester Digital

TENDER NO. 3	
Time & Date of Receiving of Tender	11
Sr. No.	Item Description
Evaluation Criteria	
1	Nystron Rope
2	Nylon Rope 1"
3	Nylon Rope 3/4"
4	Poly Propylene Rope 1"
5	Steel Sling 3/4" x 3'
6	Steel Sling 3/4" x 5'
7	Nylon Sling 3/4" x 3'
8	Nylon Sling 3/4" x 5'
9	Steel Slings 3/4" 3 feet length
10	Steel Slings 3/4" 5 feet length
11	Nylon Rope Ladder 37ft

TENDER NO. 4	
Time & Date of Receiving of Tender	
Sr. No.	Item Description
Evaluation Criteria	
1	Safety Hat in white color (Insulated Power Cutter for tree Trimming/Ch 1.5-2.0 kW (≥ 36-60V Li-Ion, ≥ 4 cutting. Cutting Capacity Ability

Suppliers
Envelope
(amended to date)

AM 04/03/2026
Unit Qty

Strings (Nos.) 269

Strings (Nos.) 126

AM 04/03/2026
Unit Qty

NTDC Nos. 19

AM 04/03/2026
Unit Qty

Nos. 01

2018 Nos. 05

AM 05/03/2026
Unit Qty

Mtr. 551481

AM 05/03/2026
Unit Qty

Mtr. 9500

AM 05/03/2026
Unit Qty

Mtr. 11000

AM 05/03/2026
Unit Qty

Mtr. 17029

AM 05/03/2026
Unit Qty

Mtr. 3540

Mtr. 2674

Mtr. 1817

TENDER NO.NCB-804/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 05/03/2026		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	11KV S/Core Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	5500
2	11KV S/Core Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	100
3	LT Cable (04-Core) 37/u.us as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	200
TENDER NO.NCB-805/FESCO/PMU/GSO&DW/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "On Item Wise Basis"	
1	66KV Pin Insulator	Nos.	25
2	LV Bushing 20/26 MVA Power Transformers	Nos.	04
3	Mobile Phone (Android), Specification: Samsung A-16 (08 GB / 256 GB) or equivalent	Nos.	41
4	Trip Coils ABB or equivalent	Nos.	08
5	Closing Coils ABB or equivalent	Nos.	08
6	Tractor Fiat 640 or Equivalent Feature Specification Engine Power ~75 HP at ~2,500 RPM Torque ~245 Nm at ~1,400-1,600 RPM Transmission 8F/2R, constant mesh, synchromesh PTO Independent 540 RPM Hydraulic Flow ~24.8 L/min (lift ~1,850-2,250 kg)Weight ~2,070 kg Fuel Tank ~54 L Steering Hydraulic (12 L/min pump)Brakes Dry band rear, lever-operated parking brake Air Filter Oil bath with pre-cleaner Battery 12 V, ~110-120 Ah Tires Front: 7.50-16; Rear: 16.9/14-30 Hitch Cat I/II 3-point, sway chains, drawbar hook	Nos.	02
7	Local Control Unit as per NTDC specification P-151:2010, P-149:95	Nos.	09
8	110V Battery Charger as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Nos.	02
TENDER NO.NCB-806/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "As a whole basis & Sample Basis"	
1	Temporary Earthing set For 132KV Transmission Line with 8' length rod, Duck bill clamp for earth (PTE), T-Clamp for Earth (PTE), Copper Cable (70mm ²) for Earth lead (PTE) (15 feet each lead)	Nos.	12
2	132KV High Voltage Detector, Rated system voltage: 132 kV Operating voltage detection range: 66 kV to 145 kV (line-to-line) Frequency range: 50 Hz ± 2 Hz and 60 Hz ± 2 Hz Indication method: Dual - high-intensity red LED (visible at ≥ 50 m in daylight) and piezo buzzer ≥ 70 dB at 1 m Detection accuracy: ±3% of rated voltage threshold Response time: ≤ 0.5 seconds from contact with live conductor Self-test function: Built-in test button for circuit and indicator verification Insulation resistance: ≥ 200 MΩ at 1 kV DC Dielectric withstand: 200 kV AC for 1 minute (between electrode and handle) Creepage distance of insulation: ≥ 4000 mm (suitable for 132 kV class) Operating temperature: -20 °C to +55 °C Storage temperature: -30 °C to +70 °C Relative humidity: up to 96% RH (non-condensing) Ingress protection: IP65 (dust tight and water jet resistant) Power supply: 9 V alkaline battery or 3.7 V rechargeable Li-ion (user selectable) Battery life: ≥ 120 continuous operating hours (alkaline) Low-battery warning: Automatic LED flash pattern change and buzzer alert Telescopic fiberglass reinforced epoxy rod, unfolded length 6.5m folded length 1.63m 1.2 kg including pole and detector head Grip: Non-slip rubberized handle, ergonomic design for gloved use Compliance: IEC 61243-1 (Live Working - Voltage Detectors), ASTM F1236, and EN 61243 standards Accessories: Padded carrying case, wrist strap, calibration certificate traceable to ISO/IEC 17025	Nos.	13
3	Earth Resistance Tester Digital	Nos.	05
TENDER NO.NCB-807/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "As a whole basis & Sample Basis"	
1	Nystron Rope	Mtr.	500
2	Nylon Rope 1"	Mtr.	250
3	Nylon Rope 3/4"	Mtr.	16
4	Poly Propylene Rope 1"	Mtr.	160
5	Steel Sling 3/4" x 3'	Nos.	05
6	Steel Sling 3/4" x 5'	Nos.	05
7	Nylon Sling 3/4" x 3'	Nos.	05
8	Nylon Sling 3/4" x 5'	Nos.	08
9	Steel Slings 3/4" 3 feet length	Nos.	13
10	Steel Slings 3/4" 5 feet length	Nos.	13
11	Nylon Rope Ladder 32FT	Nos.	16
TENDER NO.NCB-808/FESCO/PMU/GSO(T&P)/2025-26			
Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "On Item Wise Basis and Sample Basis"	
1	Safety Hat in white color (Insulated)	Nos.	30
2	Power Cutter for tree Trimming/Chainsaw Engine / Motor Power Petrol: 1.5 - 2.5 HP (30-50cc engine) Electric/Battery: ≥ 1.5-2.0 kW (≥ 36-60V Li-Ion, ≥ 4.0Ah) Bar Length 14"-20" (35-50 cm). Chain Speed ≥ 18-25 m/s for fast and clean cutting. Cutting Capacity Ability to handle branches/logs up to 20-40 cm diameter. Chain Type Low-kickback, high-performance chain (e.g., 3/8" pitch, 0.325"). Lubrication System Automatic chain lubrication with adjustable oil pump. Safety Features Inertia chain brake vibration (<5 m/s ²) and noise reduction	Nos.	05

Time & Date of opening of Tender		11:30 AM 05/03/2026	
Item Description			
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
Cairo AAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)		Mtr.	9500
TENDER NO. NCB-796/FESCO/PMU/GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	Alliance AAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000
TENDER NO. NCB-797/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	17029
TENDER NO. NCB-798/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3540
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2674
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	1812
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	5907
TENDER NO. NCB-799/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	11KV S/Core Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	34048
TENDER NO. NCB-800/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	11KV S/Core Power Cable 500 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	10930
2	11KV S/Core Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	195
TENDER NO. NCB-801/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	
Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	5KV, 40KA, 2000 Amp 110V DC 3-pole SF-6 Gas Capacitor Switching Circuit Breaker with Steel Supporting Structure, grouting bolts and terminal connectors as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	No.	01
TENDER NO. NCB-802/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	9180
2	Aluminum Conductor 600mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3500
3	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	6000
4	Earth Wire 9mm as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2130
TENDER NO. NCB-803/FESCO/PMU/GSC(DEPOSIT-WORK)/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	15000
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	13000
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	16000

Time & Date of Receiving of Tender		11:00 AM	
Evaluation Criteria			
1	Mystron Rope		
2	Nylon Rope 1"		
3	Nylon Rope 3/4"		
4	Poly Propylene Rope 1"		
5	Steel Sling 3/4" x 3'		
6	Steel Sling 3/4" x 5'		
7	Nylon Sling 3/4" x 3'		
8	Nylon Sling 3/4" x 5'		
9	Steel Slings 3/4" 3 feet length		
10	Steel Slings 3/4" 5 feet length		
11	Nylon Rope Ladder 32ft		
TENDER NO. NCB			
Time & Date of Receiving of Tender		11:00 AM	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria		Tender will be evaluated "as a whole for tender"	
1	Safety Hat in white color (Insulated)		
2	Power Cutter for tree Trimming/Chainsaw Engine 1.5-2.0 kW (≥ 36-60V Li-Ion, ≥ 4.0Ah) Bar Length cutting. Cutting Capacity Ability to handle high-performance chain (e.g., 3/8" pitch, 0.32 pump. Safety Features Inertia chain brake, thro vibration (<5 m/s ²) and noise reduction (<1 handheld). Ergonomics Anti-slip handle, balance		
3	Linemen's Safety Belt Size 40"		
4	Rechargeable Torch (Heavy Duty) Brightness (visibility). Battery Type & Capacity - Recharge (hours). Beam Distance - Powerful spotlight cap dustproof, and impact-resistant (1-2 meters drop / Low / Strobe / SOS). Charging Options - USB-C		
5	Lineman/ALM Uniform (Acc. to Measurement) Fit		
6	Reflective Jacket with FESCO Logo 2-Side		
7	Torque wrench 3/4"		
8	LINEMAN'S TOOL BAG		
9	Air Blower Rated input power 650 - 1000W Weight V, No-load speed 8000 - 16,000 rpm		
10	Fire Escape Mask (Helmet Type) Protection Standard System - Multi-layer filter with CO, HCN, HCl, SO ₂ , Resistance - Flame-retardant hood/helmet, with anti-fog, impact-resistant visor for clear vision. Breathe Comfort & Fit - Universal size, adjustable straps, and		
11	Pressure Washer for ISO, Transformer Yard, Power Induction Motor Max Pressure 110 Bar motor =		

TERMS & CONDITIONS

National Competitive Bidding (NCB) will be conducted

- A complete set of Bidding Document contain detail bidders on EPADS at (<http://www.eprocure.gov>)
- The prospective bidder shall submit Bid Security documents against each tender (in the form of Call issued any scheduled bank of Pakistan) in PKR val Officer FESCO Faisalabad. Original Bid Security submission deadline of the bid, otherwise respect
- The e-bids having partial and incomplete document
- The bid shall be valid for a period of 120 days.
- All the interested Bidders are directed to apply (www.eprocure.gov.pk) as per procedures laid down
- Bidding documents containing detailed specifications (www.eprocure.gov.pk). Interested eligible bidder submitted through EPADS on or before the date & time of Chief Engineer (Development), FESCO, Old
- Conditional bid shall not be accepted.
- In case of holiday announced by the Govt. of Pakistan on the above schedule tender opening date, the tender
- All the procurement will be done according to PP
- FESCO reserves the rights to accept or reject all
- The advertisement is also available on FESCO (www.fesco.gov.pk)

Chief Engineer (Development)
Tel: 041-9-
directorprofes

Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Evaluation Criteria	Item Description	Unit Qty
1	Nystron Rope	Tender will be evaluated "As a whole basis & Sample Basis"	Mtr. 500
2	Nylon Rope 1"		Mtr. 250
3	Nylon Rope 3/4"		Mtr. 16
4	Poly Propylene Rope 1"		Mtr. 160
5	Steel Sling 3/4" x 3'		Nos. 05
6	Steel Sling 3/4" x 5'		Nos. 05
7	Nylon Sling 3/4" x 3'		Nos. 05
8	Nylon Sling 3/4" x 5'		Nos. 08
9	Steel Slings 3/4" 3 feet length		Nos. 13
10	Steel Slings 3/4" 5 feet length		Nos. 13
11	Nylon Rope Ladder 32Ft.		Nos. 16

TENDER NO. NCB-808/FESCO/PMU/GSO(T&P)/2025-26

Time & Date of Receiving of Tender		Time & Date of opening of Tender	
11:00 AM 04/03/2026		11:30 AM 04/03/2026	
Sr. No.	Evaluation Criteria	Item Description	Unit Qty
1	Safety Hat in white color (Insulated)	Tender will be evaluated "On Item Wise Basis and Sample Basis"	Nos. 30
2	Power Cutter for tree Trimming/Chainsaw Engine / Motor Power Petrol: 1.5 - 2.5 HP (30-50cc engine) Electric/Battery: ≥ 1.5-2.0 kW (≥ 36-60V Li-Ion, ≥ 4.0Ah) Bar Length 14"-20" (35-50 cm). Chain Speed ≥ 18-25 m/s for fast and clean cutting. Cutting Capacity Ability to handle branches/logs up to 20-40 cm diameter. Chain Type Low-kickback, high-performance chain (e.g., 3/8" pitch, 0.325"). Lubrication System Automatic chain lubrication with adjustable oil pump. Safety Features Inertia chain brake, throttle lock, anti-kickback guard, hand guard. Vibration & Noise Control Low vibration (<5 m/s²) and noise reduction (<110 dB). Weight & Balance Lightweight for tree trimming (≤ 6 kg for handheld.). Ergonomics Anti-slip handle, balanced design, easy start (decompression valve / soft start).		Nos. 05
3	Linemen's Safety Belt Size 40"		Nos. 11
4	Rechargeable Torch (Heavy Duty) Brightness (Lumens) - High output, typically 2000-5000 lumens for long-range visibility. Battery Type & Capacity - Rechargeable Li-Ion battery (≥ 4000-10000 mAh) with long runtime (6-12 hours). Beam Distance - Powerful spotlight capability, ≥ 500-1000 meters range. Durability - IP65- P68 waterproof, dustproof, and impact-resistant (1-2 meters drop protection). Modes of Operation - Multiple light modes (High / Medium / Low / Strobe / SOS). Charging Options - USB-C fast charging (with power bank function preferred).		Nos. 200
5	Lineman/ALM Uniform (Acc. to Measurement) FESCO Latest Specs		Suit 450
6	Reflective Jacket with FESCO Logo 2-Side		Nos. 75
7	Torque wrench 3/4"		Nos. 04
8	LINEMAN'S TOOL BAG		Nos. 83
9	Air Blower Rated input power 650 - 1000W Weight 1.5 - 2.5 kg. Volumetric flow rate 4.0- 4.5 m³/min Voltage, electrical 230 V, No-load speed 8000 - 16,000 rpm		Nos. 25
10	Fire Escape Mask (Helmet Type) Protection Standard - Certified to EN 403, NFPA, or CE standards for fire/smoke escape. Filtration System - Multi-layer filter with CO, HCN, HCl, SO₂, and smoke particle protection, ≥ 30 minutes escape time. Material & Heat Resistance - Flame-retardant hood/helmet, withstands ≥ 800°C radiant heat for short exposure. Visor/Face Shield - Wide-angle, anti-fog, impact-resistant visor for clear vision. Breathing Resistance - Low inhalation/exhalation resistance for ease of breathing. Comfort & Fit - Universal size, adjustable straps, and cushioned inner seal.		Nos. 63
11	Pressure Washer for ISO, Transformer Yard, Power > 1200W Voltage 220V-240V, Working Pressure 70-90 Bar motor Type Induction Motor Max Pressure 110 Bar motor = Copper		Nos. 07

TERMS & CONDITIONS

- National Competitive Bidding (NCB) will be conducted in accordance with **Single Stage Single Envelope Method**.
- A complete set of Bidding Document contain detailed instructions/ terms & conditions and specifications, are available for registered bidders on EPADS at (<http://www.eprocure.gov.pk>).
 - The prospective bidder shall submit Bid Security an amount not less than as calculated/mentioned in E-PADS Portal and bidding documents against each tender (in the form of Call Deposit Receipt, Bank Draft, Pay Order, Security Deposit Receipt & Bid Guarantee issued any scheduled bank of Pakistan) in PKR valid for 148-days from the date of opening of tender in favor of **Chief Executive Officer FESCO Faisalabad**. Original Bid Security Instrument **MUST** be submitted in the office of undersigned before the online submission deadline of the bid, otherwise respective bid shall not be opened.
 - The e-bids having partial and incomplete documents shall be rejected.
 - The bid shall be valid for a period of **120-days**.
 - All the interested Bidders are directed to apply through E-Pak Acquisition & Disposal System (E-PADS) portal online (www.eprocure.gov.pk) as per procedures laid down in the regulations of PPRA.
 - Bidding documents containing detailed specifications, terms & conditions and other information etc. are available at EPADS (www.eprocure.gov.pk). Interested eligible bidders are requested to register themselves on EPADS. The electronic bids shall be submitted through EPADS on or before the date & time mentioned against each tender and will be opened on the same day in office of **Chief Engineer (Development), FESCO, Old Thermal Plant, FESCO, Abdullahpur, Faisalabad**.
 - Conditional bid shall not be accepted.
 - In case of holiday announced by the Govt. of Pakistan, strike in FESCO or any other reasons whatsoever due to which this office remains closed on the above schedule tender opening date, the tender will be opened on next working day at the same time and place/venue.
 - All the procurement will be done according to PPRA Rules 2004.
 - FESCO reserves the rights to accept or reject all the e-bids as per PPRA Rule 33(1).
 - The advertisement is also available on FESCO (www.fesco.com.pk) and PPRA (www.ppra.org.pk) websites.

Chief Engineer (Development) PMU FESCO Faisalabad
 Tel: 041-9220159 Fax: 041-9220691,
 directorprofesco@gmail.com, cedevfesco@yahoo.com

The proc...
 Insee-b...
 Date...
 Date...
 of public...
 //proc.p...
 mitted on...
 The bidders...
 an one pro...
 ding docu...
 oject and...
 Each appli...
 istrict Coun...
 early marke...
 Original Bid...
 Demand Dra...
 above, in the

Use Electricity Wisely for the Prosperity of the Country



FAISALABAD ELECTRIC SUPPLY COMPANY LIMITED

INVITATION FOR BID



Faisalabad Electric Supply Company Limited (FESCO) invites E-Bids from WAPDA/PEPCO/DISCOs approved manufacturers/suppliers duly pre-qualified/registered with PEPCO/NTDC/DISCOs/PPRA in required categories under Single Stage Single Envelope Method for the supply of material mentioned against each according to WAPDA/PEPCO/NTDC specifications (amended to date) and also registered with Income Tax and Sales Tax Departments:

TENDER NO. NCB-791/FESCO/PMU/GSC&G SO&DW/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	
Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "On LOT Wise Basis"			
LOT-I/(GSC&GSO)			
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLM5-3A:2017 (amended to date)/IEC Standard	Strings (Nos.)	269
LOT-II/(Deposit Work)			
1	132KV Non-Ceramic Polymer Insulators (Composite) 120-KN Minimum Leakage Distance 5616 (mm) & Maximum Permissible Section Length 1898 (mm) as per WAPDA/NTDC Specification TLM5-3A:2017 (amended to date)/IEC Standard	Strings (Nos.)	126
TENDER NO. NCB-792/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	
Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "As a whole for tender"			
1	11KV, 25KA, 2500Amp Incoming Panel for 31.5/40MVA Power Transformer as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	19
TENDER NO. NCB-793/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	
Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "On Item Wise Basis"			
1	11KV Bus Coupler 25KA 2500Amp as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	01
2	11KV, 25KA, 2500Amp Capacitor Control Panel as per concerned WAPDA/PEPCO/NTDC Specification No.P-44:2018 (amended to date)	Nos.	05
TENDER NO. NCB-794/FESCO/PMU/GSC/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	551481
TENDER NO. NCB-795/FESCO/PMU/GSC/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Cairo AAAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	9500
TENDER NO. NCB-796/FESCO/PMU/GSC/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Alliance AAAC Conductor as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000
TENDER NO. NCB-797/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	17029
TENDER NO. NCB-798/FESCO/PMU/GSC&GSO/2025-26			
Time & Date of Receiving of Tender		11:00 AM 05/03/2026	
Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3540
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2674

Time & Date of Receiving of Tender	
Evaluation Criteria	
1	11KV S/Core Power Cable 1000 I
2	11KV S/Core Power Cable 4/0 Al
3	LT Cable (04-Core) 37/0.083 as p

Time & Date of Receiving of Tender	
Evaluation Criteria	
1	66KV Pin Insulator
2	LV Bushing 20/26 MVA Power Tr
3	Mobile Phone (Android), Spect
4	Trip Coils ABB or equivalent
5	Closing Coils ABB or equivalent
6	Tractor Fiat 640 or Equivalent ~1,400-1,600 RPM Transmis: ~24.8 L/min (lift ~1,850-2,25 band rear, lever-operated par 7.50-16; Rear: 16.9/14-30 Hitc
7	Local Control Unit as per NTDC
8	110V Battery Charger as per co

Time & Date of Receiving of Tender	
Evaluation Criteria	
1	Temporary Earthing set For 13 (PTE), Copper Cable (70mm ²) I 132KV High Voltage Detecto (line-to-line) Frequency rang at ≥ 50 m in daylight) and pl time: ≤ 0.5 seconds from coi verification Insulation resisar and handle) Creepage distanc +55 °C Storage temperature: IP65 (dust tight and water jet Battery life: ≥ 120 continuous buzzer alert Telescopic fibergl and detector head Grip: Non Working - Voltage Detectors calibration certificate traceab
3	Earth Resistance Tester Digita

Time & Date of Receiving of Tender	
Evaluation Criteria	
1	Nystron Rope
2	Nylon Rope 1"
3	Nylon Rope 3/4"
4	Poly Propylene Rope 1"
5	Steel Sling 3/4" x 3'
6	Steel Sling 3/4" x 5'
7	Nylon Sling 3/4" x 3'
8	Nylon Sling 3/4" x 5'
9	Steel Slings 3/4" 3 feet lengt
10	Steel Slings 3/4" 5 feet lengt
11	Nylon Rope Ladder 32ft

Time & Date of Receiving of Tender	
Evaluation Criteria	
1	Safety Hat in white color Power Cutter for tree 1.5-2.0 kW (≥ 36-60V L cutting. Cutting Capacity high-performance chain pump. Safety Features vibration (<5 m/s ²) and
2	



BID

WAPDA/PEPCO/DISCOs approved manufacturers/suppliers
 categories under Single Stage Single Envelope
 WAPDA/PEPCO/NTDC specifications (amended to date)

WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 04/03/2026
Time & Date of opening of Tender	11:30 AM 04/03/2026
Tender will be evaluated "On LOT Wise Basis"	
Average Distance 5616 (mm) & Maximum S-3A:2017 (amended to date)/IEC Standard	Strings (Nos.) 269
Average Distance 5616 (mm) & Maximum S-3A:2017 (amended to date)/IEC Standard	Strings (Nos.) 126
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 04/03/2026
Time & Date of opening of Tender	11:30 AM 04/03/2026
Tender will be evaluated "as a whole for tender"	
as per concerned WAPDA/PEPCO/NTDC	Nos. 19
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 04/03/2026
Time & Date of opening of Tender	11:30 AM 04/03/2026
Tender will be evaluated "On Item Wise Basis"	
Specification No.P-44:2018 (amended to date)	Nos. 01
WAPDA/PEPCO/NTDC Specification No.P-44:2018	Nos. 05
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 05/03/2026
Time & Date of opening of Tender	11:30 AM 05/03/2026
Tender will be evaluated "as a whole for tender"	
as per concerned WAPDA/PEPCO/NTDC	Mtr. 551481
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 05/03/2026
Time & Date of opening of Tender	11:30 AM 05/03/2026
Tender will be evaluated "as a whole for tender"	
ended to date)	Mtr. 9500
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 05/03/2026
Time & Date of opening of Tender	11:30 AM 05/03/2026
Tender will be evaluated "as a whole for tender"	
ended to date)	Mtr. 11000
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 05/03/2026
Time & Date of opening of Tender	11:30 AM 05/03/2026
Tender will be evaluated "as a whole for tender"	
ication (amended to date)	Mtr. 17029
WAPDA/PEPCO/NTDC Specifications (amended to date)	
Time & Date of Receiving of Tender	11:30 AM 05/03/2026
Time & Date of opening of Tender	11:30 AM 05/03/2026
Tender will be evaluated "as a whole for tender"	
metal structure as per concerned	Mtr. 3540
metal structure as per concerned	Mtr. 2674
metal structure as per concerned	Mtr. 1812

Time & Date of Receiving of Tender		11:00 AM 05/03/2026	Time & Date of opening of Tender		11:30 AM 05/03/2026	
Sr. No.	Item Description				Unit	Qty
Evaluation Criteria						
Tender will be evaluated "as a whole for tender"						
1	11KV S/Core Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)				Mtr.	5500
2	11KV S/Core Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)				Mtr.	100
3	LT Cable (04 Core) 37/0.083 as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)				Mtr.	200
TENDER NO.NCB-805/FESCO/PMU/GSO&DW/2025-26						
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description				Unit	Qty
Evaluation Criteria						
Tender will be evaluated "On Item Wise Basis"						
1	66KV Pin Insulator				Nos.	25
2	LV Bushing 20/26 MVA Power Transformers				Nos.	04
3	Mobile Phone (Android), Specification: Samsung A-16 (08 GB / 256 GB) or equivalent				Nos.	41
4	Trip Coils ABB or equivalent				Nos.	08
5	Closing Coils ABB or equivalent				Nos.	08
6	Tractor Fiat 640 or Equivalent Feature Specification Engine Power ~75 HP at ~2,500 RPM Torque ~245 Nm at ~1,400-1,600 RPM Transmission 8F/2R, constant mesh, synchromesh PTO Independent 540 RPM Hydraulic Flow ~24.8 L/min (lift ~1,850-2,250 kg) Weight ~2,070 kg Fuel Tank ~54L Steering Hydraulic (12 L/min pump) Brakes Dry band rear, lever-operated parking brake Air Filter Oil bath with pre-cleaner Battery 12 V, ~110-120 Ah Tires Front 7.50-16; Rear: 16.9/14-30 Hitch Cat I/II 3-point, sway chains, drawbar hook				Nos.	02
7	Local Control Unit as per NTDC specification P-151:2010, P-149:95				Nos.	09
8	110V Battery Charger as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)				Nos.	02
TENDER NO.NCB-806/FESCO/PMU/GSO(T&P)/2025-26						
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description				Unit	Qty
Evaluation Criteria						
Tender will be evaluated "As a whole basis & Sample Basis"						
1	Temporary Earthing set for 132KV Transmission Line with 8' length rod, Duck bill clamp for earth (PTE), T-Clamp for Earth (PTE), Copper Cable (70mm ²) for Earth lead (PTE) (15 feet each lead)				Nos.	12
2	132KV High Voltage Detector, Rated system voltage: 132 kV Operating voltage detection range: 66 kV to 145 kV (line-to-line) Frequency range: 50 Hz ± 2 Hz and 60 Hz ± 2 Hz Indication method: Dual - high-intensity red LED (visible at ≥ 50 m in daylight) and piezo buzzer ≥ 70 dB at 1 m Detection accuracy: ±3% of rated voltage threshold Response time: ≤ 0.5 seconds from contact with live conductor Self-test function: Built-in test button for circuit and indicator verification Insulation resistance: ≥ 200 MΩ at 1 kV DC Dielectric withstand: 200 kV AC for 1 minute (between electrode and handle) Creepage distance of insulation: ≥ 4000 mm (suitable for 132 kV class) Operating temperature: -20 °C to +55 °C Storage temperature: -30 °C to +70 °C Relative humidity: up to 96% RH (non-condensing) Ingress protection: IP65 (dust tight and water jet resistant) Power supply: 9V alkaline battery or 3.7V rechargeable Li-ion (user selectable) Battery life: ≥ 120 continuous operating hours (alkaline) Low-battery warning: Automatic LED flash pattern change and buzzer alert Telescopic fiberglass reinforced epoxy rod, unfolded length 6.5m folded length 1.63m 1.2 kg Including pole and detector head Grip: Non-slip rubberized handle, ergonomic design for gloved use Compliance: IEC 61243-1 (Live Working - Voltage Detectors), ASTM F1236, and EN 61243 standards Accessories: Padded carrying case, wrist strap, calibration certificate traceable to ISO/IEC 17025				Nos.	13
3	Earth Resistance Tester Digital				Nos.	05
TENDER NO.NCB-807/FESCO/PMU/GSO(T&P)/2025-26						
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description				Unit	Qty
Evaluation Criteria						
Tender will be evaluated "As a whole basis & Sample Basis"						
1	Nystron Rope				Mtr.	500
2	Nylon Rope 1"				Mtr.	250
3	Nylon Rope 3/4"				Mtr.	16
4	Poly Propylene Rope 1"				Mtr.	160
5	Steel Sling 3/4" x 3'				Nos.	05
6	Steel Sling 3/4" x 5'				Nos.	05
7	Nylon Sling 3/4" x 3'				Nos.	05
8	Nylon Sling 3/4" x 5'				Nos.	08
9	Steel Slings 3/4" 3 feet length				Nos.	13
10	Steel Slings 3/4" 5 feet length				Nos.	13
11	Nylon Rope Ladder 32Ft.				Nos.	16
TENDER NO.NCB-808/FESCO/PMU/GSO(T&P)/2025-26						
Time & Date of Receiving of Tender		11:00 AM 04/03/2026	Time & Date of opening of Tender		11:30 AM 04/03/2026	
Sr. No.	Item Description				Unit	Qty
Evaluation Criteria						
Tender will be evaluated "On Item Wise Basis and Sample Basis"						
1	Safety Hat in white color (Insulated)				Nos.	30
2	Power Cutter for tree Trimming/Chainsaw Engine / Motor Power Petrol: 1.5 - 2.5 HP (30-50cc engine) Electric/Battery: ≥ 1.5-2.0 kW (≥ 36-60V Li-Ion, ≥ 4.0Ah) Bar Length 14"-20" (35-50 cm), Chain Speed ≥ 18-25 m/s for fast and clean cutting. Cutting Capacity Ability to handle branches/logs up to 20-40 cm diameter. Chain Type Low-kickback, high-performance chain (e.g., 3/8" pitch, 0.325"). Lubrication System Automatic chain lubrication with adjustable oil pump. Safety Features Inertia chain brake, throttle lock, anti-kickback guard, hand guard. Vibration & Noise Control Low vibration (<5 m/s ²) and low noise (<85 dB(A))				Nos.	05

Time & Date of Receiving of Tender: 11:00 AM 03/03/2026 Time & Date of opening of Tender: 11:30 AM 03/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	17029

TENDER NO. NCB-798/FESCO/PMU/GSC&C/ISO/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026 Time & Date of opening of Tender: 11:30 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3540
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2674
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	1812
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	5907

TENDER NO. NCB-799/FESCO/PMU/GSC&C/ISO/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026 Time & Date of opening of Tender: 11:30 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	11KV S/Co Power Cable 1000 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	34048

TENDER NO. NCB-800/FESCO/PMU/GSC&C/ISO/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026 Time & Date of opening of Tender: 11:30 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	11KV S/Co Power Cable 500 MCM as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	10930
2	11KV S/Co Power Cable 4/0 AWG 3-Core as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	195

TENDER NO. NCB-801/FESCO/PMU/GSC(DEPOSIT WORK)/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 04/03/2026 Time & Date of opening of Tender: 11:30 AM 04/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	145KV, 40KA, 2000 Amp 110V DC 3-pole SF-6 Gas Capacitor Switching Circuit Breaker with Steel Supporting Structure, grouting bolts and terminal connectors as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	No.	01

TENDER NO. NCB-802/FESCO/PMU/GSC(DEPOSIT WORK)/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026 Time & Date of opening of Tender: 11:30 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	ACSR Rail Conductor on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	9180
2	Aluminum Conductor 600mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	3500
3	Copper Grounding Conductor 95mm ² as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	6000
4	Earth Wire 9mm as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	2130

TENDER NO. NCB-803/FESCO/PMU/GSC(DEPOSIT WORK)/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026 Time & Date of opening of Tender: 11:30 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Control Cable size 4 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	15000
2	Control Cable size 8 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	13000
3	Control Cable size 16 x 2.5mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	11000
4	Control Cable size 4 x 6mm ² on wooden reels must be supported with metal structure as per concerned WAPDA/PEPCO/NTDC Specification (amended to date)	Mtr.	16000

10	Steel S
11	Nylon Rope Ladder 3ZT

TENDER NO. NCB-804/FESCO/PMU/GSC&C/ISO/2025-26
 Time & Date of Receiving of Tender: 11:00 AM 05/03/2026

Sr. No.	Item Description	Unit	Qty
Evaluation Criteria Tender will be evaluated "as a whole for tender"			
1	Safety Hat In white color (Insulated)		
2	Power Cutter for tree Trimming/Chainsaw Engine 1.5-2.0 KW (≥ 36-60V Li-Ion, ≥ 4.0Ah) Bar L cutting. Cutting Capacity Ability to handle high-performance chain (e.g., 3/8" pitch, 0.3; pump. Safety Features include chain brake, three vibration (<5 m/s ²) and noise reduction (<1 handheld,). Ergonomics Anti-slip handle, balance		
3	Linemen's Safety Belt Size 40"		
4	Rechargeable Torch (Heavy Duty) Brightness visibility. Battery Type & Capacity - Recharge hours). Beam Distance - Powerful spotlight can dustproof, and impact-resistant (1-2 meters drop / Low / Strobe / SOS). Charging Options - USB-C		
5	Lineman/ALM Uniform (Acc. to Measurement) I		
6	Reflective Jacket with FESCO Logo 2-Side		
7	Torque wrench 3/4"		
8	LINEMAN'S STOOL BAG		
9	Air Blower Rated input power 650 - 1000W Weight, No-load speed 8000 - 16,000 rpm		
10	Fire Escape Mask (Helmet Type) Protection Standard System - Multi-layer filter with (O, HCN, HCl, SO ₂ , Resistance - Flame-retardant hood/helmet, with anti-fog, impact-resistant visor for clear vision. Breath Comfort & Fit - Universal size, adjustable straps, and		
11	Pressure Washer for ISO, Transformer Yard, Power Induction Motor Max Pressure 110 Bar motor =		

TERMS & CONDITIONS

- National Competitive Bidding (NCB) will be conducted
- A complete set of Bidding Document contain detail bidders on EPADS at (<http://www.eprocure.gov.pk>)
 - The prospective bidder shall submit Bid Security documents against each tender (in the form of Call issued any scheduled bank of Pakistan) in PKR via Officer FESCO Faisalabad. Original Bid Security submission deadline of the bid, otherwise respect
 - The e-bids having partial and incomplete documents
 - The bid shall be valid for a period of 120-days.
 - All the interested Bidders are directed to apply (www.eprocure.gov.pk) as per procedures laid
 - Bidding documents containing detailed specifications (www.eprocure.gov.pk). Interested eligible bid submitted through EPADS on or before the date & time of Chief Engineer (Development), FESCO, Old
 - Conditional bid shall not be accepted.
 - In case of holiday announced by the Govt. of Pakistan, on the above schedule tender opening date, the tender
 - All the procurement will be done according to PPR
 - FESCO reserves the rights to accept or reject all the
 - The advertisement is also available on FESCO (www.fesco.gov.pk)

FESCO-128(2025) Chief Engineer (Development) FESCO
 E-mail: direct@fesco.gov.pk
 Phone: 041-9200000

10	Steel Slings 3/4" 3 feet length	Nos.	05
	Steel Slings 3/4" 5 feet length	Nos.	08
11	Nylon Rope Ladder 32ft.	Nos.	13

TENDER NO.NCB-808/FESCO/PMU/GSO(T&P)/2025-26

Time & Date of Receiving of Tender: 11:00 AM 04/03/2026 **Time & Date of opening of Tender:** 11:30 AM 04/03/2026

Sr. No.	Item Description	Unit	Qty
Tender will be evaluated "On Item Wise Basis and Sample Basis"			
1	Safety Hat in white color (Insulated)	Nos.	30
2	Power Cutter for tree Trimming/Chainsaw Engine / Motor Power Petrol: 1.5 – 2.5 HP (50–50cc engine) Electric/Battery: ≥ 1.5–2.0 kW (≥ 36–60V Li-Ion, ≥ 4.0Ah) Bar Length 14" 20" (35–50 cm). Chain speed ≥ 18–25 m/s for fast and clean cutting. Cutting Capacity Ability to handle branches/logs up to 20–40 cm diameter. Chain Type Low-kickback, high-performance chain (e.g., 3/8" pitch, 0.325"). Lubrication System Automatic chain lubrication with adjustable oil pump. Safety Features Inertia chain brake, throttle lock, anti-kickback guard, hand guard. Vibration & Noise Control Low vibration (<5 m/s ²) and noise reduction (<110 dB). Weight & Balance Lightweight for tree trimming (≤ 6 kg for handheld). Ergonomics Anti-slip handle, balanced design, easy start (decompression valve / soft start).	Nos.	05
3	Linemen's Safety Belt Size 40"	Nos.	11
4	Rechargeable Torch (Heavy Duty) Brightness (Lumens) – High output, typically 2000–5000 lumens for long-range visibility. Battery Type & Capacity – Rechargeable Li-Ion battery (≥ 4000–10000 mAh) with long runtime (6–12 hours). Beam Distance – Powerful spotlight capability, ≥ 500–1000 meters range. Durability – IP65–IP68 waterproof, dustproof, and impact-resistant (1–2 meters drop protection). Modes of Operation – Multiple light modes (High / Medium / Low / Strobe / SOS). Charging Options – USB-C fast charging (with power bank function preferred).	Nos.	200
5	Lineman/ALM Uniform (Acc. to Measurement) FESCO Latest Specs	Suit	450
6	Reflective Jacket with FESCO Logo 2-Side	Nos.	75
7	Torque wrench 3/4"	Nos.	04
8	LINEMAN'S TOOL BAG	Nos.	83
9	Air Blower Rated Input power 650- 1000W Weight 1.5 - 2.5 kg, Volumetric flow rate 4.0- 4.5 m ³ /min Voltage, electrical 230 V, No-load speed 8000 - 16,000 rpm	Nos.	25
10	Fire Escape Mask (Helmet Type) Protection Standard – Certified to EN 403, NFPA, or CE standards for fire/smoke escape. Filtration System – Multi-layer filter with CO, HCN, HCl, SO ₂ , and smoke particle protection, ≥ 30 minutes escape time. Material & Heat Resistance – Flame-retardant hood/helmet, withstands ≥ 800°C radiant heat for short exposure. Visor/Face Shield – Wide-angle, anti-fog, Impact-resistant visor for clear vision. Breathing Resistance – Low inhalation/exhalation resistance for ease of breathing. Comfort & Fit – Universal size, adjustable straps, and cushioned inner seal.	Nos.	63
11	Pressure Washer for ISO, Transformer Yard, Power > 1200W Voltage 220V-240V, Working Pressure 70-90 Bar motor Type Induction Motor Max Pressure 110 Bar motor = Copper	Nos.	07

TERMS & CONDITIONS

National Competitive Bidding (NCB) will be conducted in accordance with **Single Stage Single Envelope Method**.

- A complete set of Bidding Document contain detailed Instructions/ terms & conditions and specifications, are available for registered bidders on EPADS at (<http://www.eprocure.gov.pk>).
- The prospective bidder shall submit Bid Security an amount not less than as calculated/mentioned in E-PADS Portal and bidding documents against each tender (in the form of Call Deposit Receipt, Bank Draft, Pay Order, Security Deposit Receipt & Bid Guarantee issued any scheduled bank of Pakistan) in PKR valid for 148-days from the date of opening of tender in favor of **Chief Executive Officer FESCO Faisalabad**. Original Bid Security Instrument **MUST** be submitted in the office of undersigned before the online-submission deadline of the bid, otherwise respective bid shall not be opened.
- The e-bids having partial and incomplete documents shall be rejected.
- The bid shall be valid for a period of **120-days**.
- All the interested Bidders are directed to apply through **E-Pak Acquisition & Disposal System (E-PADS)** portal online (www.eprocure.gov.pk) as per procedures laid down in the regulations of PPRA.
- Bidding documents containing detailed specifications, terms & conditions and other information etc. are available at EPADS- (www.eprocure.gov.pk). Interested eligible bidders are requested to register themselves on EPADS. The electronic bids shall be submitted through EPADS on or before the date & time mentioned against each tender and will be opened on the same day in office of Chief Engineer (Development), FESCO, Old Thermal Plant, FESCO, Abdullahpur, Faisalabad.
- Conditional bid shall not be accepted.
- In case of holiday announced by the Govt. of Pakistan, strike in FESCO or any other reasons whatsoever due to which this office remains closed on the above schedule tender opening date, the tender will be opened on next working day at the same time and place/Venue.
- All the procurement will be done according to PPRA Rules 2004.
- FESCO reserves the rights to accept or reject all the e-bids as per PPRA Rule 33(1).
- The advertisement is also available on FESCO (www.fesco.com.pk) and PPRA (www.ppra.org.pk) websites.

FESCO-128(2025) Chief Engineer (Development) PMU FESCO Faisalabad PID(L)2227/25
Tel: 041-9220159 Fax: 041-9220691,
E-mail: directorprofesco@gmail.com, cedevfesco@yahoo.com

Mtr.	17029
11:30 AM 05/03/2026	
Unit	Qty
as a whole for tender	
tal structure as per concerned	Mtr. 3540
tal structure as per concerned	Mtr. 2674
tal structure as per concerned	Mtr. 1812
tal structure as per concerned	Mtr. 5907
0/2025-26	
opening of Tender	11:30 AM 05/03/2026
Unit	Qty
d "as a whole for tender"	
tion (amended to date)	Mtr. 34048
0/2025-26	
opening of Tender	11:30 AM 05/03/2026
Unit	Qty
d "as a whole for tender"	
ion (amended to date)	Mtr. 10930
cification (amended to date)	Mtr. 195
WORK/2025-26	
opening of Tender	11:30 AM 04/03/2026
Unit	Qty
d "as a whole for tender"	
concerned WAPDA/PEPCO/NTDC	Mtr. 9180
amended to date)	Mtr. 3500
ation (amended to date)	Mtr. 6000
te)	Mtr. 2130
WORK/2025-26	
opening of Tender	11:30 AM 05/03/2026
Unit	Qty
d "as a whole for tender"	
tal structure as per concerned	Mtr. 15000
tal structure as per concerned	Mtr. 13000
tal structure as per concerned	Mtr. 11000
tal structure as per concerned	Mtr. 16000