



سوئی ناردرن گیس
Sui Northern Gas

Ref: FCS/SOA/TE/028/26

Date: 01.05.2026

Public Procurement Regulatory Authority (PPRA),
1st Floor, FBC Building, G-5/2,
Islamabad.

CORREGENDUM
TENDER ENQUIRY NO. FCS/SOA/TE/028/26
TECHNICAL SPECIFICATIONS

Sir,

Reference to subject noted tender enquiry, that is due for opening on 20.05.2026.

Please find attached herewith technical specifications of the items covered therein.

All other terms and conditions of the said tender enquiry including tender closing / opening date & time, shall remain unchanged.

(MUHAMMAD FAWAD KHAN)
SENIOR OFFICER (PROCUREMENT)
for MANAGING DIRECTOR

You may contact the undersigned at 0335-0462174 and fawad.khan@sngpl.com.pk.

cc:

DCO (Procurement) For information, please.

SUI NORTHERN GAS PIPELINES
PROJECT CAMP, DHAMIAL ROAD, NEAR SAROBA GRID STATION, POST OFFICE SEHAL, TEHSIL &
DISTRICT RAWALPINDI

1-	<p>Barricading Tape (100 Meter Roll) Size 0.125 – 0.5 mm thick & 75 mm Wide, having printed the given details, throughout: - SNGPL monogram (50 mm sized, at 6" c/c) printed at center of tape. Two blue strips Hex: #1F92D1 (6 mm wide, each) printed at 6 mm from both edges of tape. " آگے نہ جائیں " and " آگے کام ہو رہا ہے " at center alternatively between SNGPL Monograms.</p>
2-	<p>Coverall/Dungree (Working Under Engineer Staff Only) Cotton: 100% Color: Grey, (PANTONE BOOK CODE 18-0601 TPX) Shrinkable, Durable, Proper Double Stitched Warp: Maximum 3% Weft: Maximum 3% Dye Vat Type: without Commercial Washing at 90 Degree C Two Piece Shirt: - Front to have antique metallic Zipper, Top have two Metallic Button, Sleeve have two Tich Button for adjusting its opening, Two Chest Pockets with Flaps SNGPL Monogram on Left Chest Oil Printing & Back. 2" Florescent Strip on Back & Arms sleeve stitched 6" away from Sleeve. Trouser: - Two Side Pockets & Two Back Pockets along with small Velcro Tape for opening & Closing. Pant have front crease stitch and round belt elastic flexible waste fitting. Florescent tape 2" on trouser Leg stitched 10" away from Bottom Yarn: - Wrap Count: 21 (Variation: 5%) Weft Count: 16 (Variation: 5%) Color Fatness: - Dry: 4 to 5 Wet: 4 to 5 Palling Test: 4 to 5</p>
3-	<p>Fluorescent Jacket (With SNGPL Logo) Bright Fluorescent Yellowish Green Color Jacket with SNGPL Monogram on Front & Back Jacket have minimum 6 Fluorescent Strips at front and 6 Fluorescent Strips at Back width of 2 inches.</p>
4-	<p>Cotton Gloves 100% Cotton Knitted Gloves seamless 7 Gauge Shell with one Sided PVC Dots. Strong Grip, Five Finger, Fine Quality</p>
5-	<p>Welding Gloves Length Size: 16" PVC Dotted, Strong Grip, Fine Quality Premium Quality Cow Split Leather welding gauntlet having thickness of 1.5mm to 2.0mm Providing excellent protection from radiant heat (Minimum 180C Degree) Internal Soft Lining.</p>
6-	<p>Gum Shoes Upper: PU/Rubber Made Out Sole: PU/PU Long Safety Shoes Toecap: Rubber Made</p>

	Chemical Resistant, Water & Oil Proof, Anti Slippery
7-	Safety Cones Large Size Orange Color High Class PVC Material Made, Unbreakable Minimum 2 Nos Fluorescent Strip (Strip Width 4") for nigh Visible Height Minimum 28" Weight: 2 kg Minimum Base Dimension: 13 x 13 Inches
8-	Spectacles Black Ultra-Vision, Anti Fog, Anti Scratch & Anti Impact Lens with Side Protection, Non-Vented As PER ANSI Z87.1-2003. EN 170 Standard
9-	Safety Helmet Industrial Safety Helmet High Density Polythene Shell (Minimum 2mm Thickness) Harness Fixed minimum clearness 40 to 50mm between its upper side Adjustable Head Band fitted with cradle Certified: EN 397 or ANSI 89.1-1997 Standard
10-	Safety Shoes Material: Cow or Buffalo Full Grain or Corrected Grain Steel Toe must withstand 200 Joules Impact (9800N Compression) Steel Mid Sole Slip Resistant, Sole Made PVC or Neoprene /Polyurethane Anti-Static, Oil resistant Energy absorption in Heel Area Ankle High Thick Foam Padded Collar Water Repellant Upper (WRU)
11-	Ear Muff Made of flexible Plastic High Noise reduction 31dB with Soft Beaded Headband Flow control of Optimal reduction Standard: EN 352-1 or ANSI Z12.6-1997