

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 24-06-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGT101 280	NIL	551070519913 4 / KAIL WOOD SLEEPER GRADE-A (LOCAL)	KAIL WOOD (TIMBER)	55 / CUBIC FOOT	NIL	NIL	LOCAL MARKET	LOCAL MARKET		<u>TECHNICAL SPECIFICATION -</u> size: LENGTH: 8 TO 16 FEET WIDTH: 8 to 14 INCH THICKNESS: 6 to 8 INCHES SPECIFICATIONS: psg: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 06 % to 18% <u>GENERAL SPECIFICATION -</u> size: LENGTH: 8 TO 16 FEET WIDTH: 8 to 14 INCH THICKNESS: 6 to 8 INCHES SPECIFICATIONS: psg: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 06 % to 18%	
2	DGE101 441	NIL	351070518127 8 / TRAY BLEECH	NIL	1 / EACH/N UMBER	NIL		LOCAL MARKET	NOT KNOWN		<u>TECHNICAL SPECIFICATION -</u> GENERAL ITEM <u>GENERAL</u> <u>SPECIFICATION - GENERAL ITEM</u>	
3	DGH100 438	614599521 8490	614599521849 0 / CABLE POWER ELECTRICAL 3CORE 440V 34A	CABLES	1500 / METER	DG SHIPS 212	NA	MINISTRY OF DEFENCE (NAVY) SHIPS SUPPORT AGENCY DME ME253, ROOM 19, BLOCK B FOXHILL, BATH, UK TEL: 01225 883293 FAX: 01225 883548	DG SHIPS 212 UK		<u>TECHNICAL SPECIFICATION - AS</u> PER NMCRL AND DG SHIPS 212 <u>GENERAL SPECIFICATION -</u> AS PER NMCRL AND DG SHIPS 212	
4	DGE102 002	QA263527	402099083318 4 / ROPE FIBROUS 8 STRAND, DIA 48MM,	-	220 / FATHO M	NO DATA AVAILAB LE		UK	MARLOW ROPE LTD SOUTH ROAD HAILSHA M EAST SUSSEX		<u>TECHNICAL SPECIFICATION -</u> SPECIFICATION: 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO-10556. 2. 48-MM DIA. BERTHING HAWSER BLK CONT FILAMENT POLYESTER & SS POLYPROPYLENE, 3. MIN BREAKING LOAD: 36.5 TONNES, 4.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									UNITED KINGDOM		<p>SUPPLIED IN 220 MTR COIL 5. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES. 6. SUPPLY FIRM SHALL OBTAIN AND FURNISH MANUFACTURE CERTIFICATE TO PN AS SAME QUALITY/ STANDARD AS BEING PROVIDED TO MoD (UK)/ RN/ RELATED COUNTRY. 7. ROPE ARE TO BE SUPPLIED WITH VALID LLOYD'S/ BS/ IACS MEMBER SOCIETY CERTIFICATION. 8. OEM ADDRESS: MARLOW ROPES LTD HAILSHAM EAST SUSSEX UNITED KINGDOM, Phone: +44(0)1323 444 444 EMAIL: sales@marlowropes.com</p> <p><u>GENERAL SPECIFICATION -</u> SPECIFICATION: 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO-10556. 2. 48-MM DIA, BERTHING HAWSER BLK CONT FILAMENT POLYESTER & SS POLYPROPYLENE, 3. MIN BREAKING LOAD: 36.5 TONNES, 4. SUPPLIED IN 220 MTR COIL 5. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES. 6. SUPPLY FIRM SHALL OBTAIN AND FURNISH MANUFACTURE CERTIFICATE TO PN AS SAME QUALITY/ STANDARD AS BEING PROVIDED TO MoD (UK)/ RN/ RELATED COUNTRY. 7. ROPE ARE TO BE SUPPLIED WITH VALID LLOYD'S/ BS/ IACS MEMBER SOCIETY CERTIFICATION. 8. OEM ADDRESS: MARLOW ROPES LTD</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension	
											HAILSHAM EAST SUSSEX UNITED KINGDOM, Phone: +44(0)1323 444 444 EMAIL: sales@marlowropes.com		
5	DGT98642	NO DATA AVAILABLE	934070514992 2 / MEDIUM DENSITY FIBER BOARD (LASANI) OAK COLOUR LAMINATION BOTH SIDE DENSITY 750kg/cubic meter SIZE: L=8' W=4' TH=16MM	WOOD WORKS SHIPS&ESTABLISHMENT	15 / SHEET		NO DATA AVAILABLE	PK			SOURCE: M/S MEHRAN ART WOOD SHOP NO 9, PANJETA NI HOUSE, SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI . TEL/ FAX: +92-21-32776064 .MOBILE 0322-2578654.	TECHNICAL SPECIFICATION - BSEN-622-1 LENGTH 08FEET WIDTH 04 FEET THICKNESS 16MM GENERAL SPECIFICATION - BSEN-622-1 LENGTH 08FEET WIDTH 04 FEET THICKNESS 16MM	
6	DGT99349	NO DATA AVAILABLE	934070514992 3 / MEDIUM DENSITY FIBER BOARD (LASANI) TEAK COLOUR. LAMINATION ONE SIDE, DENSITY 750 KG/CUB TO 850 KG/CUB . METER SIZE L:8' W: 4' TH: 6MM, MOISTURE RESISTANT	WOOD WORKS SHIPS&ESTABLISHMENT	4 / SHEET		NO DATA AVAILABLE	PK			SOURCE: M/S MEHRAN ART WOOD SHOP NO 9, PANJETA NI HOUSE, SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI . TEL/ FAX: +92-21-	TECHNICAL SPECIFICATION - SIZE Length: 8 feet Width: 4 feet Thickness : 6 MM colour : teak DENSITY 750 KG/CUB TO 850 KG/CUB GENERAL SPECIFICATION - SIZE Length: 8 feet Width: 4 feet THickness : 6 MM colour : teak DENSITY 750 KG/CUB TO 850 KG/CUB	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									32776064			
									.MOBILE			
									0322-			
									2578654.			
7	DGT978 93		934070514992 4 / MEDIUM DENSITY FIBER BOARD, (LASANI) WHITE COLOUR LAMINATION ONE SIDE DENSITY 750 KG cUB METER SIZE L:8' W: 4' TH: 3MM MOISTURE RESISTANT	WOOD WORKS SHIPS&ESTAB LISHMENT	15 / SHEET	NO DATA AVAILAB LE		PK	SOURCE: M/S MEHRAN ART WOOD SHOP NO 9, PANJETA NI HOUSE, SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI . TEL/ FAX: +92- 21- 32776064 .MOBILE 0322- 2578654.		TECHNICAL SPECIFICATION - SIZE: Length: 8 feet Width: 4 feet Thickness: 3 MM colour: white SOURCE:M/S MEHRAN ART WOOD SHOP NO 9,PANJETANI HOUSE,SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI. TEL/ FAX: +92-21-32776064.MOBILE 0322- 2578654. PRICE:RS1350 APPOX PER SHEET,SIZE 8FEETX4FEETX1/8 INCHES. GENERAL SPECIFICATION - SIZE: Length: 8 feet Width: 4 feet Thickness: 3 MM colour: white SOURCE:M/S MEHRAN ART WOOD SHOP NO 9,PANJETANI HOUSE,SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI. TEL/ FAX: +92-21-32776064.MOBILE 0322- 2578654. PRICE:RS1350 APPOX PER SHEET,SIZE 8FEETX4FEETX1/8 INCHES.	
8	DGB806 14	CC500- 009	951550522545 6 / ALUMINUM SHEET (4FT X 8FT), THICKNESS 1 MM	Customized Container STUS	9 / EACH/N UMBER	-CC500- 009	NIL	M/s Global Traders C-39, Naval Housing Scheme Clifton Karachi Cell # 0300-8262549 Tel # 02135877485 Email: Globaltraders39@gmail. com	M/s Global Traders		TECHNICAL SPECIFICATION - ALUMINUM SHEET SIZE (4FT X 8FT), THICKNESS 1 MM POWDER COATED GENERAL SPECIFICATION - ALUMINUM SHEET SIZE (4FT X 8FT), THICKNESS 1 MM POWDER COATED	
9	DGT945 31		010070514992 6 / LASANI PLY SHEET (SIZE8'x' 4x16mm) SIMPLE.	WOOD WORK SHIPS/ESTAB LISHMENT.	32 / SHEET	NO DATA AVAILAB LE		PK	SOURCE: M/S MEHRAN ART WOOD SHOP NO 9, PANJETA NI HOUSE, SIDDIQ		TECHNICAL SPECIFICATION - size: 8'x'4x16mm GENERAL SPECIFICATION - size: 8'x'4x16mm	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									WAHAB ROAD, TIMBER MARKET KARACHI . TEL/ FAX: +92-21-32776064 .MOBILE 0322-2578654.			
10	DGE101526	828 653-H9020051	8010795208198 / FABRIC 1300 GSM MILITARY GREY (HYPALONE)	RHIB BOAT	5 / METER		NIL	HENSHAW INFLATABLES LTD, SOUTHGATE ROAD, WINCANTON,SOMERSET, BA9 9RX, TEL"01963 33237, FAX 01963 34578, EMAIL karen@henshaw.co.uk, www.henshaw.co.uk	HENSHA W INFLATA BLES LTD		TECHNICAL SPECIFICATION - TDS IS ENCLOSED WITH RWIMSGENERAL SPECIFICATION -TDS IS ENCLOSED WITH RWIMS	
11	DGE64183	2890S	4240TY5202560 / 3M COMFORT LINE SAFETY GOGGLES 2890S SEALED VERSION	BV	10 / EACH/NUMBER	NA		VHKMHMN	-		TECHNICAL SPECIFICATION - NILGENERAL SPECIFICATION - NIL	
12	DGB103456		0283700001608 / INGOT-BRASS		40 / KILOGRAMME						TECHNICAL SPECIFICATION - Specification: BSEN 1982 OF 1999, GRADE ENCC761S Compositional Designation: CuZn16Si4-C Weight of Ingot Range from Min 10 kg to Max 20 kgGENERAL SPECIFICATION - Specification: BSEN 1982 OF 1999, GRADE ENCC761S Compositional Designation: CuZn16Si4-C Weight of Ingot Range from Min 10 kg to Max 20 kg	
13	DGB97172		0283705711230 / ALUMINIUM ALLOY ANGLE EQUAL SIDED	BR 320 D/1976 UNIT OF AVAIL 12-30 FT LG	320 / METER						TECHNICAL SPECIFICATION - SPECIFICATION: FOR CHEMICAL COMPOSITION BS EN 573-3 OF 2019 + A2: 2022FOR MECHANICAL PROPERTIES BS 755-2 OF 2025 GRADE: ENAW 5083 SIZE: LENGTH OF LEG: 2X2 INCHES.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											THICKNESS: 1/4 INCHES. WEIGHT PER FEET (POUNDS): 1.02 POUNDS. RUNNING LENGTH: 12 TO 30 FEET.GENERAL SPECIFICATION - SPECIFICATION: FOR CHEMICAL COMPOSITION BS EN 573-3 OF 2019 + A2: 2022FOR MECHANICAL PROPERTIES BS 755-2 OF 2025 GRADE: ENAW 5083 SIZE: LENGTH OF LEG: 2X2 INCHES. THICKNESS: 1/4 INCHES. WEIGHT PER FEET (POUNDS): 1.02 POUNDS. RUNNING LENGTH: 12 TO 30 FEET.	
14	DGE100 212	NO DATA AVAILABL E	035059923357 6 / FENDER MARINE ROUND SISAL WT 71 LBS OVERALL DIA 2'.6 INTERNAL DIA 10"	MARINE ROUND SISAL WT 71 LBS OVERALL DIA 2'.6	12 / EACH/N UMBER						TECHNICAL SPECIFICATION - MARINE ROUND SISAL WT 71 LBS OVERALL DIA 2'.6" INTERNAL DIA 10"GENERAL SPECIFICATION - MARINE ROUND SISAL WT 71 LBS OVERALL DIA 2'.6" INTERNAL DIA 10"	
15	DGE748 48		047659000006 2 / GLOVES LEATHER LEFT HAND.		301 / EACH/N UMBER						TECHNICAL SPECIFICATION - Size: Large a. Material leather b. Color Natural c. Good fit wing thumb and straight finger d. 15 centimeter split cuff e. Flexible soft and durableGENERAL SPECIFICATION - Size: Large a. Material leather b. Color Natural c. Good fit wing thumb and straight finger d. 15 centimeter split cuff e. Flexible soft and durable	
16	DGE960 48	NO DATA AVAILABL E	047659943474 3 / TUFF GRADE 1" PAINT BRUSH	HANGAR DOOR	62 / EACH/N UMBER						TECHNICAL SPECIFICATION - 1. Bristle material: China bristle 2. Bristle colour: White 3. Bristle width: 25mm 4. Bristle thickness: 10mm 5. Handle material: Popular wood spec: bs2992 stock thickness:0.625 inch exposed length. 2 inchGENERAL SPECIFICATION - 1. Bristle material: China bristle 2. Bristle colour: White 3. Bristle width: 25mm 4. Bristle thickness: 10mm 5. Handle material: Popular wood spec: bs2992 stock thickness:0.625 inch exposed length.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											2 inch	
17	DGE100065	NO DATA AVAILAB LE	055979002055 2 / INSULATION TAPE ELECTRICAL SHRINKABLE WD 2IN RUBBER	GENERAL ELECTRIC USE	30 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
18	DGE101628	0.75X0. 007INCH- 50MTR-	055979001524 4 / INSULATION- TAPE- VARNISHED WOVEN GLASS-FIBRE- (STRAIGHT CUT)		45 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DGE99009		041459923090 3 / PACKING GLAND MATERIAL COTTON BRAIDED SECTION NON SIZE 3/16"		16 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGE100092		041459923091 1 / PACKING MATERIAL HEMP FOR FURNACE FUEL, SIZE= 1/4" SQ		35 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGE101633	LETTER NO.E- I/4927/A/4 45DT0509 02	046159000391 4 / CLOTH POLESHING		25 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
22	DGE100361	NIL	055979444489 8 / INSULATION SLEEV ELEC INT DIA 3MM THICK0.500	GENERAL ELECTRIC USE	10 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			MATER CERAMIC									
23	DGE102001	nil	035059571312 1 / Rope Nylon, Hawser laid, White, 3- Strand, Cir: 1- Inch, Diameter: 8-MM		200 / FATHO M						<p>TECHNICAL SPECIFICATION - SPECIFICATION OF ITEM 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED TEST CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM, 9. VALID LLOYD'S/BSI TEST CERTIFICATE REQUIRED AS PER ISO 2307 OF 2019. GENERAL SPECIFICATION - SPECIFICATION OF ITEM 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED TEST CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MOD (UK)/RN/RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S/BSI TEST CERTIFICATE REQUIRED AS PER ISO 2307 OF 2019.	
24	DGB103 346		028359571144 0 / ROD NAVAL BRASS, RD DIA 0.25 inch, WT PER, FT 18LBS		1.5 / METER						TECHNICAL SPECIFICATION - specifications BSEN 12163 of 2011 material grade: CW712 MATERIAL CONDITION: M RUNNING LENGTH (MIN): 02 METER GENERAL SPECIFICATION - specifications BSEN 12163 of 2011 material grade: CW712 MATERIAL CONDITION: M RUNNING LENGTH (MIN): 02 METER	
25	DGB971 78		028359571144 7 / ROD NAVAL BRASS RD DIA 01 INCH	GENERAL USE	1 / METER						TECHNICAL SPECIFICATION - BS EN 12163 OF 1998, GRADE: CW712R (M) SIZE: RD DIA 01 INCH, WT PER FT : (LBS), R-LENGTH-03 METERS (EACH) GENERAL SPECIFICATION - BS EN 12163 OF 1998, GRADE: CW712R (M) SIZE: RD DIA 01 INCH, WT PER FT : (LBS), R-LENGTH-03 METERS (EACH)	
26	DGB963 64		028359571145 7 / ROD NAVAL BRASS RD DIA 2.25" WT PER FT 14.73(LB)		6.35 / METER						TECHNICAL SPECIFICATION - Specifications: BSEN 12163 of 1998 Grade CW 712R (M), Running Length (Min): 02 meter GENERAL SPECIFICATION - Specifications: BSEN 12163 of 1998 Grade CW 712R (M), Running Length (Min): 02 meter	
27	DGB974 97		028359571145 9 / ROD NAVAL BRASS RD DIA.2.50 INCH WT PER MTR 27.49 KG		4 / METER						TECHNICAL SPECIFICATION - BS EN-12163 DESIGNATION: CW-719R, R-340 SYMBOL: CU zN 39 SN 1 GENERAL SPECIFICATION - BS EN-12163 DESIGNATION: CW-719R, R-340 SYMBOL: CU zN 39 SN 1	
28	DGB819 59	FA14774/ EC2002M	027670910527 0 / SOLDERING IRON NON		3 / EACH/N UMBER	T0053298 399					TECHNICAL SPECIFICATION - Make: Germany Brand: WELLER WE1010 GENERAL SPECIFICATION - Make: Germany	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			ELECT.ST. TYPE.WT.12 OZ.BIT SZ. 3/4SQIN.D.T								Brand: WELLER WE1010	
29	DGE100 213	NIL	035059571323 1 / ROPE SISAL, HAWSERLAID, 3-STRD, CIRC: 1,1/8 INCH DIA: 10-MM		1500 / FATHO M						<p>TECHNICAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1181-2004, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM COC REQUIRED, 5. LENGTH PER COIL: 120 FATHOM. 6. VALID LLOYD'S DNV/ BSI/ CERTIFICATE OF ANY IACS MEMBER SOCIETY IS REQUIRED INDICATING BATCH/ LOT NUMBER FOR IDENTIFICATION AND BREAKING STRENGTH OF STORES.</p> <p>GENERAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1181-2004, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM COC REQUIRED, 5. LENGTH PER COIL: 120 FATHOM. 6. VALID LLOYD'S DNV/ BSI/ CERTIFICATE OF ANY IACS MEMBER SOCIETY IS REQUIRED INDICATING BATCH/ LOT NUMBER FOR IDENTIFICATION AND BREAKING STRENGTH OF STORES.</p>	
30	DGH103 328		021159119995 3 / PLATE STEEL CARBON MILD BLACK 5000X1500X10 MM		2 / EACH/N UMBER						<p>TECHNICAL SPECIFICATION - BSEN 10025-2 OF 2019, GRADE S275 JR, THICKNESS TOLERANCE LIMIT: "CLASS C" IN TABLE 1 OF BSEN 10029</p> <p>GENERAL SPECIFICATION - BSEN 10025-2 OF 2019, GRADE S275 JR,</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											THICKNESS TOLERANCE LIMIT: "CLASS C" IN TABLE 1 OF BSEN 10029	
31	DGH103 212		021159119995 3 / PLATE STEEL CARBON MILD BLACK 5000X1500X10 MM		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - BSEN 10025-2 OF 2019, GRADE S275 JR, THICKNESS TOLERANCE LIMIT: "CLASS C" IN TABLE 1 OF BSEN 10029GENERAL SPECIFICATION - BSEN 10025-2 OF 2019, GRADE S275 JR, THICKNESS TOLERANCE LIMIT: "CLASS C" IN TABLE 1 OF BSEN 10029	
32	DGB913 98	NO DATA AVAILABL E	021450214060 8 / BOLT AND NUTS STEEL FOUNDATION TYPE HEX HD SZ 12.000X0. 500 INCH		90 / EACH/N UMBER						TECHNICAL SPECIFICATION - length 12 inch thickness ½ inch threaded area 3 inch head HEX PND/Timber Craft Shop (C No 107) specs: DGS 8060 – A, Class – I Material Grade: EN 16 (605 M36) GENERAL SPECIFICATION - length 12 inch thickness ½ inch threaded area 3 inch head HEX PND/Timber Craft Shop (C No 107) specs: DGS 8060 – A, Class – I Material Grade: EN 16 (605 M36)	
33	DGH100 076		021250212049 0 / BAR STEEL CHANNEL SIZE 3.50"X2" X5/16"		10 / METER						TECHNICAL SPECIFICATION - Item Specification:BS EN OF 2004, GRADE S-275 JRGENERAL SPECIFICATION - Item Specification:BS EN OF 2004, GRADE S-275 JR	
34	DGH103 531	DNC S15	021159119996 8 / STEEL PLATE CARBON SIZE 2500X1250X6 MM. **SIZE 2500X1220X6 MM (Only acceptable against demand based LPO).		1 / EACH/N UMBER						TECHNICAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025.STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025 part-2 of 2004 grade: s-275 jrGENERAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025. STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											part-2 of 2004 grade: s-275 jr	
35	DGH103 901	DNC S15	021159119996 8 / STEEL PLATE CARBON SIZE 2500X1250X6 MM. **SIZE 2500X1220X6 MM (Only acceptable against demand based LPO).		14 / EACH/N UMBER						TECHNICAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025.STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025 part-2 of 2004 grade: s-275 jrGENERAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025. STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025 part-2 of 2004 grade: s-275 jr	
36	DGH103 013	DNC S15	021159119996 8 / STEEL PLATE CARBON SIZE 2500X1250X6 MM. **SIZE 2500X1220X6 MM (Only acceptable against demand based LPO).		10 / EACH/N UMBER						TECHNICAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025.STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025 part-2 of 2004 grade: s-275 jrGENERAL SPECIFICATION - SPECIFICATION FOR ALL 17 ITEMS: BSEN:10025. STEEL GRADE:5275 JR. ALL INFOMATION AMENDED VIDE CINS LETTER INS/EM-8047/10/3895 DT 24 SEP 2010. 2. bsen-10025 part-2 of 2004 grade: s-275 jr	
37	DGB103 453		021859571185 7 / PIPING STEEL SEAMLESS OUTER DIA 219.710X8MM TH RAND LG4. 5-6.0M		18.3 / METER						TECHNICAL SPECIFICATION - 1. bs EN 10216-2 STEEL GRADE P 265 GH 2. INTERNAL DIA = 08 INCH cold finishingGENERAL SPECIFICATION - 1. bs EN 10216-2 STEEL GRADE P 265 GH 2. INTERNAL DIA = 08 INCH cold finishing	
38	DGB103 502		021859571185 7 / PIPING STEEL SEAMLESS OUTER DIA		18.3 / METER						TECHNICAL SPECIFICATION - 1. bs EN 10216-2 STEEL GRADE P 265 GH 2. INTERNAL DIA = 08 INCH cold finishingGENERAL SPECIFICATION - 1. bs EN 10216-2	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			219.710X8MM TH RAND LG4. 5-6.0M								STEEL GRADE P 265 GH 2. INTERNAL DIA = 08 INCH cold finishing	
39	DGE102005	NIL	035059923712 6 / ROPE NYLON ,CIRC 2", DIA: 16-MM, HAWSERLAID, 3-sSTRAND, Z- LAY,120 FM PER COIL,	STRENGTH 5.200 TONS UNIT OF AVAILABILITY	120 / FATHO M						<p>TECHNICAL SPECIFICATION -</p> <p>SPECIFICATION OF ITEM 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021,</p> <p>2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED TEST CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM, 9. VALID LLOYD'S/BSI TEST CERTIFICATE REQUIRED AS PER ISO 2307 OF 2019. <u>GENERAL SPECIFICATION -</u></p> <p>SPECIFICATION OF ITEM 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021,</p> <p>2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED TEST CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7. OEM OF</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
40	DGE102004	NIL	035059923712 9 / ROPE NYLON, HAWSERLAID, 3-STRANDS, CIRCI 3", NOM DIA: 24MM, Z- LAY, TYPE-1, MINIMUM BREAKING LOAD : 12 TONS		STRENGTH 11.800 TONS UNIT OF AVAILABILIT						ROPE MUST BE APPROVED BY MOD (UK)/RN/RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S/BSI TEST CERTIFICATE REQUIRED AS PER ISO 2307 OF 2019. TECHNICAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES. GENERAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WILL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES.	
41	DGE102003	NO DATA AVAILAB LE	035059923713 0 / ROPE NYLON HAWSERLAID, DIA: 28-MM, 3- STRAND	MIN BRKG STRENGTH 15.500 TONS UNIT OF	120 / METER	NO DATA AVAILAB LE					<p><u>TECHNICAL SPECIFICATION - 1.</u> TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WILL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES.<u>GENERAL SPECIFICATION - 1.</u> TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WILL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES.	
42	SGB93209		027679910583 2 / SCRAPER ENGINEER LG 6"		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DGB96819		027679910583 2 / SCRAPER ENGINEER LG 6"		40 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
44	DGB100437	AWS E308-16	028370001185 3 / ELECTRODE WELDING LG 10	WELDING SYSTEMS (STAINLESS STEEL)	6 / KILOGRAMME						TECHNICAL SPECIFICATION - a. Dia: 3.2mm b. Length: 350 mm~13.78 inches c. Material: Rutile (E6013) d. Shelf Life: 3-5 year e. Current: 120-180 Amperes f. Application: To weld Mild Steel on surface GENERAL SPECIFICATION - a. Dia: 3.2mm b. Length: 350 mm~13.78 inches c. Material: Rutile (E6013) d. Shelf Life: 3-5 year e. Current: 120-180 Amperes f. Application: To weld Mild Steel on surface	
45	DGH101847		028150281168 0 / DIVIDER		138 / EACH/NUMBER						TECHNICAL SPECIFICATION - see attached file GENERAL SPECIFICATION - see attached file	
46	DGB97486		027370910421 6 / CHISEL COLD HAND SPEARHEAD		40 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			OVERALL LG 6.50IN									
47	DGB96243		0271799101727 / TAP THREAD CUTTING HS BSF T/S20. 0TPI0.373X1. 250X0.293X2. 937"		17 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
48	DGB74581		0273789238078 / BLADE POWER HACKSAW HIGH SPEED STEEL LG 14" WDT 01" TEETH		18 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Make: ECLIPSE 2. OEM/Country of origin: England 3. OEM COC/authorized dealer certificate: N/A GENERAL SPECIFICATION - 1. Make: ECLIPSE 2. OEM/Country of origin: England 3. OEM COC/authorized dealer certificate: N/A	
49	DGB75451	NO DATA AVAILABLE	0248591296149 / STEEL SAFE FITTED WITH COMBINATION LOCK	NAL DIMENSIONS: 23-1/2	4 / EACH/NUMBER						TECHNICAL SPECIFICATION - a. Complete Item/ Store DESCRIPTION: Steel Safe fitted with Combination LOCK b. Gauge : Outer 16 SWG Inner 16 SWG c. Size/ dimension: Length/ Height 22 Inch Width 20 Inch Depth 18 Inch d. Door: Single e. No. of shelves: 02 f. No. of Levers: 01 g. Lock Type: Combination + Key/ Digital Lock h. Fire Retardant: Yes GENERAL SPECIFICATION - a. Complete Item/ Store DESCRIPTION: Steel Safe fitted with Combination LOCK b. Gauge : Outer 16 SWG Inner 16 SWG c. Size/ dimension: Length/ Height 22 Inch Width 20 Inch Depth 18 Inch d. Door: Single e. No. of shelves: 02 f. No. of Levers: 01 g. Lock Type: Combination + Key/ Digital Lock h. Fire Retardant: Yes	
50	DGD78274	NO DATA AVAILABLE	0031546000771 / DISH VEGETABLE (DONGA) GOLDEN		2 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - (Ceramic) with (lid) cover GENERAL SPECIFICATION - (Ceramic) with (lid) cover	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CRESTED									
51	DGD104 435	NO DATA AVAILABL E	003554600118 8 / STRAINERSRI CE FOR POTS ALU 20X10 INCH		2 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
52	DGB103 461		021259571002 7 / BAR STEEL CARBON HOT ROLLED RD DIA 3-1/2", WT PER FT 32.71 LBS		2 / METER						TECHNICAL SPECIFICATION - SPECS PD970:2005, Material Grade 070M20, Running Length: 6 meter GENERAL SPECIFICATION - SPECS PD970:2005, Material Grade 070M20, Running Length: 6 meter	
53	DGH103 955	BS EN 10025- 2/2004, MATERIAL GRADE S 275 JR	021259571071 8 / ANGLE STEEL CARBON E/S BLACK 1.25 X 1.25 X 0.25 INCH		100 / METER						TECHNICAL SPECIFICATION - RUNNING LENGTH: 6.5 METER BS EN 10025-2/2004, mAterial grade s 275 jr GENERAL SPECIFICATION - RUNNING LENGTH: 6.5 METER BS EN 10025-2/2004, mAterial grade s 275 jr	
54	DGH103 964		021259571079 8 / Angle Steel Carbon Black 05X03-1/2X1/2" LG 40.3"		2 / METER						TECHNICAL SPECIFICATION - BSEN 10025 OF 2004 GRADE S275JR, Running Length: 6 METER FORECASTED QTY: 103 MTR MATERIAL TEST CERTIFICATE REQUIRED GENERAL SPECIFICATION - BSEN 10025 OF 2004 GRADE S275JR, Running Length: 6 METER FORECASTED QTY: 103 MTR MATERIAL TEST CERTIFICATE REQUIRED	
55	DGB103 952		026759521327 8 / PIPING STEEL GALVANIZED SEAMLESS, L : 6.1 M, E/DIA 26.9MM, TH 2.6 MM, N/BORE:19.1 MM	UTS LENGTH. BULK SUPPLY	150 / METER						TECHNICAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS GENERAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS	
56	DGB103 566		026759521327 8 / PIPING	UTS LENGTH. BULK SUPPLY	150 / METER						TECHNICAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			STEEL GALVANIZED SEAMLESS, L : 6.1 M, E/DIA 26.9MM, TH 2.6 MM, N/BORE:19.1 MM								P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS GENERAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS	
57	DGB103 654		026759521327 8 / PIPING STEEL GALVANIZED SEAMLESS, L : 6.1 M, E/DIA 26.9MM, TH 2.6 MM, N/BORE:19.1 MM	UTS LENGTH. BULK SUPPLY	150 / METER						TECHNICAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS GENERAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS	
58	DGB100 160		026759521327 8 / PIPING STEEL GALVANIZED SEAMLESS, L : 6.1 M, E/DIA 26.9MM, TH 2.6 MM, N/BORE:19.1 MM	UTS LENGTH. BULK SUPPLY	60 / METER						TECHNICAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS GENERAL SPECIFICATION - BSEN 10216-2 OF 2019, GRADE P265GH, FOR GALVANIZING BS EN ISO 10240 GALVANIZING THICKNESS: 40 MICRONS	
59	DGE101 520	NO DATA AVAILAB LE	033054600448 4 / HEAVING LINE 06MM L50MM 466MS	MSI	1620 / METER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
60	DGE895 42	DEF STAN 59-15/1 BS3858 TYPE 2	055999901113 9 / INSULATION SLEEVING ELECTRICAL	GENERAL USE FOR TYPE 21 SHIPS	58 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
61	DGE102 067	NO DATA AVAILAB LE	424050508870 5 / CAMOUFLAGE NETS, SIZE 26 X 26 FT	TO COVER/CAMO FLAGE THE 14.5MM GUNS	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - 1. SPECIFICATIONS= POLYESTER FABRIC: GRADE: 300D, SAFETY: FIRE RESISTANT, ROT PROOF AND WATER PROOF. 2. MATERIAL COMPOSITION= 100% POLYESTER. 3. LOOP INTERVALS, FOR JOINING MULTIPLE NETS (06	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>INCHES DISTANCE LOOP TO LOOP). 4. COLOR LIGHT/ DARK GREEN, ROT PROOF WITHOUT USE OF METALLIC OBJECT (WITH COLOR SHADE ARMY GREEN, BROWN AND GRAY COMBINATION). 5. COLOUR CODE FOR MATCHING OF CAMOUFLAGE AND NET SHOULD BE COMBINATION OF FOLLOWING COLOR CODE= (A). EBONY (50654D), (B). ARTICHOKE (9C9177), (C). QUINCY (655949), (D). DARK CHARCOAL (313831). 6. PACKING OF COMPLETE NET ALONGWITH FOLLOWING ACCESSORIES= (A). ROPE= (01 X BUNDLE= DIAMETER: 10MM, CIRC: 1.25-INCH & LENGTH: 50 FT WITH CAMOUFLAGE COLOUR. (B). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (C). HAMMER: 01 IN NUMBER. (D). IRON POLE: 01 X 4 ADJUSTABLE (DIA: 06 INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH SEAMLESS OR WELDED. GENERAL SPECIFICATION - 1. SPECIFICATIONS= POLYESTER FABRIC: GRADE: 300D, SAFETY: FIRE RESISTANT, ROT PROOF AND WATER PROOF. 2. MATERIAL COMPOSITION= 100% POLYESTER. 3. LOOP INTERVALS, FOR JOINING MULTIPLE NETS (06 INCHES DISTANCE LOOP TO LOOP). 4. COLOR LIGHT/ DARK GREEN, ROT PROOF WITHOUT USE OF METALLIC OBJECT (WITH COLOR SHADE ARMY GREEN, BROWN AND GRAY COMBINATION). 5. COLOUR CODE FOR MATCHING OF CAMOUFLAGE AND NET SHOULD BE COMBINATION OF FOLLOWING</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
62	DGE101761	NO DATA AVAILABLE	4240505088705 / CAMOUFLAGE NETS, SIZE 26 X 26 FT	TO COVER/CAMOUFLAGE THE 14.5MM GUNS	2 / EACH/NUMBER						<p>COLOR CODE= (A). EBONY (50654D), (B). ARTICHOKE (9C9177), (C). QUINCY (655949), (D). DARK CHARCOAL (313831). 6. PACKING OF COMPLETE NET ALONGWITH FOLLOWING ACCESSORIES= (A). ROPE= (01 X BUNDLE= DIAMETER: 10MM, CIRC: 1.25-INCH & LENGTH: 50 FT WITH CAMOUFLAGE COLOUR. (B). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (C). HAMMER: 01 IN NUMBER. (D). IRON POLE: 01 X 4 ADJUSTABLE (DIA: 06 INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH SEAMLESS OR WELDED.</p> <p><u>TECHNICAL SPECIFICATION - 1. SPECIFICATIONS= POLYESTER FABRIC: GRADE: 300D, SAFETY: FIRE RESISTANT, ROT PROOF AND WATER PROOF. 2. MATERIAL COMPOSITION= 100% POLYESTER. 3. LOOP INTERVALS, FOR JOINING MULTIPLE NETS (06 INCHES DISTANCE LOOP TO LOOP). 4. COLOR LIGHT/ DARK GREEN, ROT PROOF WITHOUT USE OF METALLIC OBJECT (WITH COLOR SHADE ARMY GREEN, BROWN AND GRAY COMBINATION). 5. COLOUR CODE FOR MATCHING OF CAMOUFLAGE AND NET SHOULD BE COMBINATION OF FOLLOWING COLOR CODE= (A). EBONY (50654D), (B). ARTICHOKE (9C9177), (C). QUINCY (655949), (D). DARK CHARCOAL (313831). 6. PACKING OF COMPLETE NET ALONGWITH FOLLOWING ACCESSORIES= (A). ROPE= (01 X BUNDLE= DIAMETER: 10MM, CIRC: 1.25-INCH & LENGTH: 50 FT WITH CAMOUFLAGE COLOUR. (B). IRON</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (C). HAMMER: 01 IN NUMBER. (D). IRON POLE: 01 X 4 ADJUSTABLE (DIA: 06 INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH SEAMLESS OR WELDED.</p> <p>GENERAL SPECIFICATION - 1. SPECIFICATIONS= POLYESTER FABRIC: GRADE: 300D, SAFETY: FIRE RESISTANT, ROT PROOF AND WATER PROOF. 2. MATERIAL COMPOSITION= 100% POLYESTER. 3. LOOP INTERVALS, FOR JOINING MULTIPLE NETS (06 INCHES DISTANCE LOOP TO LOOP). 4. COLOR LIGHT/ DARK GREEN, ROT PROOF WITHOUT USE OF METALLIC OBJECT (WITH COLOR SHADE ARMY GREEN, BROWN AND GRAY COMBINATION). 5. COLOUR CODE FOR MATCHING OF CAMOUFLAGE AND NET SHOULD BE COMBINATION OF FOLLOWING COLOR CODE= (A). EBONY (50654D), (B). ARTICHOKE (9C9177), (C). QUINCY (655949), (D). DARK CHARCOAL (313831). 6. PACKING OF COMPLETE NET ALONGWITH FOLLOWING ACCESSORIES= (A). ROPE= (01 X BUNDLE= DIAMETER: 10MM, CIRC: 1.25-INCH & LENGTH: 50 FT WITH CAMOUFLAGE COLOUR. (B). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (C). HAMMER: 01 IN NUMBER. (D). IRON POLE: 01 X 4 ADJUSTABLE (DIA: 06 INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH SEAMLESS OR WELDED.</p> <p>TECHNICAL SPECIFICATION - 1 TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021,</p>	
63	DGE102000	NIL	402099923712 1 / ROPE NYLON,	NGTH 1.330 TONS UNIT OF AVAILABILITY	120 / FATHO M							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			HAWSERLAID, 3-STRD, CIR 1.00", DIA 0.3125" (8MM)								<p>2 TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3 ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4 OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5 OEM COC REQUIRED, 6 FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7 OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/RELATED COUNTRY, 8 LENGTH PER COIL: 120 FATHOM. GENERAL SPECIFICATION - 1 TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2 TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3 ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4 OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5 OEM COC REQUIRED, 6 FURNISH CALIBRATION CERTIFICATE WIL BE PROVIDED BY OEM, 7 OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/RELATED COUNTRY, 8 LENGTH PER COIL: 120 FATHOM.</p>	
64	DGE100 382		402099923713 7 / ROPE NYLON HAWSERLAID, 3-STRND, Z-LAY, TYPE-1, NOM DIA: 64-MM, CIRC: 08-	NOR-SHIPS-USE-NASAR	33.3 / FATHOM						<p>TECHNICAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021, 2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			INCH.								<p>PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WILL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES.<u>GENERAL SPECIFICATION - 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO 1140-2021,</u></p> <p>2. TO BE MANUFACTURED/ MARKING AND LABELING OF THE ROPES IN ACCORDANCE WITH ISO 9554: 2019, 3. ROPE ARE REQUIRED TO BE TESTED AS PER ISO 2307 OF 2019, 4. OEM WILL PROVIDED CERTIFICATE OF RAW MATERIALS I.E DESCRIPTION OF MATERIAL AND SPECIFICATIONS OF MATERIAL, 5. OEM COC REQUIRED, 6. FURNISH CALIBRATION CERTIFICATE WILL BE PROVIDED BY OEM, 7. OEM OF ROPE MUST BE APPROVED BY MOD (UK)/RN/ RELATED COUNTRY, 8. LENGTH PER COIL: 120 FATHOM. 9. VALID LLOYD'S TEST CERTIFICATE REQUIRED INDICATING BATCH/ LOT NUMBER OR IDENTIFICATION AND WORKING/ BREAKING STRENGTH OF STORES.</p> <p><u>TECHNICAL SPECIFICATION - I</u> <u>TEC WELDING & CUTTING SYSTEMS EBENEZERG</u><u>GENERAL</u></p>	
65	DGH103 280	751F00	343901056094 9 / CLEANER NOZZLE	GAS CUTTING AND WELDING NOZZLE	20 / SET							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CLEANER SET, WELDING)								SPECIFICATION - L TEC WELDING & CUTTING SYSTEMS EBENEZER	
66	DGB74240		512073100118 1 / PLIERS PISTON RING 90-140MM ELORA-235/1		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
67	DGB74584		513670501056 1 / TAP SET MACHINE SIZE 10X1.50 MM		5 / SET						TECHNICAL SPECIFICATION - Thread Size : M10 Thread Pitch : 1.5 mm Material : HSS Total Length : 70 mm OEM : Besly, OSG, Emuge, Balx, Guhring, Sandvik Acceptance Criteria: Physical inspection by concerned workshop rep. GENERAL SPECIFICATION - Thread Size : M10 Thread Pitch : 1.5mm Material : HSS Total Length : 70 mm OEM : Besly, OSG, Emuge, Balx, Guhring, Sandvik Acceptance Criteria: Physical inspection by concerned workshop rep.	
68	DGH102045	TSGU-400	614500110634 1 / CABLE ELECT 3- COND/0.742* SI & GLASS INSUL PVC JKT 1000V 400A		250 / METER						TECHNICAL SPECIFICATION - 04 ton Ac Compressor MIL-C-24643/16 GENERAL SPECIFICATION - 04 ton Ac Compressor MIL-C-24643/16	
69	DGD104027	LG-MP-9482 SR	731073511893 9 / MICROWAVE OVEN-LG SHARP WAVES/DAWL ANCE & TOSHIBA	MICROWAVE OVEN LG	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - capacity: 36 LITTERs GENERAL SPECIFICATION - capacity: 36 LITTERs	
70	DGE78372	NO DATA AVAILAB LE	041350000013 4 / EAR DEFENDER LARGE SIZE		15 / PAIR	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
71	DGE100057	NO DATA AVAILAB LE	043250000002 7 / HELMET PROTECTIVE		1 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - Item Specification : MAKE-JEIKAI, MODEL-JK-312 with double Glass,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			DESPATCH RIDER WITH VISOR SIZE 6 3/4								OEM/COUNTRY MR Enterprises Pakistan. OEM Authorization dot certified approved (FMUSS NO 218) GENERAL SPECIFICATION - Item Specification :MAKE-JEIKAI, MODEL-JK-312 with double Glass, OEM/COUNTRY MR Enterprises Pakistan. OEM Authorization dot certified approved (FMUSS NO 218)	
72	DGE101 823		834070508791 5 / HIGH QUALITY KUWAITI DELUXE TENT 23 X 15 FT	GENERAL PURPOSE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. SIZE/ DIMENSION a. TENT SIZE (LENGTH & WIDTH): 23 X 15 FEET (± 3 INCH) b. HEIGHT OF TENT: 12 FEET (± 2 INCH) c. HEIGHT OF WALL: 06 FEET (± 2 INCH) 2. OTHER SPECIFICATIONS a. 100% CANVAS COTTON: DOUBLE FLY WITH SINGLE FOLD (OUTER FLY WITH SINGLE FOLD & INNER FLY WITH DOUBLE FOLD). b. MATERIAL: 650 GSM OR ABOVE WITH ROT-PROOF AND WATERPROOF. c. COLOR FOR OUTER/ INNER FLY: JUNGLE GREEN (COLOR CODE: 3A5F31). d. INNER LINING: MATERIAL: DOSUTI CLOTH, 180-200 GSM, COLOR: PLAIN PARROT GREEN. 3. LIST OF ACCESSORIES a. IRON POLES: TOTAL QTY 03 NOS (01 x RIDGE POLES, LENGTH 07 FEET & 02 x STANDING POLES, LENGTH 12 FEET WITH JOINTED MALE/ FEMALE). MATERIAL: MS (MILD STEEL), OUTER DIA 50 MM ± 02 MM & THICKNESS 02 MM ± 0.50 MM. b. IRON PEGS: QTY 40 NOS, LENGTH 18 INCHES, THICKNESS 20 MM ±2 MM AND MILD STEEL PIN QTY 24 NOS, LENGTH 06 INCHES. c. ROPE: QTY: 40 NOS MINIMUM OR AS RECOMMENDED BY MANUFACTURER, MATERIAL: NYLON/COTTON, DIA MINIMUM 16 MM. d. HAMMER: QTY 01 NO,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>MATERIAL: MS (MILD STEEL), WEIGHT 05 KGS, WITH WOODEN HANDLE LENGTH 1.5 FEET. e. FLAPPER FOR GROUND= MATERIAL: POLYPROPYLENE, 180-200 GSM. 4. VENTILATION FEATURE: WINDOW: 02 (SIZE: 2 x 2 FEET) WITH MOSQUITO NETTING FOR AIRFLOW AND DOOR 02 REQUIRED ON BOTH SIDES OF THE TENT. 5. PACKING REQUIRED: QTY 03 TOTAL BAGS MADE OF CANVAS COTTON (475 GSM), 02 x BAG FOR THE TENT BODY AND 01 x FOR THE ACCESSORIES. 6. ADVANCE SAMPLE TO BE APPROVED BY CINS/ SPECIALIST END USER PRIOR TO BULK PRODUCTION.</p> <p><u>GENERAL SPECIFICATION - 1.</u></p> <p>SIZE/ DIMENSION a. TENT SIZE (LENGTH & WIDTH): 23 X 15 FEET (± 3 INCH) b. HEIGHT OF TENT: 12 FEET (± 2 INCH) c. HEIGHT OF WALL: 06 FEET (± 2 INCH) 2. OTHER SPECIFICATIONS a. 100% CANVAS COTTON: DOUBLE FLY WITH SINGLE FOLD (OUTER FLY WITH SINGLE FOLD & INNER FLY WITH DOUBLE FOLD). b. MATERIAL: 650 GSM OR ABOVE WITH ROT-PROOF AND WATERPROOF. c. COLOR FOR OUTER/ INNER FLY: JUNGLE GREEN (COLOR CODE: 3A5F31). d. INNER LINING: MATERIAL: DOSUTI CLOTH, 180-200 GSM, COLOR: PLAIN PARROT GREEN. 3. LIST OF ACCESSORIES a. IRON POLES: TOTAL QTY 03 NOS (01 x RIDGE POLES, LENGTH 07 FEET & 02 x STANDING POLES, LENGTH 12 FEET WITH JOINTED MALE/ FEMALE). MATERIAL: MS (MILD STEEL), OUTER DIA 50 MM ± 02</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MM & THICKNESS 02 MM ± 0.50 MM. b. IRON PEGS: QTY 40 NOS, LENGTH 18 INCHES, THICKNESS 20 MM ± 2 MM AND MILD STEEL PIN QTY 24 NOS, LENGTH 06 INCHES. c. ROPE: QTY: 40 NOS MINIMUM OR AS RECOMMENDED BY MANUFACTURER, MATERIAL: NYLON/COTTON, DIA MINIMUM 16 MM. d. HAMMER: QTY 01 NO, MATERIAL: MS (MILD STEEL), WEIGHT 05 KGS, WITH WOODEN HANDLE LENGTH 1.5 FEET. e. FLAPPER FOR GROUND= MATERIAL: POLYPROPYLENE, 180-200 GSM. 4. VENTILATION FEATURE: WINDOW: 02 (SIZE: 2 x 2 FEET) WITH MOSQUITO NETTING FOR AIRFLOW AND DOOR 02 REQUIRED ON BOTH SIDES OF THE TENT. 5. PACKING REQUIRED: QTY 03 TOTAL BAGS MADE OF CANVAS COTTON (475 GSM), 02 x BAG FOR THE TENT BODY AND 01 x FOR THE ACCESSORIES. 6. ADVANCE SAMPLE TO BE APPROVED BY CINS/ SPECIALIST END USER PRIOR TO BULK PRODUCTION.	
73	DGT100436	NO DATA AVAILABLE	0100000000003 / HARD BOARD SIZE 12'X4'X1/4"	SPECE/BSS 1142/1971	192 / SQ FEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
74	DGE100058	R	8345705042629 / Cloth Suede (Velvet) Color Blue With 40 Inch (01 meter)	ITEM REQUIRED FOR MAKING OF GIFT BOXES	30 / METER						TECHNICAL SPECIFICATION - Cloth Suede (Velvet) Color Blue With 40 Inch (01 meter) oem: Pakistan PN Dockyard/Timber Craft Shop (C No 107) Item required for making of gift boxes GENERAL SPECIFICATION - Cloth Suede (Velvet) Color Blue With 40 Inch (01 meter) oem: Pakistan PN Dockyard/Timber Craft Shop (C No 107) Item required for making of gift boxes	
75	DGE100	NIL	834071510429	CAMOUFLAGE	2 /	OPTICAL					TECHNICAL SPECIFICATION - 1.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	430		4 / INFRARED CAMOUFLAGE NET	THE VEHICAL INSTALLATION	EACH/NUMBER	INFRARED CAMOUFLAGE NET, ANTI RADAR CAMOUFLAGE					<p>100% POLYESTER FABRIC, WITH: 420D, GSM: 200 G/SQ METER AND SAFETY: FIRE RESISTANT, JUNGLE CAMOUFLAGE WITH IR FUNCTIONS PROVIDING DURABILITY, ROT RESISTANCE AND WATER PROOF. 2. COLOUR= NATO STANDARD MULTI-SPECTRAL CAMOUFLAGE NETS, 3. SIZE= 6.8 x 6.8 METERS, 4. PACKING= POLYTHENE / PARACHUTE BAG IN COTTON BOX AND ALONGWITH FOLLOWING ACCESSORIES= (a). ROPE= (01 X BUNDLE= DIAMETER: 10-MM, CIRC: 1.25-INCH & LENGTH= 50 FT WITH CAMOUFLAGE COLOUR. (b). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (c). HAMMER= 01 IN NUMBER. (d). IRON POLE= 01 X 4 ADJUSTABLE (DIA: 2.5-INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH GI COATED 300 G/SQ METER. 5. IR RANGE= SUPPRESS THERMAL SIGNATURES IN 3-5 UM & 8-14 UM (MICROMETER) BANDS. GENERAL SPECIFICATION - 1.</p> <p>100% POLYESTER FABRIC, WITH: 420D, GSM: 200 G/SQ METER AND SAFETY: FIRE RESISTANT, JUNGLE CAMOUFLAGE WITH IR FUNCTIONS PROVIDING DURABILITY, ROT RESISTANCE AND WATER PROOF. 2. COLOUR= NATO STANDARD MULTI-SPECTRAL CAMOUFLAGE NETS, 3. SIZE= 6.8 x 6.8 METERS, 4. PACKING= POLYTHENE / PARACHUTE BAG IN COTTON BOX AND ALONGWITH FOLLOWING ACCESSORIES= (a). ROPE= (01 X BUNDLE= DIAMETER: 10-MM, CIRC: 1.25-</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
76	DGE100333	NIL	8340715104294 / INFRARED CAMOUFLAGE NET	CAMOUFLAGE THE VEHICAL INSTALLATION	2 / EACH/NUMBER	OPTICAL INFRARED CAMOUFLAGE NET, ANTI RADAR CAMOUFLAG					<p>INCH & LENGTH= 50 FT WITH CAMOUFLAGE COLOUR. (b). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (c). HAMMER= 01 IN NUMBER. (d). IRON POLE= 01 X 4 ADJUSTABLE (DIA: 2.5-INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH GI COATED 300 G/SQ METER. 5. IR RANGE= SUPPRESS THERMAL SIGNATURES IN 3-5 UM & 8-14 UM (MICROMETER) BANDS.</p> <p>TECHNICAL SPECIFICATION - 1. 100% POLYESTER FABRIC, WITH: 420D, GSM: 200 G/SQ METER AND SAFETY: FIRE RESISTANT, JUNGLE CAMOUFLAGE WITH IR FUNCTIONS PROVIDING DURABILITY, ROT RESISTANCE AND WATER PROOF. 2. COLOUR= NATO STANDARD MULTI-SPECTRAL CAMOUFLAGE NETS, 3. SIZE= 6.8 x 6.8 METERS, 4. PACKING= POLYTHENE / PARACHUTE BAG IN COTTON BOX AND ALONGWITH FOLLOWING ACCESSORIES= (a). ROPE= (01 X BUNDLE= DIAMETER: 10-MM, CIRC: 1.25-INCH & LENGTH= 50 FT WITH CAMOUFLAGE COLOUR. (b). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (c). HAMMER= 01 IN NUMBER. (d). IRON POLE= 01 X 4 ADJUSTABLE (DIA: 2.5-INCH, LENGTH: 08 FT, QTY: 06 IN NOS WITH GI COATED 300 G/SQ METER. 5. IR RANGE= SUPPRESS THERMAL SIGNATURES IN 3-5 UM & 8-14 UM (MICROMETER) BANDS.</p> <p>GENERAL SPECIFICATION - 1. 100% POLYESTER FABRIC, WITH: 420D, GSM: 200 G/SQ METER AND SAFETY: FIRE RESISTANT,</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>JUNGLE CAMOUFLAGE WITH IR FUNCTIONS PROVIDING DURABILITY, ROT RESISTANCE AND WATER PROOF. 2. COLOUR= NATO STANDARD MULTI-SPECTRAL CAMOUFLAGE NETS, 3. SIZE= 6.8 x 6.8 METERS, 4. PACKING= POLYTHENE / PARACHUTE BAG IN COTTON BOX AND ALONGWITH FOLLOWING ACCESSORIES= (a). ROPE= (01 X BUNDLE= DIAMETER: 10-MM, CIRC: 1.25-INCH & LENGTH= 50 FT WITH CAMOUFLAGE COLOUR. (b). IRON NAILS= 06 STANDARD, (DIAMETER: 01 INCH & LENGTH: 18 INCH) (c). HAMMER= 01 IN NUMBER. (d). IRON POLE= 01 X 4 ADJUSTABLE (DIA: 2.5-INCH, LENGTH: 08 FT. QTY: 06 IN NOS WITH GI COATED 300 G/SQ METER. 5. IR RANGE= SUPPRESS THERMAL SIGNATURES IN 3-5 UM & 8-14 UM (MICROMETER) BANDS.</p> <p>TECHNICAL SPECIFICATION - 1. Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: LengTh= 8', Width=4' & THickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per cubic meter for Ply Wood Marine All Shesham GD-II and 550-750 kilograms per cubic meter for Ply Wood Grade-I is acceptable, by end</p>	
77	DGT100 177	NO DATA AVAILABL E	010050000008 8 / Ply wood GD-I, 9 ply,	X 19.05 MM)	320 / SQ FEET	NO DATA AVAILAB LE						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop</p> <p>GENERAL SPECIFICATION -</p> <p>1. Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: LengTh= 8', Width=4' & Thickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per cubic meter for Ply Wood Marine All Shesham GD-II and 550-750 kilograms per cubic meter for Ply Wood Grade-I is acceptable. by end user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop</p>	
78	DGT99272	NO DATA AVAILAB LE	010050000008 8 / Ply wood GD-I, 9 ply,	X 19.05 MM)	1024 / SQ FEET	NO DATA AVAILAB LE					<p>TECHNICAL SPECIFICATION - 1.</p> <p>Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: LengTh= 8', Width=4' & Thickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per cubic meter for Ply Wood Marine All Shesham GD-II and 550-750</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											kilograms per cubic meter for Ply Wood Grade-I is acceptable. by end user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop GENERAL SPECIFICATION - 1. Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: Length= 8', Width=4' & Thickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per cubic meter for Ply Wood Marine All Shesham GD-II and 550-750 kilograms per cubic meter for Ply Wood Grade-I is acceptable. by end user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop	
79	DGT100052	NO DATA AVAILAB LE	010050000008 8 / Ply wood GD-I, 9 ply,	X 19.05 MM)	320 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - 1. Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: Length= 8', Width=4' & Thickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>cubic meter for Ply Wood Marine All Shesham GD-II and 550-750 kilograms per cubic meter for Ply Wood Grade-I is acceptable. by end user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop</p> <p><u>GENERAL SPECIFICATION -</u> 1. Both face and back veneers of Gurjan Wood. 2. Core, and inner plies of poplar 3. size: Length= 8', Width=4' & Thickness= 19MM (±2MM) 4. ACCEPTANCE CRITERIA: Plywood, GD-I, 9-Ply, Both face and back veneers of Gurjan-wood, and core and inner plies of poplar. Thickness of Face, Back veneer 0.6mm. 5. TESTING CRITERIA: MOISTURE content Bonding Quality Glue Preservation Physical Evaluation Density. 6. SPECIFICATIONS/STANDARDS density i.e 700 to 850 kilograms per cubic meter for Ply Wood Marine All Shesham GD-II and 550-750 kilograms per cubic meter for Ply Wood Grade-I is acceptable. by end user vide letter: PN/GM (ME Sur) /GENERAL/3870705 dated 17 December 2025 end user: PND 107 w/shop</p>	
80	DGT100 197	NO DATA AVAILAB LE	01005000002 9 / Ply wood, Marine All Shesham, 13- Ply, GD-II, (WBP, Treated with Preservative) Size: L=8FT, W=4FT, TH=25MM, (Core inner plies & veneer) (Wood Should		64 / SQ FEET	NO DATA AVAILAB LE					<p><u>TECHNICAL SPECIFICATION -</u> 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER</p> <p><u>GENERAL SPECIFICATION</u> - 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			be all Shesham)									
81	DGT101283	NO DATA AVAILAB LE	0100500000029 / Ply wood, Marine All Shesham, 13-Ply, GD-II, (WBP, Treated with Preservative) Size: L=8FT, W=4FT, TH=25MM, (Core inner plies & veneer) (Wood Should be all Shesham)		50 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER GENERAL SPECIFICATION - 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER	
82	DGT98652	NO DATA AVAILAB LE	0100500000029 / Ply wood, Marine All Shesham, 13-Ply, GD-II, (WBP, Treated with Preservative) Size: L=8FT, W=4FT, TH=25MM, (Core inner plies & veneer) (Wood Should be all Shesham)		64 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER GENERAL SPECIFICATION - 1. density of plywood marine: may be 560 kgs per cubic meter 2. bs 1088 part i & ii. 3. DENSITY OF TIMBER SHEESHAM= 560 KGS PER CUBIC METER	
83	DGE96822	NO DATA AVAILAB LE	0451500000113 / MATTRESS FOAM BUNK SAILORS 72X30X4 INCH		15 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - Brand: Diamond Supreme FOAM Size: 24" inch Width x 72" inch Length Warranty Period: 05 Years GENERAL SPECIFICATION - Brand: Diamond Supreme FOAM Size: 24" inch Width x 72" inch Length Warranty Period: 05 Years	
84	DGT97544	NO DATA AVAILAB LE	0100500000039 / TIMBER FIR HIMALAYA/	(3.05MTR X254 MM X127 MM) SPECE/PSG	25 / CUBIC FOOT	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECS= PSG/69 well-seasoned wood, moisture content = 12% ±	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SPRUCE SLEEPER, WELL SEASONED LOCAL/ IMPORTED, SIZE: L=8'-15', W=8"-14", h=4"-10"	69							02%, <u>GENERAL SPECIFICATION - SPECS=</u> PSG/69 well-seasoned wood, moisture content = 12% ± 02%,	
85	DGE64236	NO DATA AVAILABLE	9330705054354 / PLASTIC SHEET BLACK LENGTH 1220MM WIDTH 610MM THICKNESS 12MM	FOR PN CREST	32 / SHEET						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
86	DGT101976	BELFONT TRUWOOD TEAK	9330992246097 / PLASTIC SHEET, LAMINATED, DECORATIVE (SIZE:8'X 4' X 1MM, SHADE TRU TEAK WOOD) (GRADE DESIGNATION :STAN)		7 / SHEET						<u>TECHNICAL SPECIFICATION - SIZE:8'X 4' X 1/25" resistant tested to bs 476pt 1class 1</u> <u>GENERAL SPECIFICATION - SIZE:8'X 4' X 1/25" resistant tested to bs 476pt 1class 1</u>	
87	DGH103568		7125991297694 / ANGLE POSTS STORAGE SHELVING 123		66 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - Material : Steel/ Aluminum Length: 6 feet to 24 feet Width: 02" to 6" Angle : 90 Degrees (standard) Thickness: 1/4" to 1" Size: 2x2x 1/4" (50.8 x50.8x6.35mm) 2x4x 1/4" (50.8 x101.6.8 x 6.35mm) 3x3x 1/2" (76.2 x76.2 x 12.7mm) MATERIAL GRADE SS 400</u> <u>GENERAL SPECIFICATION - Material : Steel/ Aluminum Length: 6 feet to 24 feet Width: 02" to 6" Angle : 90 Degrees (standard) Thickness: 1/4" to 1" Size: 2x2x 1/4" (50.8 x50.8x6.35mm) 2x4x 1/4" (50.8 x101.6.8 x 6.35mm) 3x3x 1/2" (76.2 x76.2 x 12.7mm) MATERIAL GRADE SS 400</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
88	DGE100046	NO DATA AVAILABLE	955573043028 2 / INSULATING SLEEVE		6 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
89	DGD104411	NO DATA AVAILABLE	003550000045 2 / UTENSILS COOKING ALUMIUM O/D 10" TO 10.5" "H 4" TO 5.5" TH 12 SWH WITH COVER		4 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Food Grade Aluminum Alloy 100% Free from Lead (Pb) and Cadmium (cd) DIMENSION: O/D 10" to 10.5" "H 4" to 5.5" TH 12 SWg ALUMINIUM GRADE 3003, 1100, 2024 AND 5052 GENERAL SPECIFICATION - Food Grade Aluminum Alloy 100% Free from Lead (Pb) and Cadmium (cd) DIMENSION: O/D 10" to 10.5" "H 4" to 5.5" TH 12 SWg ALUMINIUM GRADE 3003, 1100, 2024 AND 5052	
90	DGD104414		003550000045 7 / UTENSIL COOKING ALUMINUM ALLOY WITH COVER (O/D 20 to 22", HEIGHT 10 to 12", THICKNESS 10 SWG		4 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - FOOD GRADE ALUMINUM ALLOY 100% FREE FROM LEAD (PB) AND CADMIUM (CD), ALUMINUM GRADE 3003. NO BREAKAGE/ BENT. O/D x 20 to 22", height x 10 to 12", thickness x 10 SWG GENERAL SPECIFICATION - FOOD GRADE ALUMINUM ALLOY 100% FREE FROM LEAD (PB) AND CADMIUM (CD), ALUMINUM GRADE 3003. NO BREAKAGE/ BENT. O/D x 20 to 22", height x 10 to 12", thickness x 10 SWG	
91	DGD104436	NO DATA AVAILABLE	003550000045 8 / POT ALU 6 / 5 WITH COVER		4 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - dia 20 to 22 inches food grade lead free as per stock sample GENERAL SPECIFICATION - dia 20 to 22 inches food grade lead free as per stock sample	
92	DGD104412	NO DATA AVAILABLE	003550000045 4 / UTENSIL COOKING ALUMINIUM WITH COVER O/D 16-17", INNER WIDTH 14", HEIGHT 7"		5 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Aluminium Grade 1100, 3003, 2024 and 5052 Aluminium Alloy Food Grade, 100% Free from lead (PB) and Cadmium (CD) GENERAL SPECIFICATION - Aluminium Grade 1100, 3003, 2024 and 5052 Aluminium Alloy Food Grade, 100%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			TO 8", THICKNESSS 10 SWG								Free from lead (PB) and Cadmium (CD)	
93	DGE101525	NO DATA AVAILAB LE	055978000018 1 / SLEEVE PLASTIC RED 0.5X10 59P (NSD/TD/19/33 4 DT:15.05.93		35 / METER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
94	DGE101524	NO DATA AVAILAB LE	055978000018 5 / SLEEVE PLASTIC		35 / ROLL	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
95	DGD99147	NO DATA AVAILAB LE	003250000013 3 / Fork Table Medium Common S/Steel		24 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - PN Crest engraved on spoon Stainless Steel M/Grade SS 316 (Food Grade) Stainless Steel M/Grade SS-316 (Food Grade) & PN Crest . GENERAL SPECIFICATION - PN Crest engraved on spoon Stainless Steel M/Grade SS 316 (Food Grade) Stainless Steel M/Grade SS-316 (Food Grade) & PN Crest .	
96	DGD97402	NO DATA AVAILAB LE	003250000013 8 / KNIFE BUTTER PN CRESTED (AS PER STOCK SAMPLE)	RADAR 1006	20 / EACH/N UMBER	LOCAL					TECHNICAL SPECIFICATION - Material Stainless steel non magnetic & non reactive, food grade stainless stell (AS PER STOCK SAMPLE) GENERAL SPECIFICATION - Material Stainless steel non magnetic & non reactive, food grade stainless stell (AS PER STOCK SAMPLE)	
97	DGE101999	5012568166895	402099396075 3 / ROPE FIBROUS, POLYESTER/ PROPYLENE MIX, 08-STRAND, DIA: 40MM		660 / METER						TECHNICAL SPECIFICATION - SPECIFICATION: 1. TO BE COMPLY WITH THE SPECIFICATION OF ISO-10556. 2. 40-MM DIA BLACK BERTHING POLYESTER/ PROPYLENE MIX, 8-STRAND MOORING NUMBER-5, MBL 26.4 TONNES, MB-67 TABLE-3, 3.8, PLAIN ENDS UV STABILISED ISO 9554 of 2019. 3. STANDARD ACCORDANCE TO ISO 2307 PACKAGING. 4. STANDARD OF MANUFACTURE ISO 2307 OF 2019 5. CONFIRMATION OF STANDARD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>EN-ISO 2307 OF 2019. 6. 220 METER PER COILS. 7. CERTIFICATIONS: VALID LLOYD TEST CERTIFICATE REQUIRED INDICATION BATCH/LOT NUMBER OF IDENTIFICATION AND WORKING / BREAKING AND STRENGTH OF STORES. 8. SUPPLY FIRM SHALL OBTAIN AND FURNISH MANUFACTURE CERTIFICATE TO PN AS SAME QUALITY/ STANDARD AS BEING PROVIDED TO MoD (UK)/ RN/ RELATED COUNTRY. 9. ROPE ARE TO BE SUPPLIED WITH VALID LLOYD'S/ BSI/ IACS MEMBER SOCIETY CERTIFICATION. 10. OEM ADDRESS: MARLOW ROPES LTD HAILSHAM EAST SUSSEX UNITED KINGDOM Phone: +44(0) 1323444444 EMAIL: sales@marlowropes.com</p> <p>GENERAL SPECIFICATION - SPECIFICATION:</p> <p>1. TO BE COMPLY WITH THE SPECIFICATION OF ISO-10556. 2. 40-MM DIA BLACK BERTHING POLYESTER/ PROPYLENE MIX, 8-STRAND MOORING NUMBER-5. MBL 26.4 TONNES, MB-67 TABLE-3, 3.8, PLAIN ENDS UV STABILISED ISO 9554 of 2019. 3. STANDARD ACCORDANCE TO ISO 2307 PACKAGING. 4. STANDARD OF MANUFACTURE ISO 2307 OF 2019 5. CONFIRMATION OF STANDARD EN-ISO 2307 OF 2019. 6. 220 METER PER COILS. 7. CERTIFICATIONS: VALID LLOYD TEST CERTIFICATE REQUIRED INDICATION BATCH/LOT NUMBER OF IDENTIFICATION AND WORKING / BREAKING AND STRENGTH OF STORES. 8. SUPPLY FIRM SHALL OBTAIN AND FURNISH MANUFACTURE</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CERTIFICATE TO PN AS SAME QUALITY/ STANDARD AS BEING PROVIDED TO MoD (UK)/ RN/ RELATED COUNTRY. 9. ROPE ARE TO BE SUPPLIED WITH VALID LLOYD'S/ BSI/ IACS MEMBER SOCIETY CERTIFICATION. 10. OEM ADDRESS: MARLOW ROPES LTD HAILSHAM EAST SUSSEX UNITED KINGDOM Phone: +44(0) 1323444444 EMAIL: sales@marlowropes.com	
98	DGE101634	NO DATA AVAILAB LE	046154600460 2 / BOX FIRST AID 728 MS		3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILAB LEGENERAL SPECIFICATION - NO DATA AVAILABLE	
99	DGB102448	sch-40 long radius	473070527416 0 / elbow dia 5 inch LONG RADIUS WITHOUT THREAD		6 / EACH/N UMBER	SCH-40					TECHNICAL SPECIFICATION - ELBOW BEND PIPE MILDSTEEL INNER DIA 5 INCH, OUTER DIA 5.25 INCH, THICKNESS 0.25 INCH (7 MM), MILD STEEL GRADE 40. Grade: ASTM 106 Grade B. Schedule.40GENERAL SPECIFICATION - ELBOW BEND PIPE MILDSTEEL INNER DIA 5 INCH, OUTER DIA 5.25 INCH, THICKNESS 0.25 INCH (7 MM), MILD STEEL GRADE 40. Grade: ASTM 106 Grade B. Schedule.40	
100	DGE64931	CTLCB100 08025	534073526741 0 / CANTILEVER BRACKET 3' (1000 X 80 X 2.5MM)		72 / EACH/N UMBER	CANTILE VER BARACK ET 3' CTLCB10 008025					TECHNICAL SPECIFICATION - PROFILE: CHANNEL SECTION: 1000 X 80 X 2.5MM MATERIAL: HR GRADE: Q-235 SURFACE FINISH: POWDER COATED 60 MICRONSGENERAL SPECIFICATION - PROFILE: CHANNEL SECTION: 1000 X 80 X 2.5MM MATERIAL: HR GRADE: Q- 235 SURFACE FINISH: POWDER COATED 60 MICRONS	

PROCUREMENT

FOR FOOD

ITEMS

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 114/2026 DATED 18-05-2026 POTATO FRESH	6,450 KG	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.

<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 115/2026 DATED 18-05-2026 TOMATO FRESH	375 KG	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Lt Cdr Pakistan
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 116/2026 DATED 18-05-2026 EGG	723 Dzn	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


MUHAMMAD ARSAL
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 117/2026 DATED 18-05-2026 VEGETABLE FRESH	7,000 KG	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


MUHAMMAD ARSAD
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 113/2026 DATED 18-05-2026 ONION FRESH	2,707 KG	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


MUHAMMAD ARSHAD
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.

<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 106/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.

<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 104/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 103/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "**Commander Local Purchase**" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


MUHAMMAD ARBAAN
GROUP OFFICER
LOCAL PURCHASE
I.P. Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 105/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Group Officer
IP Division
Naval

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.

<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 107/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.

<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 109/2026 DATED 29-04-2026 WHOLE DAY MREs	100 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.

2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Lt Cdr Pakistan Navy
Group Officer
LP Division

INVITATION TO TENDER VSD I.T DATE 09-06-2026

The following item is required against local purchase. Suppliers are requested to quote by 24-06-2026 before 11:00 AM. Quotations are to be deposited in the quotation box.


<u>S.NO</u>	<u>LPR NO & DATE/ DESCRIPTION</u>	<u>QTY</u>	<u>DELIVERY</u>
01	VSD-LPR NO 108/2026 DATED 29-04-2026 WHOLE DAY MREs	130 PKT	VSD AT KARACHI

NOTE:

1. Non-registered firms/suppliers are required to forward bank draft/pay order equal to 5% total value of quotation in favor of "Commander Local Purchase" division along with their bids.
2. For any amplified details interested firms may contact Local Purchase Division in person.

NOTE:

SPECIFICATION OF ITEM IS ATTACHED


GROUP OFFICER
LOCAL PURCHASE
Lt Cdr Pakistan Navy
Group Officer
LP Division