

**LOCAL PURCHASE DIVISION – PAKISTAN NAVY**

**TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 19-10-2026**

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

# TENDER BULLETIN

| S. No | LPR No     | PART NO | NSN / Description                                                                                | P/Equipment | QTY / DENO        | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                        | Dimension                                                        |
|-------|------------|---------|--------------------------------------------------------------------------------------------------|-------------|-------------------|-------|-------------|-----------|--------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| 1     | DCC110 133 |         | 8405502701227 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS |             | 150 / EACH/NUMBER |       |             |           |              |                | <p><u>TECHNICAL SPECIFICATION -</u><br/>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS</p> <p><u>GENERAL SPECIFICATION -</u><br/>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 28 SIZE 2XS</p> | the item is procured as per specification against tender sample. |
| 2     | DCC110 141 |         | 8405502701235 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF  |             | 150 / EACH/NUMBER |       |             |           |              |                | <p><u>TECHNICAL SPECIFICATION -</u><br/>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF</p> <p><u>GENERAL SPECIFICATION -</u><br/>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 38 SIZE LF</p>   | the item is procured as per specification against tender sample. |
| 3     | DCC110 131 |         | 8405502601218 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML   |             | 150 / EACH/NUMBER |       |             |           |              |                | <p><u>TECHNICAL SPECIFICATION -</u><br/>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML</p> <p><u>GENERAL SPECIFICATION -</u><br/>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE ML</p>     | the item is procured as per specification against tender sample. |
| 4     | DCC110 130 |         | 8405502601217 / SHIRT                                                                            |             | 150 / EACH/NUMBER |       |             |           |              |                | <p><u>TECHNICAL SPECIFICATION -</u><br/>SHIRT DRESS 4 GENERAL</p>                                                                                                                                                                                       | the item is procured as                                          |

| S. No | LPR No     | PART NO | NSN / Description                                                                                  | P/Equipment | QTY / DENO        | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                    | Dimension                                                          |
|-------|------------|---------|----------------------------------------------------------------------------------------------------|-------------|-------------------|-------|-------------|-----------|--------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
|       |            |         | DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF                         |             | UMBER             |       |             |           |              |                | SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15.5 SIZE MF</u>                                                          | per specification . against tender sample.                         |
| 5     | DCC110 125 |         | 840550260121 2 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS</u> <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14.5 SIZE XXS</u> | the item is procured as per specification . against tender sample. |
| 6     | DCC110 136 |         | 840550270123 0 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL  |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL</u> <u>GENERAL SPECIFICATION - TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSL</u>   | the item is procured as per specification . against tender sample. |
| 7     | DCC110 127 |         | 840550260121 4 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL   |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL</u> <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE XSL</u>     | the item is procured as per specification . against tender sample. |
| 8     | DCC110 128 |         | 840550260121 5 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE                                  |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 15 SIZE SF</u> <u>GENERAL SPECIFICATION - SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE</u>                                     | the item is procured as per specification . against tender sample. |

| S. No | LPR No     | PART NO | NSN / Description                                                                                | P/Equipment | QTY / DENO        | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                           | Dimension                                                        |
|-------|------------|---------|--------------------------------------------------------------------------------------------------|-------------|-------------------|-------|-------------|-----------|--------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
|       |            |         | 100% COTTON COLLAR 15 SIZE SF                                                                    |             |                   |       |             |           |              |                | 100% COTTON COLLAR 15 SIZE SF                                                                                                                                                                                                              |                                                                  |
| 9     | DCC110 132 |         | 8405502601219 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF   |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF<br><u>GENERAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 16 SIZE LF     | the item is procured as per specification against tender sample. |
| 10    | DCC110 138 |         | 8405502701232 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL  |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL<br><u>GENERAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 34 SIZE SL   | the item is procured as per specification against tender sample. |
| 11    | DCC110 135 |         | 8405502701229 / TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF<br><u>GENERAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 32 SIZE XSF | the item is procured as per specification against tender sample. |
| 12    | DCC110 124 |         | 8405502601211 / SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS  |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS<br><u>GENERAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON COLLAR 14 SIZE 2XS   | the item is procured as per specification against tender sample. |
| 13    | DCC110 139 |         | 8405502701233 / TROUSER                                                                          |             | 150 / EACH/NUMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL                                                                                                                                                                                | the item is procured as                                          |

| S. No | LPR No        | PART NO | NSN / Description                                                                                                             | P/Equipment | QTY / DENO               | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                            | Dimension                                                                            |
|-------|---------------|---------|-------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------|-------|-------------|-----------|--------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|       |               |         | DRESS 4<br>GENERAL<br>SERVICE<br>DIGITAL<br>CAMOUFLAGE<br>100% COTTON<br>WAIST 36 SIZE<br>MF                                  |             | UMBER                    |       |             |           |              |                | SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 36 SIZE MF<br><u>GENERAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 36 SIZE MF                                                                       | per<br>specification<br>. against<br>tender<br>sample.                               |
| 14    | DCC110<br>134 |         | 840550270122<br>8 / TROUSER<br>DRESS 4<br>GENERAL<br>SERVICE<br>DIGITAL<br>CAMOUFLAGE<br>100% COTTON<br>WAIST 30 SIZE<br>XXS  |             | 150 /<br>EACH/N<br>UMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 30 SIZE XXS<br><u>GENERAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 30 SIZE XXS      | the item is<br>procured as<br>per<br>specification<br>. against<br>tender<br>sample. |
| 15    | DCC110<br>137 |         | 840550270123<br>1 / TROUSER<br>DRESS 4<br>GENERAL<br>SERVICE<br>DIGITAL<br>CAMOUFLAGE<br>100% COTTON<br>WAIST 34 SIZE<br>SF   |             | 150 /<br>EACH/N<br>UMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 34 SIZE SF<br><u>GENERAL SPECIFICATION -</u><br>TROUSER DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON WAIST 34 SIZE SF        | the item is<br>procured as<br>per<br>specification<br>. against<br>tender<br>sample. |
| 16    | DCC110<br>126 |         | 840550260121<br>3 / SHIRT<br>DRESS 4<br>GENERAL<br>SERVICE<br>DIGITAL<br>CAMOUFLAGE<br>100% COTTON<br>COLLAR 14.5<br>SIZE XSF |             | 150 /<br>EACH/N<br>UMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON COLLAR 14.5 SIZE<br>XSF <u>GENERAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON COLLAR 14.5 SIZE<br>XSF | the item is<br>procured as<br>per<br>specification<br>. against<br>tender<br>sample. |
| 17    | DCC110<br>129 |         | 840550260121<br>6 / SHIRT<br>DRESS 4<br>GENERAL<br>SERVICE<br>DIGITAL<br>CAMOUFLAGE                                           |             | 150 /<br>EACH/N<br>UMBER |       |             |           |              |                | <u>TECHNICAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE<br>100% COTTON COLLAR 15.5 SIZE<br>SL <u>GENERAL SPECIFICATION -</u><br>SHIRT DRESS 4 GENERAL<br>SERVICE DIGITAL CAMOUFLAGE                                         | the item is<br>procured as<br>per<br>specification<br>. against<br>tender<br>sample. |

| S. No | LPR No        | PART NO                       | NSN / Description                                                                                      | P/Equipment | QTY / DENO               | Model        | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dimension                                                        |
|-------|---------------|-------------------------------|--------------------------------------------------------------------------------------------------------|-------------|--------------------------|--------------|-------------|-----------|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
|       |               |                               | 100% COTTON COLLAR 15.5 SIZE SL                                                                        |             |                          |              |             |           |              |                                                                    | 100% COTTON COLLAR 15.5 SIZE SL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                  |
| 18    | DCC110<br>140 |                               | 840550270123<br>4 / TROUSER DRESS 4<br>GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML |             | 150 /<br>EACH/N<br>UMBER |              |             |           |              |                                                                    | TECHNICAL SPECIFICATION -<br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML<br>GENERAL SPECIFICATION -<br>TROUSER DRESS 4 GENERAL SERVICE DIGITAL CAMOUFLAGE 100% COTTON WAIST 36 SIZE ML                                                                                                                                                                                                                                                                                                                                                       | the item is procured as per specification against tender sample. |
| 19    | DNT1068<br>45 | A 8112000                     | 597773530882<br>1 / ZINC ANODE                                                                         |             | 6 /<br>EACH/N<br>UMBER   | NA           |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION -<br>null<br>GENERAL SPECIFICATION -<br>null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                  |
| 20    | DGP111<br>350 | NIL                           | 773070529296<br>8 / LED TV 43 INCH                                                                     |             | 1 /<br>EACH/N<br>UMBER   |              |             |           |              |                                                                    | TECHNICAL SPECIFICATION -<br>null<br>GENERAL SPECIFICATION -<br>null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                  |
| 21    | DN01079<br>02 | H/LWSAP-CJJQ-TJ /CJJQ-TJ 0103 | 2990FP115000<br>3 / Mesh pad stage (INTAKE FILTER)                                                     |             | 8 /<br>EACH/N<br>UMBER   | CJJQ-TJ 0103 |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - The mesh pad stage uses the condensation principle to capture and coalesce the tiny salt spray aerosol particles in the air intake into large droplets, most of which fall into the drain tank along the mesh by gravity dimension / size: 1800×1300×300 (mm)<br>GENERAL SPECIFICATION - The mesh pad stage uses the condensation principle to capture and coalesce the tiny salt spray aerosol particles in the air intake into large droplets, most of which fall into the drain tank along the mesh by gravity dimension / size: 1800×1300×300 (mm) |                                                                  |
| 22    | DNT1068<br>46 | A 8112167                     | 597773530830<br>0 / ZINC                                                                               |             | 1 /<br>EACH/N<br>UMBER   | NA           |             |           |              | TDS/BROCHURE OR                                                    | TECHNICAL SPECIFICATION -<br>null<br>GENERAL SPECIFICATION -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                  |

| S. No | LPR No    | PART NO | NSN / Description                                                         | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Dimension |
|-------|-----------|---------|---------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |         | ANODE                                                                     |             | UMBER      |         |             |           |              | PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |
| 23    | DGP111322 | CORE I5 | 702570524609<br>1 / PERSONAL COMPUTER<br>CORE I5 12th GENERATION or above |             | 4 / SET    | CORE I5 |             |           |              |                                                    | <p><u>TECHNICAL SPECIFICATION - 1.</u><br/> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous</p> |           |

| S. No | LPR No        | PART NO | NSN / Description                                                                  | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Dimension |
|-------|---------------|---------|------------------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |               |         |                                                                                    |             |            |         |             |           |              |                | requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |
| 24    | DGP111<br>348 | CORE I5 | 702570524609<br>1 / PERSONAL<br>COMPUTER<br>CORE i5 12th<br>GENERATION<br>or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION - 1.</u><br/> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed</p> |           |

| S. No | LPR No        | PART NO | NSN / Description                                                                  | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Dimension |
|-------|---------------|---------|------------------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |               |         |                                                                                    |             |            |         |             |           |              |                | genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |
| 25    | DGP111<br>264 | CORE I5 | 702570524609<br>1 / PERSONAL<br>COMPUTER<br>CORE i5 12th<br>GENERATION<br>or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/</p> |           |

| S. No | LPR No    | PART NO                                   | NSN / Description                                                                                  | P/Equipment | QTY / DENO             | Model                    | SR NO OF-PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                               | Dimension |
|-------|-----------|-------------------------------------------|----------------------------------------------------------------------------------------------------|-------------|------------------------|--------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                                           |                                                                                                    |             |                        |                          |             |           |              |                                                                    | OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.                                                                                                                                                                                                                                    |           |
| 26    | DNF107541 | CAT A4E4<br>488-4886-01<br>00828454<br>VJ | 281571535083<br>7 / ENGINE<br>Control module<br>ecm                                                |             | 2 /<br>EACH/N<br>UMBER |                          |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION -</u><br>null<br><u>GENERAL SPECIFICATION -</u><br>null                                                                                                                                                                                                                                                             |           |
| 27    | DNJ106486 | 17562-87L00                               | 311076531013<br>1 / BUSH,<br>WATER TUBE<br>UPPER                                                   |             | 1 /<br>EACH/N<br>UMBER | N/A                      |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION -</u><br>null<br><u>GENERAL SPECIFICATION -</u><br>null                                                                                                                                                                                                                                                             |           |
| 28    | DGP111172 | NO DATA<br>AVAILAB<br>LE                  | 005050000022<br>3 / PAPER<br>DUPLICATING<br>COLOUR<br>WHITE                                        |             | 464 /<br>REAM          | NO DATA<br>AVAILAB<br>LE |             |           |              |                                                                    | <u>TECHNICAL SPECIFICATION -</u><br>LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON<br><u>GENERAL SPECIFICATION -</u><br>LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON |           |
| 29    | DGP111168 | NO DATA<br>AVAILAB<br>LE                  | 005050000021<br>7 / PAPER<br>PRINTING<br>COMPUTER<br>WHITE<br>FANFOLSPOR<br>C381X280MM1<br>PLY(F8) |             | 10000 /<br>SHEET       | NO DATA<br>AVAILAB<br>LE |             |           |              |                                                                    | <u>TECHNICAL SPECIFICATION -</u><br>SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 60 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX<br><u>GENERAL SPECIFICATION -</u><br>SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 60 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX                                                                                       |           |

| S. No | LPR No    | PART NO                  | NSN / Description                                                                                | P/Equipment                     | QTY / DENO               | Model   | SR NO OF PR                 | MANUF ADO                                         | Availability             | Tender Remarks                                                                                   | TECH / GEN SPECS                                                                                                                                                                        | Dimension |
|-------|-----------|--------------------------|--------------------------------------------------------------------------------------------------|---------------------------------|--------------------------|---------|-----------------------------|---------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 30    | DGP106101 | S 90                     | 751059502542<br>1 / MARKER<br>BLUE S-90                                                          |                                 | 366 /<br>EACH/N<br>UMBER |         |                             |                                                   |                          |                                                                                                  | TECHNICAL SPECIFICATION -<br>COC: Local/ COC will be provide by<br>firm. GENERAL SPECIFICATION -<br>COC: Local/ COC will be provide by<br>firm.                                         |           |
| 31    | DGP111156 | NO DATA<br>AVAILABL<br>E | 773070508858<br>3 / LED TV 32<br>INCH                                                            | TELEVISION                      | 1 /<br>EACH/N<br>UMBER   | tcl     |                             |                                                   |                          |                                                                                                  | TECHNICAL SPECIFICATION - NO<br>DATA AVAILABLE GENERAL<br>SPECIFICATION - NO DATA<br>AVAILABLE                                                                                          |           |
| 32    | DNF107783 | NO DATA<br>AVAILABL<br>E | 512078100537<br>8 / DRILL<br>MACHINE<br>HAND<br>4141/MB21                                        |                                 | 1 /<br>EACH/N<br>UMBER   |         |                             |                                                   |                          | TDS/BROC<br>HURE OR<br>PHOTOG<br>APH OF<br>ITEM MUST<br>BE<br>ENCLOSE<br>D WITH<br>QUOTATIO<br>N | TECHNICAL SPECIFICATION - NO<br>DATA AVAILABLE GENERAL<br>SPECIFICATION - NO DATA<br>AVAILABLE                                                                                          |           |
| 33    | DNC107803 | 21159044                 | 961173521277<br>6 /<br>TRANSMISSIO<br>N CABLE<br>HARNESS IPS<br>350-600, 3<br>FEET 0.9<br>METERS | VOLVO PENTA<br>ENGINE 370<br>HP | 2 /<br>EACH/N<br>UMBER   | D-6-370 | A195788<br>(FPSVV-<br>3526) | AB VOLVO PENTA. SE-<br>40508. GOTE BORG<br>SWEDEN | VOLVO<br>PENTA<br>SWEDEN | TDS/BROC<br>HURE OR<br>PHOTOG<br>APH OF<br>ITEM MUST<br>BE<br>ENCLOSE<br>D WITH<br>QUOTATIO<br>N | TECHNICAL SPECIFICATION -<br>TRANSMISSION CABLE HARNESS<br>IPS 350-600, 3 FEET 0.9<br>METERS GENERAL<br>SPECIFICATION - TRANSMISSION<br>CABLE HARNESS IPS 350-600, 3<br>FEET 0.9 METERS |           |
| 34    | DNJ107862 | 15643-<br>93J00          | 294076522180<br>2 / FILTER,<br>FUEL (L)                                                          | SUZUKI<br>DF300AP 300<br>HP OBM | 2 /<br>EACH/N<br>UMBER   | DF300AP | 30002P-<br>712896           | SUZUKI MOTOR CO LTD<br>JAPAN                      | SUZUKI<br>JAPAN          | TDS/BROC<br>HURE OR<br>PHOTOG<br>APH OF<br>ITEM MUST<br>BE<br>ENCLOSE<br>D WITH<br>QUOTATIO<br>N | TECHNICAL SPECIFICATION -<br>NIL GENERAL SPECIFICATION -<br>NIL                                                                                                                         |           |
| 35    | DNJ107966 | 15643-<br>93J00          | 294076522180<br>2 / FILTER,<br>FUEL (L)                                                          | SUZUKI<br>DF300AP 300<br>HP OBM | 1 /<br>EACH/N<br>UMBER   | DF300AP | 30002P-<br>712896           | SUZUKI MOTOR CO LTD<br>JAPAN                      | SUZUKI<br>JAPAN          | TDS/BROC<br>HURE OR<br>PHOTOG<br>APH OF<br>ITEM MUST<br>BE<br>ENCLOSE                            | TECHNICAL SPECIFICATION -<br>NIL GENERAL SPECIFICATION -<br>NIL                                                                                                                         |           |

| S. No | LPR No    | PART NO                                          | NSN / Description                                                    | P/Equipment                        | QTY / DENO         | Model                | SR NO OF PR   | MANUF ADO                                                                                | Availability                          | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                         | Dimension |
|-------|-----------|--------------------------------------------------|----------------------------------------------------------------------|------------------------------------|--------------------|----------------------|---------------|------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                                                  |                                                                      |                                    |                    |                      |               |                                                                                          |                                       | D WITH QUOTATION                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |
| 36    | DNJ107864 | 15410-93J11                                      | 294076522180<br>1 / FILTER,<br>FUEL (L)                              | SUZUKI<br>DF300AP 300<br>HP OBM    | 2 /<br>EACH/NUMBER | DF300AP              | 30002P-712896 | SUZUKI MOTOR CO LTD<br>JAPAN                                                             | SUZUKI<br>JAPAN                       | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION -<br>NIL<br>GENERAL SPECIFICATION -<br>NIL                                                                                                                                                                                                                                                                                                                                                                                       |           |
| 37    | DGP111307 | KLV32R302E/P-0114000                             | 773078516676<br>7 / LED TV<br>SONY 32 INCH                           | PSS VIGIL<br>SYSTEM                | 1 /<br>EACH/NUMBER | SONY<br>KLV32R302E   |               | M/s CETC Mansion, No. 5<br>Wulutong North Street.<br>Xicheng Districe, Beijing,<br>China | M/s CETC<br>International CO.,<br>LTD |                                                                    | TECHNICAL SPECIFICATION -<br>BRAVIA SONY 32BX350 or<br>Equivalent<br>GENERAL<br>SPECIFICATION - BRAVIA SONY<br>32BX350 or Equivalent                                                                                                                                                                                                                                                                                                                     |           |
| 38    | DGP111313 |                                                  | 773070513863<br>3 / LED TV 55<br>INCH                                | LCD TV                             | 1 /<br>EACH/NUMBER |                      |               | PK                                                                                       | PAKISTAN                              |                                                                    | TECHNICAL SPECIFICATION - -<br>GENERAL SPECIFICATION - -                                                                                                                                                                                                                                                                                                                                                                                                 |           |
| 39    | DGP111311 | 4003DN                                           | 743570513863<br>2 / PRINTER<br>HP LASER JET                          | COMPUTER                           | 1 /<br>EACH/NUMBER | NO DATA<br>AVAILABLE |               | PK                                                                                       | PAKISTAN                              |                                                                    | TECHNICAL SPECIFICATION -<br>Laser, 266 MHz, RAM 16 MB , 1200<br>x 12 dpi, 12 ppm(print speed b/w),<br>Pages per month 25000 pages,<br>Paper Type<br>A4/A5/B5/Legal/Envelope,<br>Connectivity Paraller and USB Port<br>Both<br>GENERAL SPECIFICATION -<br>Laser, 266 MHz, RAM 16 MB , 1200<br>x 12 dpi, 12 ppm(print speed b/w),<br>Pages per month 25000 pages,<br>Paper Type<br>A4/A5/B5/Legal/Envelope,<br>Connectivity Paraller and USB Port<br>Both |           |
| 40    | DGP109115 | HP<br>COMPUTER<br>CORE i5<br>3.2 GHz<br>6M Cache | 743578519528<br>2 / HP<br>COMPUTER<br>CORE i5 3.2<br>GHZ 6M<br>CACHE | HP<br>COMPUTER<br>CORE i5<br>CHINA | 1 /<br>EACH/NUMBER | CORE i5              | FJ4H562       | MANSHA BROTHERS HP<br>AUTHORIZED DEALER<br>KARACHI PAKISTAN                              | HP                                    |                                                                    | TECHNICAL SPECIFICATION - HP<br>PRO DESK 400 G1 MT (OR<br>EQUIVALENT DELL MODEL) 1.<br>PROCESSOR: VPTR o5-4570 3.2<br>GHz 6 M Cache 2.PROCESSOR<br>SPEDD: 3.2 GHz 3.MEMORY: 4 GB<br>DDR3 4.HARD DISK: 500 GB HDD<br>SATA 5.ETHERNET CARD:<br>10/100/1000/Mbps<br>GENERAL                                                                                                                                                                                 |           |

| S. No | LPR No    | PART NO            | NSN / Description                              | P/Equipment | QTY / DENO       | Model              | SR NO OF PR | MANUF ADO | Availabili ty | Tender Remarks                                                            | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dimension |
|-------|-----------|--------------------|------------------------------------------------|-------------|------------------|--------------------|-------------|-----------|---------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                    |                                                |             |                  |                    |             |           |               |                                                                           | SPECIFICATION - HP PRO DESK 400 G1 MT (OR EQUIVALENT DELL MODEL) 1.PROCESSOR: VPTR o5-4570 3.2 GHz 6 M Cache 2. PROCESSOR SPEDD: 3.2 GHz 3. MEMORY: 4 GB DDR3 4.HARD DISK: 500 GB HDD SATA 5. ETHERNET CARD: 10/100/1000/Mbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |
| 41    | DGP108872 | NO DATA AVAILABL E | 7435785141286 / HP SERVER PROLIANT DL-380-G-10 | SELF        | 1 / EACH/N UMBER | NO DATA AVAILAB LE |             | US        |               | HAWLET PACKAR D,11445 COMPAQ CENTRE DRIVE WEST, HOUSTO N TEXAS 77070, USA | TECHNICAL SPECIFICATION - 1. Processor: INTEL(R) XEON SILVER 4210R, 3.2GHZ, 13.75MB CACHE, 2400 MHZ, 10-CORE/20 THREADS, 130W 2. Memory Type (RAM): HPE DDR4 Smart Memory 3. Memory Standard: 32 GB (1x 32GB) RDIMM dual rank, 2933-MT/S (24-DIMM SLOTS) 4. NVDIMM Capacity: 16 GB 5. Network Controller: 1-HPE Ethernet 1GB 4-port 366FLR adopter with one easy install Rail Kit. 6. Power Supply Type: 1 HPE 800W Flex Slot Universal Hot Plug Low Halogen 7. SAS Extender Card: 12GB with Cable 8. Storage Capacity: 1TB SSD 9. Expansion Slot: 8, Small form factor drive bays 10. WARRANTY: 03-YEARS PARTS, 03 YEAR LABOR, 03-ON SITE SUPPORT REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. Processor: INTEL(R) XEON SILVER 4210R, 3.2 GHZ, 13.75MB CACHE, 2400 MHZ, 10-CORE/20 THREADS, 130W 2. Memory Type (RAM): HPE DDR4 Smart Memory 3. Memory Standard: 32 GB (1x 32GB) RDIMM dual rank, 2933-MT/S (24-DIMM SLOTS) 4. NVDIMM Capacity: 16 GB 5. Network Controller: 1-HPE Ethernet 1GB 4-port 366FLR adopter with one easy install Rail Kit. 6. Power Supply Type: 1 HPE 800W Flex Slot Universal Hot Plug Low Halogen 7. SAS Extender Card: 12GB with Cable 8. Storage |           |

| S. No | LPR No    | PART NO    | NSN / Description                                       | P/Equipment | QTY / DENO       | Model             | SR NO OF PR | MANUF ADO | Availability                                                             | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Dimension |
|-------|-----------|------------|---------------------------------------------------------|-------------|------------------|-------------------|-------------|-----------|--------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |            |                                                         |             |                  |                   |             |           |                                                                          |                                                                    | Capacity: 1TB SSD 9. Expansion Slot: 8, Small form factor drive bays 10. WARRANTY: 03-YEARS PARTS, 03 YEAR LABOR, 03-ON SITE SUPPORT REQUIRED.                                                                                                                                                                                                                                                                                                                                                                                |           |
| 42    | DNO106532 | LS1526S    | 5331775266023 / O-Ring                                  |             | 16 / EACH/NUMBER | 3516E             |             |           |                                                                          | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - O-Ring</u><br><u>GENERAL SPECIFICATION - O-Ring</u>                                                                                                                                                                                                                                                                                                                                                                                                                                              |           |
| 43    | DGP111312 | LE1901W/HP | 7025785141285 / LCD MONITOR 18.5"/19" (AS PER APPROVAL) | COMPUTER    | 2 / EACH/NUMBER  | NO DATA AVAILABLE |             | US        | HAWLET PACKARD, 11445 COMPAQ CENTRE DRIVE WEST, HOUSTON TEXAS 77070, USA |                                                                    | <u>TECHNICAL SPECIFICATION - OEM ADD:HAWLET PACKARD, 11445 COMPAQ CENTRE DRIVE WEST,HOUSTON TAXAS 77070, USA. GENERAL SPECIFICATION - OEM ADD:HAWLET PACKARD, 11445 COMPAQ CENTRE DRIVE WEST,HOUSTON TAXAS 77070, USA.</u>                                                                                                                                                                                                                                                                                                    |           |
| 44    | DGP111349 |            | 7535705133021 / LAPTOP COMPUTER                         | COMPUTER    | 1 / EACH/NUMBER  | Dell inspire 1520 |             | PK        | VIDE NHQ LETTER ST-S/3200/8198 DT 23/07/08                               |                                                                    | <u>TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO</u> |           |

| S. No | LPR No    | PART NO                  | NSN / Description                                         | P/Equipment | QTY / DENO      | Model                 | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                              | Dimension                             |
|-------|-----------|--------------------------|-----------------------------------------------------------|-------------|-----------------|-----------------------|-------------|-----------|--------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |                          |                                                           |             |                 |                       |             |           |              |                                                                    | COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). |                                       |
| 45    | DNN105901 | STR100-WS-06 / EPDU1016B | 6150505312675 / Power Distribution Unit (PDU)             |             | 3 / EACH/NUMBER | N/A                   |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                                                                                                                                                                                                                                |                                       |
| 46    | DNJ107798 | 6CB-24482-00             | 5330765263150 / GASKET 1                                  |             | 4 / EACH/NUMBER | f300 hp yamaha bet'18 |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                                                                                                                                                                                                                                |                                       |
| 47    | DCW110618 |                          | 8430701241007 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8 |             | 170 / PAIR      |                       |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8<br>GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8                                                                                                                                                                                                                                                                      | ITEM ON REQUIRED AS PER SPECIFICATION |
| 48    | DCW110622 |                          | 8430701241009 / SANDAL BLACK PESHAWARI                    |             | 170 / PAIR      |                       |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10<br>GENERAL SPECIFICATION - SANDAL BLACK                                                                                                                                                                                                                                                                                                  | ITEM ON REQUIRED AS PER SPECIFICATION |

| S. No | LPR No     | PART NO                                                    | NSN / Description                                          | P/Equipment                                         | QTY / DENO      | Model                       | SR NO OF PR | MANUF ADO                                            | Availability                       | Tender Remarks                                           | TECH / GEN SPECS                                                                                                                           | Dimension                             |
|-------|------------|------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------|-----------------|-----------------------------|-------------|------------------------------------------------------|------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |            |                                                            | RUBBER SOLE SIZE 10                                        |                                                     |                 |                             |             |                                                      |                                    |                                                          | PESHAWARI RUBBER SOLE SIZE 10                                                                                                              |                                       |
| 49    | DCW110 615 |                                                            | 8430701241005 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6  |                                                     | 170 / PAIR      |                             |             |                                                      |                                    |                                                          | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6<br>GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6   | item on required as per specification |
| 50    | SNS1086 01 | 30298                                                      | 5120FT1016153 / Bits, Sockets, Hex End. Metric             | -                                                   | 5 / EACH/NUMBER | -                           | null        | 1400 E BROADWAY, MONTICELLO, MN                      | BONDHUS CORP                       | tds brousher or pic of item must be inclosed with qution | TECHNICAL SPECIFICATION - AS PER TPGENERAL SPECIFICATION -AS PER TP                                                                        |                                       |
| 51    | DCW110 624 |                                                            | 8430701241011 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12 |                                                     | 170 / PAIR      |                             |             |                                                      |                                    |                                                          | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12<br>GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12 | ITEM ON REQUIRED AS PER SPECIFICATION |
| 52    | DCW110 623 |                                                            | 8430701241010 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 11 |                                                     | 170 / PAIR      |                             |             |                                                      |                                    |                                                          | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                             | ITEM ON REQUIRED AS PER SPECIFICATION |
| 53    | DCW110 617 |                                                            | 8430701241006 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7  |                                                     | 170 / PAIR      |                             |             |                                                      |                                    |                                                          | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7<br>GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7   | item on required as per specification |
| 54    | DNS110 678 | 27 513 001 GROHE/27 51200F/M RN-102-051/ CODE257, CODE 269 | 4510FT1008599 / Muslim Shower                              | MRN Shower Wet Unit (with Wall Model Vacuum Toilet) | 7 / EACH/NUMBER | MERCAN, MRN Shower Wet Unit | 0           | DERI ORGANIZE SANAYI BOLGESI 7. YOL F 7 PARSEL TUZLA | MERCAN GEMICILIK SAN. VE TIC. A.S. | tds borusher or pic of item must be inclosed with qution | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                             |                                       |
| 55    | DCW110 619 |                                                            | 8430701241008 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9  |                                                     | 170 / PAIR      |                             |             |                                                      |                                    |                                                          | TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9<br>GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9   | ITEM ON REQUIRED AS PER SPECIFICATION |

| S. No | LPR No    | PART NO                                | NSN / Description                                             | P/Equipment                                 | QTY / DENO       | Model                   | SR NO OF PR | MANUF ADO                                                                                                                                              | Availability            | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                    | Dimension |
|-------|-----------|----------------------------------------|---------------------------------------------------------------|---------------------------------------------|------------------|-------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 56    | DNF110228 | 6 FMX-150B/wpl150/TPK 12150/12N DT150S | 614070522258 4 / BATTERY 12 VOLT 150 AH VOLTA                 | MT VEHICEL WB-300                           | 2 / EACH/NUMBER  | 6 FMX-150B              | NIL         | NRTC HARIPUR PAKISTAN                                                                                                                                  | NRTC PAKISTAN           | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - ITEM IS PART OF JAMMER WB-300 12 volt 150 ah volta tower shape<br>GENERAL SPECIFICATION - ITEM IS PART OF JAMMER WB-300 12 volt 150 ah volta tower shape                                                                                                                                                                                                  |           |
| 57    | DNF110540 | ML-1102S-A & B(2 RJ-45 PORTS)/ 4V1D    | 603070521593 7 / FIBER OPTIC MEDIA CONVERTER FOR IP CAMERAS   | CCTV SYSTEM 4V1D PAKISTAN                   | 2 / PAIR         | ml-1102s-a & ml-1102s-b |             | Al-Sa'ee business Solutions Suit 30, 3rd Floor, Crown Centre Plot SB-1, Opp Bait-ul-Mukarram Masjid, Gulshan-e-Iqbal Karachi Tel & Fax (9221)3483-7233 | Al-Sa'ee/Pro Secure     | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission. GENERAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission. |           |
| 58    | DNF109771 | 6-FMX-100B/cmbt-g-12-150/DLS-120       | 614078522124 9 / MAINTENANCE FREE BATTERIES 12 VOLT 90-100 AH | Microwave                                   | 9 / EACH/NUMBER  | Crown Micro             |             | WAREHOUSE NO.CA02, Near R/A08, Jebel Ali Freezone, Dubai, UAE Phone(INTERNATIONAL) +971-4-883-9373 AX +971-4-883 9756                                  | CROWN MICRO AGM CHINA   | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - MAINTENANCE FREE BATTERIES 12 VOLT 90-100 AH<br>GENERAL SPECIFICATION - MAINTENANCE FREE BATTERIES 12 VOLT 90-100 AH                                                                                                                                                                                                                                      |           |
| 59    | DNF110593 | ES2400 / EXIDE G210/6FM 200SE-X        | 5961FT1001910 / Battery 12 V 200-210 Ah M/FREE                | Batteries, Exide Gel Type G210 and Type G80 | 20 / EACH/NUMBER | ES2400, 6FM200S E-X     | 0           | IM THIERGARTEN BUEDINGEN                                                                                                                               | EXIDE TECHNOLOGIES GMBH | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - 1- ES2400 & G210 BATTERY 12V 210AH OEM, EXIDE TECHNOLOGY. 2- 6FM200SE-X BATTERY 12V 200AH OEM, VISION GROUP CHINA. GENERAL SPECIFICATION - 1- ES2400 & G210 BATTERY 12V 210AH OEM, EXIDE TECHNOLOGY. 2- 6FM200SE-X BATTERY 12V 200AH OEM, VISION GROUP CHINA.                                                                                             |           |
| 60    | DNF109954 | GLP 1272                               | 614066157112                                                  | SODENA UPS                                  | 8 / EACH/N       | GPL 1272                | NA          | CSB BATTERY GAUGIND ZHU CO LTD CHINA                                                                                                                   | CHINA                   | TDS/BROCHURE OR                                                    | TECHNICAL SPECIFICATION -                                                                                                                                                                                                                                                                                                                                                           |           |

| S. No | LPR No    | PART NO                  | NSN / Description                                                                                       | P/Equipment                    | QTY / DENO       | Model        | SR NO OF PR | MANUF ADO                                                                                                       | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Dimension |
|-------|-----------|--------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------|------------------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                          | 4 / CSB BATTERY 12V 7.2AH                                                                               |                                | UMBER            |              |             |                                                                                                                 |              | PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION                 | BACKUP SUPPLY REQUIRED FOR SYSTEM.<br><u>GENERAL SPECIFICATION</u> - BACKUP SUPPLY REQUIRED FOR SYSTEM.                                                                                                                                                                                                                                                                                                                                                                                                                     |           |
| 61    | DNF109946 | ST4000NM0053/ST4000VX000 | 7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR                                                 | CCTV System ST4000VX000 CHINA  | 3 / EACH/NUMBER  | ST4000VX000  | NA          | Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888 | CHINA        | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32<br><u>GENERAL SPECIFICATION</u> - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32                                                                                                                                                                                                                  |           |
| 62    | DNF110670 | CAT-6A U-FTP             | 5995785207850 / CABLE NETWORK CAT-6A U-FTP 23AWG PE-0.36MM 4/U-FTP PVC/LSZH-0.5MM AQUA/BLEU/GRAY 7.47MM | CCTV System CAT-6A U-FTP CHINA | 1000 / METER     | CAT-6A U-FTP | NA          | No. 1199 Bin'an road, Binjiang District, Hangzhou, China. 310053 Tel: +86-571-87688883                          | CHINA        | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - null<br><u>GENERAL SPECIFICATION</u> - null                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |
| 63    | DNF110674 | HR1221W                  | 6135735178805 / CSB BATTERY - 12V 21W 2.1A                                                              | APC UPS                        | 16 / EACH/NUMBER | HR1221W      |             | CSB TAIWAN                                                                                                      | CSB          | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - CellsPerUnit 6 VoltagePerUnit 12 Capacity 21W@15min-rateto1.67Vpercell @25 (77) Weight Approx. 1.80 kg(3.97 lbs) MaximumDischargeCurrent 60A/90A (5sec) InternalResistance Approx. 25m OperatingTemperatureRange Discharge: -15 ~50 ( 5 ~122) Charge: -15 ~40 ( 5 ~104 ) Storage:-15 ~40 ( 5 ~104 ) OEM, CSB BATTERY CO., LTD. (TAIWAN)<br><u>GENERAL SPECIFICATION</u> - CellsPerUnit 6 VoltagePerUnit 12 Capacity 21W@15min-rateto1.67Vpercell @25 (77) Weight Approx. 1.80 kg(3.97 lbs) |           |

| S. No | LPR No    | PART NO                             | NSN / Description                                                 | P/Equipment               | QTY / DENO       | Model             | SR NO OF PR   | MANUF ADO                                                             | Availability | Tender Remarks                | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dimension |
|-------|-----------|-------------------------------------|-------------------------------------------------------------------|---------------------------|------------------|-------------------|---------------|-----------------------------------------------------------------------|--------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                                     |                                                                   |                           |                  |                   |               |                                                                       |              |                               | Maximum Discharge Current 60A/90A (5sec) Internal Resistance Approx. 25 m Operating Temperature Range Discharge: -15 ~50 ( 5 ~122) Charge: -15 ~40 ( 5 ~104 ) Storage:-15 ~40 ( 5 ~104 ) OEM, CSB BATTERY CO., LTD. (TAIWAN)                                                                                                                                                                                                                                                     |           |
| 64    | DNF106583 | ZA3000E                             | 6350705220323 / SMART WALK THROUGH GATE                           | SWTG                      | 1 / EACH/NUMBER  |                   |               | DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI |              | DESTO                         | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION<br><br><u>TECHNICAL SPECIFICATION -</u><br>DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD<br><u>GENERAL SPECIFICATION -</u><br>DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD |           |
| 65    | DNC107500 | 02232077/DANFOS/WBCL002301/023z1471 | 4130745133149 / BI-FLOW FILTER/DRYER 1/2 FOR CHILLER-42 T060 MONO | A/C SYSTEM PNS KARRAR     | 1 / EACH/NUMBER  | NO DATA AVAILABLE |               | FR                                                                    |              | WEBASTO MARINE COMFORT FRANCE | exorbitant price quoted by firm<br><br><u>TECHNICAL SPECIFICATION -</u><br>oem: Danfoss source of availability: YONK-ONUKJV<br><u>GENERAL SPECIFICATION -</u><br>oem: Danfoss source of availability: YONK-ONUKJV                                                                                                                                                                                                                                                                |           |
| 66    | DNC110214 | WBCL002320/cn-btu-60000             | 4130745133153 / CHILLER 60000 BTU                                 | A/C SYSTEM PNS KARRAR     | 2 / EACH/NUMBER  | NO DATA AVAILABLE |               | FR                                                                    |              | WEBASTO MARINE COMFORT FRANCE | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION<br><br><u>TECHNICAL SPECIFICATION -</u><br>CHILLER 60000 BTU<br><u>GENERAL SPECIFICATION -</u><br>CHILLER 60000 BTU                                                                                                                                                                                                                                                                                           |           |
| 67    | DNJ110232 | 55321-94910                         | 5340765221434 / ANODE (MAGNESIUM)                                 | SUZUKI DF300AP 300 HP OBM | 13 / EACH/NUMBER | DF300AP           | 30002P-712896 | SUZUKI MOTOR CO LTD JAPAN                                             |              | SUZUKI JAPAN                  | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH<br><br><u>TECHNICAL SPECIFICATION -</u><br>NIL<br><u>GENERAL SPECIFICATION -</u><br>NIL                                                                                                                                                                                                                                                                                                                                 |           |

| S. No | LPR No    | PART NO          | NSN / Description                                                            | P/Equipment                | QTY / DENO         | Model | SR NO OF PR | MANUF ADO                                                                                                 | Availabili ty   | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dimension |
|-------|-----------|------------------|------------------------------------------------------------------------------|----------------------------|--------------------|-------|-------------|-----------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                  |                                                                              |                            |                    |       |             |                                                                                                           |                 | QUOTATIO N                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |
| 68    | DNF110673 | N1537            | 6110705155260 / ENERGY SAVER 220V-240V ,11W. (screw type)                    | SELF,FOR DISTRIBUTION SYS. | 100 / EACH/N UMBER |       |             | SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. | PHILIPS CO LTD. | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi 'GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi ' |           |
| 69    | DNF109309 |                  | 0584799965452 / LAMP FILAMENT CAP TYPE BC 115V 40W 60X105MM G. RED A SHAPE   |                            | 25 / EACH/N UMBER  |       |             |                                                                                                           |                 | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |
| 70    | DNF109307 | AP9899, DEE10500 | 0584799952403 / LAMP FILAMENT CAP TYPE SBC 22V 30W 38X56MM CLEAR P SHAPE TCC |                            | 75 / EACH/N UMBER  |       |             |                                                                                                           |                 | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |

| S. No | LPR No    | PART NO           | NSN / Description                                         | P/Equipment       | QTY / DENO       | Model                          | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Dimension |
|-------|-----------|-------------------|-----------------------------------------------------------|-------------------|------------------|--------------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 71    | DNF110663 |                   | 0565700000048 / FAN PADESTAL-230VAC-24INCH 50CYCLES (GFC) | END USE SELF      | 18 / EACH/NUMBER |                                |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - NO DATA AVAILABLE<br>GENERAL SPECIFICATION - NO DATA AVAILABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |
| 72    | DNF109948 | MA3000C-48/BL820E | 4440795061524 / DEHUMIDIFIER PORTABLE                     | (YSD) GENERAL USE | 20 / EACH/NUMBER | PREM-I-AIR ELITE EH1418 XTREEM |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and short-circuit Grounding/ Earthing: Must comply with Unit's earthing system Cable/ Plug Design: Special electrical cable with fol properties: 2 Extra flexible 2 Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigrent: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W<br>GENERAL SPECIFICATION - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and |           |

| S. No | LPR No    | PART NO                       | NSN / Description                                                            | P/Equipment  | QTY / DENO      | Model                         | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Dimension |
|-------|-----------|-------------------------------|------------------------------------------------------------------------------|--------------|-----------------|-------------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                               |                                                                              |              |                 |                               |             |           |              |                                                                    | short-circuit Grounding/ Earthing:<br>Must comply with Unit's earthing system Cable/ Plug Design: Special electrical cable with fol properties: 2 Extra flexible 2 Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigrent: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Operatg Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W |           |
| 73    | DNF110522 | MD231 (CROWN) /EH1504 /EH1418 | 444079510254 4 / PREMI-AIR DEHUMIDIFIER, 300W, 220/240V SIZE: 350X452X275 MM | DEHUMIDIFIER | 2 / EACH/NUMBER | MD231 (CROWN) /EH1504/ EH1418 |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION -</u><br>Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG<br><u>GENERAL SPECIFICATION -</u><br>Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG                                                                                                                                                                                                       |           |
| 74    | DNG110677 | WD001114                      | 513000226538 4 / DRILL MACHINE (BLACK & DECKER)                              |              | 2 / EACH/NUMBER |                               |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST                            | <u>TECHNICAL SPECIFICATION -</u><br>OEM: FEDERAL SPECIFICATION PROMULGATED GENERAL SERVICES USA. MAKE MODEL IS USA.<br><u>GENERAL SPECIFICATION -</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |           |

| S. No | LPR No    | PART NO      | NSN / Description                                   | P/Equipment           | QTY / DENO       | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Dimension |
|-------|-----------|--------------|-----------------------------------------------------|-----------------------|------------------|-------|-------------|-----------|--------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |              |                                                     |                       |                  |       |             |           |              | BE ENCLOSED WITH QUOTATION                                         | OEM: FEDERAL SPECIFICATION PROMULGATED GENERAL SERVICES USA. MAKE MODEL IS USA.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |
| 75    | DNF110599 | A-2120       | 5835765013358 / AMPLIFIER 100/120W, TOA JAPAN       | PA SYSTEM             | 1 / EACH/NUMBER  |       |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - NO DATA AVAILABLE<br>GENERAL SPECIFICATION - NO DATA AVAILABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |
| 76    | DNF110598 | TOA / A-1512 | 5835765101886 / AMPLIFIER 120 WATT, 120VAC, 50HZ    | SRE SYSTEM, TOA JAPAN | 2 / EACH/NUMBER  |       |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - NO DATA AVAILABLE<br>GENERAL SPECIFICATION - NO DATA AVAILABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |
| 77    | DNF109894 | A37M         | 5940795080759 / TERMINAL LUGS FOR CABLE SIZE 185MM2 | ELECTRICAL CABLE      | 62 / EACH/NUMBER |       |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - a. Specification / Technical data /Testing /Acceptance criteria: Size: 185 mm2 Material: M16 high conductivity Tin plated copper minimum continuous capacity: 400 Amps b. Technical parameters of store i.e Dimensions /sizes and etc: Size: 185mm2 Amps rating: 400Amps Standard: IEC 61238<br>GENERAL SPECIFICATION - a. Specification / Technical data /Testing /Acceptance criteria: Size: 185 mm2 Material: M16 high conductivity Tin plated copper minimum continuous capacity: 400 Amps b. Technical parameters of store i.e Dimensions /sizes and etc: Size: 185mm2 Amps rating: 400Amps Standard: IEC 61238 |           |

| S. No | LPR No    | PART NO                  | NSN / Description                                                                | P/Equipment              | QTY / DENO       | Model              | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Dimension |
|-------|-----------|--------------------------|----------------------------------------------------------------------------------|--------------------------|------------------|--------------------|-------------|-----------|--------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 78    | DNF109940 | cs-154 / TC-154          | 5965171103158 / LOUDSPEAKER PERMANENT 10-15 w WITH MATCHIN TRANSFORMA R & ACCESS | SRC SYSTEM               | 5 / EACH/NUMBER  | MODEL TC-154       |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - EXACT MAKE/BRAND/OEM: TOA CORPORATION. LTD, JAPAN</u><br>SOURCE OF AVAILABILTY : [GIANT ENTERPRISES ] ADDRESS: [A-87/3, 1ST FLOOR, GULSHAN-E-IQBAL KARACHI ] <u>GENERAL SPECIFICATION - EXACT MAKE/BRAND/OEM: TOA CORPORATION. LTD, JAPAN</u><br>SOURCE OF AVAILABILTY : [GIANT ENTERPRISES ] ADDRESS: [A-87/3, 1ST FLOOR, GULSHAN-E-IQBAL KARACHI ]                                                                                                       |           |
| 79    | DNF110675 | jpn-8815 / CLIMAX-LF-218 | 6210735016724 / EMERGENCY LIGHT RECHARGEABLE 110/220V                            | GENERAL USE LIGHT ITSELF | 26 / EACH/NUMBER | JPN-8815SOGO CHINA |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA</u><br>Correct part No: JPN-8815<br>BATTERY 4V 2000AH Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301 <u>GENERAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA</u><br>Correct part No: JPN-8815 BATTERY 4V 2000AH<br>Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301 |           |
| 80    | DNF110696 | jpn-8815 / CLIMAX-LF-218 | 6210735016724 / EMERGENCY LIGHT RECHARGEABLE 110/220V                            | GENERAL USE LIGHT ITSELF | 12 / EACH/NUMBER | JPN-8815SOGO CHINA |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA</u><br>Correct part No: JPN-8815 - BATTERY 4V 2000AH Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301 <u>GENERAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA</u><br>Correct part No: JPN-8815 BATTERY 4V 2000AH<br>Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301  |           |
| 81    | DNF1105   | VPX715/                  | 596576501359                                                                     | PUB.                     | 4 /              |                    |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - 15-</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |

| S. No | LPR No    | PART NO                | NSN / Description                                                                                                 | P/Equipment               | QTY / DENO      | Model             | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Dimension |
|-------|-----------|------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-------------------|-------------|-----------|--------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       | 90        | TZ-201/SRX 715/ELX 115 | 1 / Pro Sound speaker<br>Electro-voice ELX115 15" Two Way passive loud Speaker (peak power 1600 watt)             | ADDRESS SYSTEM, TOA JAPAN | EACH/NUMBER     |                   |             |           |              | HURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION         | inch two-way full-range More power fuller sound for larger rooms EVS-15K woofer 1.5-inch DH1K titanium HF compression driver 50Hz - 20 KHz frequency range 90x 50 coverage pattern waveguide Power handling 400W continuous, 1600W peak. <u>GENERAL SPECIFICATION</u> - 15-inch two-way full-range More power fuller sound for larger rooms EVS-15K woofer 1.5-inch DH1K titanium HF compression driver 50Hz - 20 KHz frequency range 90x 50 coverage pattern waveguide Power handling 400W continuous, 1600W peak. |           |
| 82    | DNF110750 | BK500-IT (APC)         | 703570511986<br>1 / UPS CS 500 USB/SERIAL APC UPS 0.5 KVA 500VA/300W, Input 230V/Output 230V BACKUP TIME 13.9 MIN | COMPUTER                  | 3 / EACH/NUMBER | APC BK500-IT      |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - UPS 0.5KVA 500VA/300W, INPUT 230V/OUTPUT 230V, INTERFACE PORT DB-9 RS-232, USB I backup time at half load: 13.9 min. <u>GENERAL SPECIFICATION</u> - UPS 0.5KVA 500VA/300W, INPUT 230V/OUTPUT 230V, INTERFACE PORT DB-9 RS-232, USB I backup time at half load: 13.9 min.                                                                                                                                                                                                           |           |
| 83    | DNF110600 | MX-6224D / A-1724      | 583076511071<br>0 / PA AMPLIFIER (240W) I/P 220 VAC O/P 240W TOA JAPAN                                            |                           | 4 / EACH/NUMBER | MX-6224D / A-1724 |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - oem toa japan <u>GENERAL SPECIFICATION</u> - oem toa japan                                                                                                                                                                                                                                                                                                                                                                                                                         |           |
| 84    | DNF110596 | 38109-829 rev D/ GS-55 | 591073512072<br>1 / pro Dynamic CARDIOD VOCAL MICROPHONE Electro-voice                                            | PA SYSTEM                 | 5 / EACH/NUMBER | ELECTRO VOICE     |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> - OEM, ELECTRO-VOICE USA. <u>TECH-SPECS</u> , Wired handheld microphones. DYNAMIC N/DYM MAGNET 45HZ-15000 HZ CARDIOD Non reflecting black finish. On/Off switch. 3-pin XLR connector. Weight 238gm <u>GENERAL SPECIFICATION</u> - OEM, ELECTRO-VOICE USA.                                                                                                                                                                                                                            |           |

| S. No | LPR No    | PART NO      | NSN / Description                                        | P/Equipment | QTY / DENO      | Model        | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                              | TECH / GEN SPECS                                                                                                                                                                                                                                          | Dimension                             |
|-------|-----------|--------------|----------------------------------------------------------|-------------|-----------------|--------------|-------------|-----------|--------------|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |              |                                                          |             |                 |              |             |           |              |                                             | TECH-SPECS, Wired handheld microphones. DYNAMIC N/DYM MAGNET 45HZ-15000 HZ CARDIOD Non reflecting black finish. On/Off switch. 3-pin XLR connector. Weight 238gm                                                                                          |                                       |
| 85    | DCW111191 |              | 8430500900367 / SHOES BLACK LEATHER OXFORD STYLE SIZE 10 |             | 165 / PAIR      |              |             |           |              |                                             | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 10 FOR SAILOR GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 10 FOR SAILOR                                                     | ITEM ON REQUIRED AS PER SPECIFICATION |
| 86    | DCW111187 |              | 8430500900364 / SHOES BLACK LEATHER OXFORD STYLE SIZE 07 |             | 165 / PAIR      |              |             |           |              |                                             | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 07 FOR SAILOR GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 07 FOR SAILOR                                                     | ITEM ON REQUIRED AS PER SPECIFICATION |
| 87    | DNF108319 | Winner pro1K | 6150TA5249659 / UPS 1KVA                                 |             | 5 / EACH/NUMBER | Winner pro1K |             |           |              | exorbitant price received from the supplier | TECHNICAL SPECIFICATION - Complete Details regarding 2KVA & 1KVA UPS are available in the attached Brochure named "WinnerPro" GENERAL SPECIFICATION - Complete Details regarding 2KVA & 1KVA UPS are available in the attached Brochure named "WinnerPro" |                                       |
| 88    | DCW111203 |              | 8430500001480 / Shoes White Leather Size 8               |             | 100 / PAIR      |              |             |           |              |                                             | TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null                                                                                                                                                                                               | ITEM ON REQUIRED AS PER SPECIFICATION |
| 89    | DCW111188 |              | 8430500900365 / SHOES BLACK LEATHER OXFORD STYLE SIZE 08 |             | 165 / PAIR      |              |             |           |              |                                             | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 08 FOR SAILOR GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 08 FOR SAILOR                                                     | ITEM ON REQUIRED AS PER SPECIFICATION |
| 90    | DCW111    |              | 843050090036                                             |             | 165 /           |              |             |           |              |                                             | TECHNICAL SPECIFICATION -                                                                                                                                                                                                                                 | ITEM ON                               |

| S. No | LPR No    | PART NO                 | NSN / Description                                                                  | P/Equipment | QTY / DENO      | Model                   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dimension                     |
|-------|-----------|-------------------------|------------------------------------------------------------------------------------|-------------|-----------------|-------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
|       | 193       |                         | 9 / SHOES BLACK LEATHER OXFORD STYLE SIZE 12                                       |             | PAIR            |                         |             |           |              |                                                                    | SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 12 FOR SAILOR <u>GENERAL SPECIFICATION</u> - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETTS SIZE 12 FOR SAILOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | REQUIRED AS PER SPECIFICATION |
| 91    | DNF110218 | DH-IPC-HFW1439 TL1-A-IL | 672078534498<br>4 / 4mp Entry SMART DUAL LIGHT FIXED - focal bullet network camera |             | 3 / EACH/NUMBER | DH-IPC-HFW1439 TL1-A-IL |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION</u> -<br>4MP ENTRY SMART DUAL LIGHT FIXED - FOCAL BULLET NETWORK CAMERA ROM 128MB RAM 128MB MAX RESULATION 2560X1440 • ROI, SMART H.264 +/-H.265+, flexible coding, applicable to various bandwidth and storage environments.<br>• Abnormality detection: Motion detection, video tampering, audio detection, network disconnection, IP conflict and illegal access. • Built in Mic. • 12 VDC/PoE power supply, • IP67 protection • Supports human and vehicle detection • 4-MP 1/2.9" CMOS image sensor, low luminance, and high definition image. • Outputs max. 4 MP (2560 x 1440)@25/30 fps.<br>• H.265 codec, high compression rate, ultra-low bit rate. • Built-in IR LED and warm light, the max. IR illumination distance is 50 m and warm light distance is 50 m. • WDR. 3D NR, HLC, BIC., digital watermarking, applicable to various monitoring scenes. THE IR ILLUMINATOR IS ON AT NIGHT WHEN TARGET APPEARS IN THE MONITORING AREA WHITE LIGHT IS ON AND GIVE FULL COLOR VIDEO<br><u>GENERAL SPECIFICATION</u> -<br>4MP ENTRY SMART DUAL LIGHT FIXED - FOCAL BULLET NETWORK CAMERA ROM 128MB RAM 128MB MAX RESULATION 2560X1440 • ROI, SMART H.264 +/-H.265+, flexible coding, applicable to various bandwidth and storage environments. |                               |

| S. No | LPR No    | PART NO                                | NSN / Description                                               | P/Equipment | QTY / DENO      | Model                | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Dimension                             |
|-------|-----------|----------------------------------------|-----------------------------------------------------------------|-------------|-----------------|----------------------|-------------|-----------|--------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |                                        |                                                                 |             |                 |                      |             |           |              |                                                                    | <ul style="list-style-type: none"> <li>• Abnormality detection: Motion detection, video tampering, audio detection, network disconnection, IP conflict and illegal access.</li> <li>• Built in Mic.</li> <li>• 12 VDC/PoE power supply,</li> <li>• IP67 protection</li> <li>• Supports human and vehicle detection</li> <li>• 4-MP 1/2.9" CMOS image sensor, low luminance, and high definition image.</li> <li>• Outputs max. 4 MP (2560 x 1440)@25/30 fps.</li> <li>• H.265 codec, high compression rate, ultra-low bit rate.</li> <li>• Built-in IR LED and warm light, the max. IR illumination distance is 50 m and warm light distance is 50 m.</li> <li>• WDR.</li> <li>3D NR, HLC, BIC., digital watermarking, applicable to various monitoring scenes.</li> <li>THE IR ILLUMINAOT IS ON AT NIGHT WHEN TARGET APPERAS IN THE MONITORING AREA WHITE LIGHT IS ON AND GIVE FULL COLOR VIDEO</li> </ul> |                                       |
| 92    | DCW111183 |                                        | 8435500180048 / SHOES BLACK LEATHER OXFORD STYLE SIZE 5 FOR FMA |             | 165 / PAIR      |                      |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETSSIZE 5 FOR FMA<br>GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYLETSSIZE 5 FOR FMA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ITEM ON REQUIRED AS PER SPECIFICATION |
| 93    | DNF110212 | KNOX / INFINISOLAR/YUKON II/ AR-000708 | 6130715300655 / HYBIRD SOLAR INVERTER 6KW / 5.5 KW MPPT CHARGER |             | 2 / EACH/NUMBER | INFINISOLAR E 5.5 KW |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| 94    | DCW111208 |                                        | 8430500800180 / SHOES WHITE LEATHER SIZE 13                     |             | 100 / PAIR      |                      |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SHOES WHITE LEATHER IN OXFORD STYLEWITH IMS BROWN SOLE AND 16 EYELETS SIZE 13<br>GENERAL SPECIFICATION -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ITEM ON REQUIRED AS PER SPECIFICATION |

| S. No | LPR No    | PART NO | NSN / Description                                               | P/Equipment | QTY / DENO | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                         | Dimension                             |
|-------|-----------|---------|-----------------------------------------------------------------|-------------|------------|-------|-------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |         |                                                                 |             |            |       |             |           |              |                | SHOES WHITE LEATHER IN OXFORD STYLE WITH IMS BROWN SOLE AND 16 EYELETS SIZE 13                                                                                                                           |                                       |
| 95    | DCW111206 |         | 8430500001483 / Shoes White Leather Size 11                     |             | 100 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |
| 96    | DCW111207 |         | 8430500001484 / Shoes White Leather Size 12                     |             | 100 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |
| 97    | DCW111189 |         | 8430500900366 / SHOES BLACK LEATHER OXFORD STYLE SIZE 09        |             | 165 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 09 FOR SAILOR<br>GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 09 FOR SAILOR | ITEM ON REQUIRED AS PER SPECIFICATION |
| 98    | DCW111194 |         | 8430700907626 / SHOES BLACK LEATHER OXFORD STYLE SIZE 13        |             | 165 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 13 FOR SAILOR<br>GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 13 FOR SAILOR | ITEM ON REQUIRED AS PER SPECIFICATION |
| 99    | DCW111205 |         | 8430500001482 / Shoes White Leather Size 10                     |             | 100 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                                                                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |
| 100   | DCW111182 |         | 8435500180047 / SHOES BLACK LEATHER OXFORD STYLE SIZE 4 FOR FMA |             | 165 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 4 FOR FMA<br>GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 4 FOR FMA         | item on required as per specification |
| 101   | DCW111195 |         | 8430500900124 / SHOES BLACK LEATHER                             |             | 165 / PAIR |       |             |           |              |                | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 14 FOR SAILOR<br>GENERAL                                                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |

| S. No | LPR No    | PART NO                               | NSN / Description                                                | P/Equipment | QTY / DENO       | Model            | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                           | Dimension                             |
|-------|-----------|---------------------------------------|------------------------------------------------------------------|-------------|------------------|------------------|-------------|-----------|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |                                       | OXFORD STYLE SIZE 14                                             |             |                  |                  |             |           |              |                                                                    | SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 14 FOR SAILOR                                                                                                                                                                                                                                                                                                                                  | TION                                  |
| 102   | DNF109030 | OSAKA XPRESS SERIES 100W              | 6230765280845 / OSAKA FLOOD LIGHT 100W                           |             | 75 / EACH/NUMBER | OSAKA 100W       |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - OSAKA FLOODLIGHT<br>GENERAL SPECIFICATION - OSAKA FLOODLIGHT                                                                                                                                                                                                                                                                                                                                     |                                       |
| 103   | DCW111209 |                                       | 8430500800181 / SHOES WHITE LEATHER SIZE 14                      |             | 100 / PAIR       |                  |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SHOES WHITE LEATHER IN OXFORD STYLE WITH IMS BROWN SOLE AND 16 EYELETS SIZE 14<br>GENERAL SPECIFICATION - SHOES WHITE LEATHER IN OXFORD STYLE WITH IMS BROWN SOLE AND 16 EYELETS SIZE 14                                                                                                                                                                                                         | ITEM ON REQUIRED AS PER SPECIFICATION |
| 104   | DCW111192 |                                       | 8430500900368 / SHOES BLACK LEATHER OXFORD STYLE SIZE 11         |             | 165 / PAIR       |                  |             |           |              |                                                                    | TECHNICAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 11 FOR SAILOR<br>GENERAL SPECIFICATION - SHOES BLACK LEATHER OXFORD STYLE (WITH TOE) 20 EYELETS SIZE 11 FOR SAILOR                                                                                                                                                                                                                   | ITEM ON REQUIRED AS PER SPECIFICATION |
| 105   | DNF109947 | DH-SD6CE445GB-HNR / DH-SD6CE445XA-HNR | 5820785233342 / NETWORK PTZ CAMERA 4MP WITH COMPLETE ACCESSORIES |             | 1 / EACH/NUMBER  | DH-SD5A445XA-HNR |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - 1. OEM: DAHUA 2. MAKE/MODEL: DH-SD6CE445XA-HNR 4MP 45X STARLIGHT IR PTZ 4MP 3. IMAGE SENSOR: 1/2. 8" STARVIS CMOS 4. MAX RESOLUTION: 4MP 5. MAX RESOLUTION: 2560 (H) X 1440 (V) 6. SCANNING SYSTEM: PROGRESSIVE 7. ELECTRONIC SHUTTER SPEED: 1/1S-1/30000 S 8. ILLUMINATOR NUMBER. 6 9. FOCAL LENGTH. 3.95 MM - 177.75 MM 10. OPTICAL ZOOM: 45X 11. FOCUS CONTROL. AUTO/MANUAL 12. IRIS CONTROL: |                                       |

| S. No | LPR No | PART NO | NSN / Description | P/Equipment | QTY / DENO | Model | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Dimension |
|-------|--------|---------|-------------------|-------------|------------|-------|-------------|-----------|--------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |        |         |                   |             |            |       |             |           |              |                | <p>AUTO/MANUAL 13. CLOSE FOCUS DISTANCE: 10 MM-3000 MM 14. IR DISTANCE: UPTO 250M 15. AUTO TRACKING: SUPPORT 16. SMD: SUPPORT 17. FACE DETECTION: SUPPORT 18. WDR: 120 DB 19. DAY/NIGHT. AUTO (ICR) /COLOUR/BAW 20. FLIP: 180 DEGREE 21. STORAGE: RECORDING MICRO SD CARD 500 GB 22. POWER SUPPLY DC24V 2.5 A ± 25% Poe 23. POWER CONSUMPTION: 13 W, 26 W (IR ON HEATER) 24. CASING : METAL 25. GROSS WEIGHT: 9.6 KG 26: SHELF LIFE: MINIMUM 05 YEARS 27. ACCEPTANCE CRITERIA: SUCCESSFUL TEST AND TRAIL UPON INSTALLATION OEM, DAHUA TECHNOLOGY CO LIMIT CAMERA PIXEL 4MP IMAGE SENSOR 1/2.8" STARVIS™ CMOS MAX. RESOLUTION 2560 (H) × 1440 (V) ROM 4GB ,RAM 1GB ELECTRONIC SHUTTER SPEED 1/3–1/30000S ILLUMINATION DISTANCE 50 M (492.13 FT) PTZGENERAL SPECIFICATION - 1. OEM: DAHUA 2. MAKE/MODEL: DH-SD6CE445XA-HNR 4MP 45X STARLIGHT IR PTZ 4MP 3. IMAGE SENSOR: 1/2. 8" STARVIS CMOS 4. MAX RESOLUTION: 4MP 5. mAX RESOLUTION: 2560 (H) X 1440 (V) 6. SCANNING SYSTEM: PROGRESSIVE 7. ELECTRONIC SHUTTER SPEED: 1/1S-1/30000 S 8. ILLUMINATOR NUMBER. 6 9. FOCAL LENGTH. 3.95 MM - 177.75 MM 10. OPTICAL ZOOM: 45X 11. FOCUS CONTROLL. AUTO/MANUAL 12. IRIS CONTROL: AUTO/MANUAL 13. CLOSE FOCUS DISTANCE: 10 MM-3000 MM 14. IR DISTANCE: UPTO 250M 15. AUTO</p> |           |

| S. No | LPR No    | PART NO                              | NSN / Description                                                      | P/Equipment | QTY / DENO       | Model                             | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Dimension |
|-------|-----------|--------------------------------------|------------------------------------------------------------------------|-------------|------------------|-----------------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |                                      |                                                                        |             |                  |                                   |             |           |              |                                                                    | TRACKING: SUPPORT 16. SMD: SUPPORT 17. FACE DETECTION: SUPPORT 18. WDR: 120 DB 19. DAY/NIGHT. AUTO (ICR) /COLOUR/BAW 20. FLIP: 180 DEGREE 21. STORAGE: RECORDING MICRO SD CARD 500 GB 22. POWER SUPPLY DC24V 2.5 A ± 25% Poe 23. POWER CONSUMPTION: 13 W, 26 W (IR ON HEATER) 24. CASING : METAL 25. GROSS WEIGHT: 9.6 KG 26: SHELF LIFE: MINIMUM 05 YEARS 27. ACCEPTANCE CRITERIA: SUCCESSFUL TEST AND TRAIL UPON INSTALLATION OEM, DAHUA TECHNOLOGY CO LIMIT CAMERA PIXEL 4MP IMAGE SENSOR 1/2.8" STARVIS™ CMOS MAX. RESOLUTION 2560 (H) × 1440 (V) ROM 4GB ,RAM 1GB ELECTRONIC SHUTTER SPEED 1/3–1/30000S ILLUMINATION DISTANCE 50 M (492.13 FT) PTZ |           |
| 106   | DNF110587 | HAC-HFW1500 CP-A/DH-HAC-HFW1500 TL-A | 676078524886<br>1 / 5MP, IR BULLET FIX CAMERA, WITH ACCESSORIES        |             | 15 / EACH/NUMBER | HAC-HFW1500 TL-A/HAC-HFW1500 cP-A |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | <u>TECHNICAL SPECIFICATION - null</u><br><u>GENERAL SPECIFICATION - null</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |
| 107   | DGP103840 | CORE I5                              | 702570524609<br>1 / PERSONAL COMPUTER CORE i5 12th GENERATION or above |             | 2 / SET          | CORE I5                           |             |           |              |                                                                    | <u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8.                                                                                                                                                                                                                                                                                         |           |

| S. No | LPR No        | PART NO | NSN / Description                                                                  | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Dimension |
|-------|---------------|---------|------------------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |               |         |                                                                                    |             |            |         |             |           |              |                | <p>Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> |           |
| 108   | DGP103<br>829 | CORE I5 | 702570524609<br>1 / PERSONAL<br>COMPUTER<br>CORE i5 12th<br>GENERATION<br>or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |           |

Designed & Developed By MT

| S. No | LPR No     | PART NO | NSN / Description                                                                  | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Dimension |
|-------|------------|---------|------------------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |            |         |                                                                                    |             |            |         |             |           |              |                | <p>provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> |           |
| 109   | DGP103 830 | CORE I5 | 702570524609<br>1 / PERSONAL<br>COMPUTER<br>CORE i5 12th<br>GENERATION<br>or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |

| S. No | LPR No     | PART NO | NSN / Description                                                         | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Dimension |
|-------|------------|---------|---------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |            |         |                                                                           |             |            |         |             |           |              |                | <p>SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> |           |
| 110   | DGP103 923 | CORE I5 | 702570524609<br>1 / PERSONAL COMPUTER<br>CORE i5 12th GENERATION or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |

| S. No | LPR No    | PART NO | NSN / Description                                                         | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Dimension |
|-------|-----------|---------|---------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |           |         |                                                                           |             |            |         |             |           |              |                | (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. |           |
| 111   | DGP104055 | CORE I5 | 702570524609<br>1 / PERSONAL COMPUTER<br>CORE i5 12th GENERATION or above |             | 2 / SET    | CORE I5 |             |           |              |                | <u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED                                                                                                                                                                                                                                                                                                                                                                                                                                |           |

| S. No | LPR No        | PART NO | NSN / Description                                                                  | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Dimension |
|-------|---------------|---------|------------------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |               |         |                                                                                    |             |            |         |             |           |              |                | <p>WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION -</b> 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> |           |
| 112   | DGP103<br>860 | CORE I5 | 702570524609<br>1 / PERSONAL<br>COMPUTER<br>CORE i5 12th<br>GENERATION<br>or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><b>TECHNICAL SPECIFICATION -</b> 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous</p>                                                                                                                                                                                                                                                                                                                                                                              |           |

| S. No | LPR No     | PART NO | NSN / Description                                                         | P/Equipment | QTY / DENO | Model   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Dimension |
|-------|------------|---------|---------------------------------------------------------------------------|-------------|------------|---------|-------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|       |            |         |                                                                           |             |            |         |             |           |              |                | <p>requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> |           |
| 113   | DGP103 831 | CORE I5 | 702570524609<br>1 / PERSONAL COMPUTER<br>CORE i5 12th GENERATION or above |             | 2 / SET    | CORE I5 |             |           |              |                | <p><u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed</p>                                                                                                                                                                                                                                                                                                                       |           |

| S. No | LPR No    | PART NO                   | NSN / Description                              | P/Equipment | QTY / DENO      | Model          | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                | TECH / GEN SPECS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Dimension                             |
|-------|-----------|---------------------------|------------------------------------------------|-------------|-----------------|----------------|-------------|-----------|--------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           |                           |                                                |             |                 |                |             |           |              |                               | genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor 12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB ssd or NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. |                                       |
| 114   | DCW111200 |                           | 843050000187<br>2 / shoes white leather size 5 |             | 100 / PAIR      |                |             |           |              |                               | <u>TECHNICAL SPECIFICATION</u> - null<br><u>GENERAL SPECIFICATION</u> - null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ITEM ON REQUIRED AS PER SPECIFICATION |
| 115   | DCW111201 |                           | 843050000147<br>8 / Shoes White Leather Size 6 |             | 100 / PAIR      | TEST           |             |           |              |                               | <u>TECHNICAL SPECIFICATION</u> - null<br><u>GENERAL SPECIFICATION</u> - null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ITEM ON REQUIRED AS PER SPECIFICATION |
| 116   | DCW111204 |                           | 843050000148<br>1 / Shoes White Leather Size 9 |             | 100 / PAIR      |                |             |           |              |                               | <u>TECHNICAL SPECIFICATION</u> - null<br><u>GENERAL SPECIFICATION</u> - null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ITEM ON REQUIRED AS PER SPECIFICATION |
| 117   | DNF110869 | PFS4207-4GT-DP/DH-HS4208- | 702570524048<br>5 / 4 channel POE switch       |             | 4 / EACH/NUMBER | PFS4207-4GT-DP |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF | <u>TECHNICAL SPECIFICATION</u> - null<br><u>GENERAL SPECIFICATION</u> - null                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                       |

| S. No | LPR No    | PART NO                  | NSN / Description                                                                         | P/Equipment | QTY / DENO       | Model                           | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                     | TECH / GEN SPECS                                                                                                         | Dimension                             |
|-------|-----------|--------------------------|-------------------------------------------------------------------------------------------|-------------|------------------|---------------------------------|-------------|-----------|--------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|       |           | 4GT-90                   | with complete accessories                                                                 |             |                  |                                 |             |           |              | ITEM MUST BE ENCLOSED WITH QUOTATION                               |                                                                                                                          |                                       |
| 118   | DNF110695 | 1z6112-500 / st8000vx004 | 7010151722760 / seagate 8tb/3 tb surveillance hard drive (128mb/66gb/3 TB/s/5900rpm) sata |             | 1 / EACH/NUMBER  | st8000vx0022-520 / ST 8000VX004 |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                           |                                       |
| 119   | DCW111199 |                          | 8430500001871 / shoes white leather size 4                                                |             | 100 / PAIR       |                                 |             |           |              |                                                                    | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |
| 120   | DNF110671 | AE20180720AAWRC36486639W | 6740705249147 / PTZ camera 2MP ( Hikvision)                                               |             | 2 / EACH/NUMBER  | DS-2DE72321W-AEB (T5)           |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                           |                                       |
| 121   | DCW111202 | 8430500001479            | 8430500001479 / SHOES WHITE LEATHER SIZE-7                                                |             | 100 / PAIR       |                                 |             |           |              |                                                                    | TECHNICAL SPECIFICATION - null<br>GENERAL SPECIFICATION - null                                                           | ITEM ON REQUIRED AS PER SPECIFICATION |
| 122   | DNF109943 | MCTX-NTLNK               | 5915705248706 / ODF 8 PORTS                                                               |             | 14 / EACH/NUMBER | MCTX-NTLNK                      |             |           |              | TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION | TECHNICAL SPECIFICATION - BRAND: NETLINK MODEL: MCTX -NTLNK<br>GENERAL SPECIFICATION - BRAND: NETLINK MODEL: MCTX -NTLNK |                                       |

| S. No | LPR No    | PART NO       | NSN / Description                                                                                               | P/Equipment | QTY / DENO             | Model                   | SR NO OF PR | MANUF ADO | Availability | Tender Remarks                                                                    | TECH / GEN SPECS                                                                                                                                                                                                                                                                | Dimension                                          |
|-------|-----------|---------------|-----------------------------------------------------------------------------------------------------------------|-------------|------------------------|-------------------------|-------------|-----------|--------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| 123   | DCW111185 |               | 843050090036<br>3 / SHOES<br>BLACK<br>LEATHER<br>OXFORD<br>STYLE 06                                             |             | 165 /<br>PAIR          |                         |             |           |              |                                                                                   | <u>TECHNICAL SPECIFICATION -</u><br>SHOES BLACK LEATHER OXFORD<br>STYLE (WITH TOE) 20 EYLET<br>SIZE 06 FOR SAILOR <u>GENERAL</u><br><u>SPECIFICATION -</u> SHOES BLACK<br>LEATHER OXFORD STYLE (WITH<br>TOE) 20 EYLET SIZE 06 FOR<br>SAILOR                                     | ITEM ON<br>REQUIRED<br>AS PER<br>SPECIFICA<br>TION |
| 124   | DNF110672 | ds2de4425iwde | 671078523587<br>6 / 4inch 4mp<br>25x powered by<br>dark fighter ir<br>network speed<br>dome camera<br>hikvision |             | 4 /<br>EACH/N<br>UMBER | ds-<br>2de4425i<br>w-de |             |           |              | TDS/BROCHURE OR<br>PHOTOGRAPH OF<br>ITEM MUST<br>BE<br>ENCLOSED WITH<br>QUOTATION | <u>TECHNICAL SPECIFICATION -</u><br>4inch 4mp 25x powered by dark<br>fighter ir network speed dome<br>camera hikvision ds-2de4425iw-<br>de <u>GENERAL SPECIFICATION -</u><br>4inch 4mp 25x powered by dark<br>fighter ir network speed dome<br>camera hikvision ds-2de4425iw-de |                                                    |