

## Tender Covering Form

### **Directorate of Procurement (Navy)**

Through Bahira Gate, Near SNIDS Centre,  
Naval Residential Complex E-8

ISLAMABAD

Contact: Reception: 051-9262306

Bahria Gate: 0331-5540649

Section: 051-9262309

Email: [dpn@paknavy.gov.pk](mailto:dpn@paknavy.gov.pk)

[adpn31pre@paknavy.gov.pk](mailto:adpn31pre@paknavy.gov.pk)

**P- 31/PRE Section (Contact: 0519262304, 05120062059, Email: [adpn31pre@paknavy.gov.pk](mailto:adpn31pre@paknavy.gov.pk))**

Tender No & Date \_\_\_\_\_

Tender Description \_\_\_\_\_

IT Opening Date \_\_\_\_\_

Firm Name \_\_\_\_\_

Postal Address \_\_\_\_\_

Email Address for Correspondence \_\_\_\_\_

Contact Person Name \_\_\_\_\_

Contact Number (Landline \_\_\_\_\_) (Mobile \_\_\_\_\_)

**Documents to be Attached with Quotation:** Firm is to submit its proposal in a sealed envelope which shall contain 03 x Sealed Envelops as per details given below:

| <b><u>Sealed Envelop 1 – Technical Offer in Duplicate</u></b>                                                                                                                                                                                   |                                                                                                                                                               |               |          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| This envelope must contain 02 x sets of Technical Offer (01 x Original + 01 x Copy). Each Set must contain following documents as per this order and Supplier is to mark tick ✓ against each to ensure that these documents have been attached: |                                                                                                                                                               |               |          |
| S No                                                                                                                                                                                                                                            | Document                                                                                                                                                      | Original Set  | Copy Set |
| 1.                                                                                                                                                                                                                                              | Bank Challan                                                                                                                                                  |               |          |
| 2.                                                                                                                                                                                                                                              | Principal Authorization Letter (where applicable)                                                                                                             |               |          |
| 3.                                                                                                                                                                                                                                              | Principal Invoice (Muted–without Price) (where applicable)                                                                                                    |               |          |
| 4.                                                                                                                                                                                                                                              | DP -1 Form of IT (with compliance remarks)                                                                                                                    |               |          |
| 5.                                                                                                                                                                                                                                              | DP – 2 Form of IT with compliance remarks against each clause.                                                                                                |               |          |
| 6.                                                                                                                                                                                                                                              | Technical Offer / Specs                                                                                                                                       |               |          |
| 7.                                                                                                                                                                                                                                              | Annexes of IT                                                                                                                                                 |               |          |
| 8.                                                                                                                                                                                                                                              | DP-3 form of IT (dully filled & signed)                                                                                                                       |               |          |
| 9.                                                                                                                                                                                                                                              | DGDP Registration Letter (If firm is registered with DGDP)                                                                                                    |               |          |
| 10.                                                                                                                                                                                                                                             | Income tax Filling Proof.                                                                                                                                     |               |          |
| 11.                                                                                                                                                                                                                                             | Sales Tax registration Proof.                                                                                                                                 |               |          |
| 12.                                                                                                                                                                                                                                             | CEO Name & CNIC No.                                                                                                                                           |               |          |
| 13.                                                                                                                                                                                                                                             | Imported with OEM CoC (Certificate of Conformance) compatible to preferred makes given in <b>of Annex A.</b> (Name & Country of OEM to be clearly mentioned). |               |          |
| 14.                                                                                                                                                                                                                                             | Country of Origin (Must be mentioned).                                                                                                                        |               |          |
| <b><u>Sealed Envelop 2 – Earnest Money:</u></b> This Envelop must contain Earnest Money only.                                                                                                                                                   |                                                                                                                                                               |               |          |
| <b><u>Sealed Envelop 3 – Commercial Offer:</u></b> This Envelop must contain following documents:                                                                                                                                               |                                                                                                                                                               |               |          |
| 1.                                                                                                                                                                                                                                              | Firm's Commercial Offer                                                                                                                                       | 01 x Original |          |
| 2.                                                                                                                                                                                                                                              | Principal Invoice (where applicable)                                                                                                                          | 01 x Original |          |
| 3.                                                                                                                                                                                                                                              | Dully filled DP-2 Form of IT                                                                                                                                  | 01 x Original |          |

**Firm's Declaration:** It is certified that we have submitted tender in compliance with above instructions and we understand that our offer is liable to rejection if tender is not prepared / packed as per above instructions.

**Firm's Authorized Signatures** \_\_\_\_\_

**DIRECTORATE PROCUREMENT (NAVY)**

**Directorate of Procurement (Navy)**  
Through Bahira Gate  
Near SNIDS Centre,  
Naval Residential Complex E-8  
ISLAMABAD

Contact: Reception: 051-9262306  
Bahria Gate: 0331-5540649  
Section: 051-9262309  
Email: [dpn@paknavy.gov.pk](mailto:dpn@paknavy.gov.pk)  
[adpn31pre@paknavy.gov.pk](mailto:adpn31pre@paknavy.gov.pk)

M/s \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Date \_\_\_\_\_

**INVITATION TO TENDER AND GENERAL INSTRUCTIONS**

Dear Sir / Madam,

1. DP (Navy) invites you to tender for the supply of stores/equipment/ services as per details given in attached Schedule to Tender (Form DP-2).

2. **Caution:** This tender and subsequent contract agreement awarded to the successful bidder is governed by the rules / conditions as laid down in PPRA Rules-2004 and DPP&I-35 (Revised 2024) covering general terms & conditions of contracts laid down by MoDP / DGDP. As a potential bidder, it is incumbent upon you and your firm to first acquaint yourself with PPRA Rules 2004 ([www.ppra.org.pk](http://www.ppra.org.pk)) and DPP&I-35 (Revised 2024) (print copy may be obtained from DGDP Registration Cell on Phone No. 051-9270967 before participating in the tender. If your firm / company possesses requisite technical as well financial capability, you must be registered or willing to register with DGDP to qualify for award of contract, which shall be made after security clearance and provision of required registration documents mentioned in Para 15 of this DP-1.

Understood  
agreed

☐

Understo  
not agree

☐

3. **Conditions Governing Contracts.** The 'Contract' made as result of this IT (Invitation to Tender) i.a.w PPRA Rules 2004 shall mean the agreement entered into between the parties i.e. the 'Purchaser' and the 'Seller' on Directorate General Defence Purchase (DGDP) contract Form "DP-19" in accordance with the law of contract Act, 1872 and those contained in Defence Purchase Procedure & Instructions and DP-35 (Revised 2019) and other special conditions that may be added to given contract for the supply of Defence Stores / Services specified herein.

Understood  
agreed

☐

Understo  
not agree

☐

4. **Delivery of Tender.** The tender documents covering technical and commercial offers are to be furnished as under:-

a. **Commercial Offer.** The commercial offer will be in **single copy** and indicate prices quoted in figures as well as in words in the currency mentioned in IT. It should be clearly marked in fact on a separate sealed envelope "**Commercial Offer**", tender number and date of opening. Taxes, duties, freight/transportation, insurance charges FATs, local training Foreign training, installation commissioning, services Taxes are to be indicated separately. Total price of the items quoted against the tender is to be clearly mentioned. **In case of more than one option offered by the firm**, DP(N) reserves the right to accept lowest technically accepted option if more than one options were accepted in Technical Scrutiny Report.

Understood  
agreed

☐

Understood  
not agreed

☐

b. **Technical Offer: (Where Applicable).** Should contain all relevant specifications in **DUPLICATE (or as specified in IT)** along with essential literature/brochure, drawings and compliance metrics in a separate sealed envelope and clearly marked "Technical Offer" without prices, with tender number and date of opening. Technical offer shall be opened first; half an hour after the date and time for receipt of tender mentioned in DP-2. Firms are to confirm/comply with IT technical specification in the following format:

Understood  
agreed

☐

Understood  
not agreed

☐

| S.No | Technical requirement as per IT | Firm's endorsement (Comply/ Partially Comply/ Non Comply) | Basis of C, PC of NC i.e. Refer to page or brochure | In case of non availability of enclosed proof from brochure/ Literature, quote/ attach additional documents/ data/undertaking as proof of compliance |
|------|---------------------------------|-----------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |                                 |                                                           |                                                     |                                                                                                                                                      |

(Legend: C = Fully Comply, PC = Partially Comply, NC = Not Comply)

(Firms must clearly identify where their offer does not meet or deviates from IT Specs)

c. **Special Instructions.** Tender documents and its conditions may please be read point by point and understood properly before quoting. All tender conditions should be responded clearly. **In case of any deviation due to non-acceptance of tender conditions(s), the same should be highlighted alongwith your offered conditions. Tender may however be liable to be rejected.**

Understood  
agreed

☐

Understood  
not agreed

☐

d. Firms shall submit their offers in two separate envelopes (i.e. **one copy of commercial offer** and **two copies of the technical offers** as asked in the IT) and envelopes clearly marked "Technical proposal", "Commercial proposal" in bold. The commercial offer will include rates of items/services called for and the technical offer will not indicate the rates. Both types of offers are to be enclosed in separate covers and each envelope shall be properly sealed bearing of the bidder. Each cover shall indicate type of offer, number and date of IT and IT opening date. Thereafter both the envelopes (technical and commercial offer) shall be placed in one envelope (second cover) duly sealed and signed. This cover should bear the address of the procurement agency indicating, issuance date of IT and No, with its opening date. This should be further placed in

Understood  
agreed

☐

Understood  
not agreed

☐

another cover (third cover), addressed and indicated in the tender documents, without any indication that there is a tender within it.

e. **FORM DP-1, DP-2, DP-3 and Questionnaires.** Form DP-1, DP-2 (alongwith annexes), DP-3 and Questionnaires duly filled in are to be submitted with the **technical offer** duly stamped/signed by the authorized signatory/ person. It is pertinent to mention that all these are essential requirement for participation in the tender.

Understood  
agreed

☐

Understood  
not agreed

☐

f. The tender duly sealed will be addressed to the following:-

**Directorate of Procurement (Navy)**

Through Bahira Gate

Near SNIDS Centre,

Naval Residential Complex E-8

ISLAMABAD

Contact: Reception: 051-9262306

Bahria Gate: 0331-5540649

Section: 051-9262309

Email: [dpn@paknavy.gov.pk](mailto:dpn@paknavy.gov.pk)

[adpn31pre@paknavy.gov.pk](mailto:adpn31pre@paknavy.gov.pk)

5. **Date and Time For Receipt of Tender.** Tender must reach this office by the date and time specified in the Schedule to Tender (Form DP-2) attached. This Directorate will not accept any excuse of delay occurring in post. **Tenders received after the appointed/ fixed time will NOT be entertained.** The appointed time will, however, fall on next working day in case of closed/forced holiday. Only legitimate/registered representatives of firm will be allowed to attend tender opening. In case your firm has sent tender documents by registered post or courier service, you may confirm their receipt at DP (Navy) on Phone No 051-9262306 well before the opening date / time.

Understood  
agreed

☐

Understood  
not agreed

☐

6. **Tender Opening.** Tenders will be opened as mentioned in the schedule to tender. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities of Service HQ. Date and time for opening of Commercial offer shall be intimated later. Only legitimate / registered representative of firm will be allowed to attend tender opening. Tenders received after date & time specified in DP-2 would be rejected without exception and returned un-opened i.a.w Rule 28 of PPRA-2004.

Understood  
agreed

☐

Understood  
not agreed

☐

7. **Validity of Offer.**

a. The validity period of quotations must be indicated and should invariably be **120 days from the date of opening of Commercial/ Financial Proposal** or 30th June whichever is later. Firm undertakes to extend validity of offer if required by equal number of original bid period (i.e. 120 days as per original offer) i.a.w PPRA Rule-26.

Understood  
agreed

☐

Understood  
not agreed

☐

b. The quoting firm will certify that in case of an additional requirement of the contract items (s) in any qty(s) within a period of 12 months from the date of signing the contract, these will also be supplied at the ongoing contract rates with discount.

Understood  
d agreed

☐

Understood  
d not agreed

☐

8. **Part Bid.** Firm may quote for the whole or any portion, or to state in the tender that the rate quoted, shall apply only if the entire quantity/range of stores is taken from the firm. The Director Procurement reserves the right of

Understood  
agreed

☐

Understood  
not agreed

☐

accepting the whole or any part of the tender or portion of the quantity offered, and firm shall supply these at the rate quoted.

9. **Quoting of Rates.** Only one rate will be quoted for entire quantity, item wise. In case quoted rates are deliberately kept hidden or lumped together to trick other competitors for winning contract as lowest bidder, DP(N) reserves the right to reject such offers on-spot besides confiscating firm's Earnest Money / Bid Security and take appropriate disciplinary action. Conversion rate of FE/LC components will be considered w.e.f. opening of commercial offer as per PPRA Rule-30(2).
- Understood agreed ☐ Understood not agreed ☐
10. **Return of IT.** ITs are to be handled as per following guidelines:
- a. For registered firm(s), case will be referred to DGDP for necessary administrative action if firms registered / indexed for tendered items/stores do not quote / participate.
- Understood agreed ☐ Understood not agreed ☐
- b. It is a standard practice to invite all firm(s) including those un-registered with DGDP who gave their preliminary budgetary/ technical proposals to end users / indenters. If your firm has been invited to participate in the tender, you must either participate in tender. In case of your inability to do so, you must inform DP (Navy) by a formal letter/email.
- Understood agreed ☐ Understood not agreed ☐
11. **Withdrawal of Offer.** Firms **shall not withdraw** their commercial offers before signing of the contract and within validity period of their offers. In case the firm withdraws its offer within validity period and before signing of the contract, **Earnest Money of the firm shall be confiscated and disciplinary action may also be initiated for embargo up to 01 year.**
- Understood agreed ☐ Understood not agreed ☐
12. **Provision of Documents in case of Contract.** In case any firm wins a contract, it will deposit following documents before award of contract:
- a. Proof of firm's financial capability.
- b. Foreign Seller has to provide its Registration Number issued by respective Department of Commerce authorizing export of subject stores.
- c. Principal/Agency Agreement.
- d. Registration with DGDP (Provisional Registration is mandatory)
- Understood agreed ☐ Understood not agreed ☐
13. **Treasury Challan.**
- a. Offers by registered firms must be accompanied with a Challan form of Rs.200/- (obtainable from State Bank of Pakistan/Government Treasury) and debit able to Major Head C02501-20, Main Head-12, Sub Head 'A' Miscellaneous (Code Head 1/845/30). **Each offer will be covered by one Challan.**
- Attached ☐ Not Attached ☐
- b. Firms, un-registered / un-indexed with DGDP (Registration Section) are) to participate in the tender by submitting Challan Form of Rs 300 in favour of CMA (DP).
- Attached ☐ Not Attached ☐
14. **EARNEST MONEY/TENDER BOND:-** PLEASE ENSURE EARNEST MONEY IS CONTAINED IN A SEPARATE ENVELOP (NOT INSIDE TECHNICAL OR COMMERCIAL OFFER). OFFER IS LIABLE TO BE REJECTED IN CASE EARNEST MONEY IS PACKED INSIDE COMMERCIAL OR TECHNICAL OFFER. YOUR TENDER MUST BE ACCOMPANIED BY A CALL DEPOSIT RECEIPT (CDR) IN FAVOR OF CMA (DP), RAWALPINDI FOR THE FOLLOWING AMOUNTS:-
- a. **Submitting improper Earnest Money.** Earnest Money/Bid Security furnished with tender is strictly in conformity of tender/IT conditions (Clause

14 of DP-1 and clause 10 of DP-2) on the subject. We have no objection on confiscation of Earnest Money/Bid security and rejection of our offer in case amount of Earnest Money/Bid Security is improper / insufficient in violation of IT condition.

b. **Rates for Contract.** The rate of earnest money and its maximum ceil for different categories of firms would be as under:-

(i) **Registered/Indexed/Pre-Qualified Firms.** 2% of the quoted value subject to maximum ceiling of Rs. 0.500 Million.

(ii) **Registered/Pre-Qualified but Un-indexed Firms.** 3% of the quoted value subject to maximum ceiling of Rs.0.750 Million.

(iii) **Unregistered/not Pre-Qualified/Un-indexed Firms.** 5% of the quoted value subject to maximum ceiling of Rs. 1.000 Million.

c. **Return of Earnest Money**

(i) Earnest money to the **unsuccessful bidders** will be returned on finalization of the contract.

(ii) Earnest money of the firm/firms with whom contract is concluded will be returned on submission of Bank Guarantee and its acceptance by CMA (DP).

15. **Documents for provisional registration:** In case your firm wins a contract on Earnest Money (EM) , it will deposit following documents to DGDP (Registration Section) before the award of contract for provisional registration:-

Understood  
agreed

Understood  
Not agreed

☐
☐

| S No | Local Supplier                                                | Foreign Supplier                                                                                  |
|------|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| a.   | Three filled copies of SVA-8121 of each member of management. | Three filled copies of SVA-8121-D of each member of management.                                   |
| b.   | Three filled copies of SVA-8121-A                             | Three filled copies of SVA-8121.                                                                  |
| c.   | Three photocopies of NIC for each member of management.       | Three photocopy of Resident Card or equivalent identification Card for each member of management. |
| d.   | Three PP size photographs for each member of management.      | Three PP size Photographs for each member of management.                                          |
| e.   | Challan Form                                                  | Challan Form                                                                                      |
| f.   | Bank Statement for last one year.                             | Financial standing/audit balance sheet                                                            |
| g.   | Photocopy of NTN                                              | Photocopy of passport                                                                             |
| h.   | Foreign Principal Agency Agreement in case of local agent.    | Agency Agreement in case of Trading House/ Company/ Exporter /Stockiest etc.                      |

16. **Inspection Authority.** CINS, Joint Inspection will be carried out by INS, Consignee & Specialist User or a team nominated by Pakistan Navy. CINS inspection shall be as prescribed in DPP & I-35 (Revised 2024) or as per terms of the contract.

Understood  
agreed

Understood  
not agreed

☐
☐

17. **Condition of Stores.** Brand new stores will be accepted on Firm's Warranty/Guarantee Form DPL-15 enclosed with contract.

Understood  
agreed

Understood  
not agreed

☐
☐

18. **Documents Required.** Following documents are required to be submitted along with the quote:

☐
☐

a. The firm/supplier shall provide correct and valid e-mail and Fax No to CINS and DP (N). Supplier/contracting firm shall either provide OEM Conformance Certificate to CINS or is to be e-mailed to CINS under intimation to DP (Navy). Hard copy of COC must follow in any case through courier. On receipt, CINS shall approach the OEM for verification of Conformance Certificates issued by OEM. Companies/firms rendering false OEM Conforming Certificates will be blacklisted.

b. Original quotation/Principal/OEM proforma invoice.

c. In case of bulk proforma invoice, a certificate that prices indicated in the bulk proforma invoice have not been decreased since the date of bulk proforma invoice from the manufacturers/suppliers.

d. Submit breakup of cost of stores/services on the following lines:

(i) Imported material with break down item wise along-with import duties.

(ii) Variable business overheads like taxes and duties imposed by the federal/provincial government as applicable:-

(1) General Sales Tax

(2) Income Tax

(3) Custom Duty. PCT code along with photocopy of the related page is to be attached where applicable.

(4) Any other tax/duty.

(iii) Fixed overhead charges like labour, electricity etc.

(iv) Agent commission/profit, if any.

(v) Any other expenditure/cost/service/remuneration as asked for in the tender.

19. **Rejection of Stores/Services.** The stores/services offered as a result of contract concluded against this tender may be rejected as follows:

a. 1<sup>st</sup> rejection on Govt. expense

b. 2<sup>nd</sup> rejection on supplier expense

c. 3<sup>rd</sup> rejection contract cancellation will be processed on RE basis.

Understood  
agreed

☐

Understood  
agreed

☐

20. **Security Deposit/Bank Guarantee .** To ensure timely and correct supply of stores the firm will furnish an unconditional Bank Guarantee (BG in the currency in which contract is concluded) from a schedule Bank of Pakistan for an amount upto 10 % of the contract value (excluding Taxes, duties/freight handling charges) on a Judicial Stamp Paper (All pages) of the value of (Rs 100.00) as per prescribed format or in shape of CSD/Bank draft. The Bank Guarantee shall be endorsed in favour of CMA (DP) Rawalpindi who is the Accounts Officer specified in the contract. The CMA (DP) Rawalpindi has the like power of seeking encashment of the Bank Guarantee as if the same has been demanded by the purchaser himself. The Bank Guarantee shall be produced by the supplier within 30 days after signing of contract by both parties and remain valid for upto 60 days after completion of warranty period and remain in force till one year ahead of the delivery date given in the contract. If delivery period is extended, the supplier shall arrange the extension of Bank Guarantee within 30 days after the original delivery period to keep its validity always one year ahead of the extended delivery period. The BG form can be obtained from DP (N) on e-mail address given on page 1. Format of BG is enclosed at Annex B.

Understood  
agreed

☐

Understood  
not agreed

☐

21. **Integrity Pact.** There shall be "zero tolerance" against bribes, gifts, commission and inducement of any kind or their promises thereof by Supplier / Firm to any Government official / staff whether to solicit any undue benefit, favour

Understood  
agreed

☐

Understood  
not agreed

☐

or otherwise. Following provisions must be clearly read & understood for strict compliance:

a. Integrity Pact shall be applicable to all tenders / contracts irrespective of their financial value. However, a written Integrity Pact shall be signed for contracts exceeding Rs 10 Million between the procuring agency and the supplier / contractor i.a.w Rule-7 of PPRA-2004. The form is available at [www.ppra.org.pk](http://www.ppra.org.pk) or can be requested at [dpnavy@paknavy.gov.pk](mailto:dpnavy@paknavy.gov.pk)

b. If a Supplier / Contractor is found involved in any unbusiness-like / unethical activity, same would be considered a serious breach of the Integrity Pact. DP (Navy) shall take severe disciplinary action against that person(s) and the firm / company, which may include, but not limited to, **PERMANENT BLACKLISTING** of firm / company through DGDP and legal action against the individual (s) involved as per Pakistan's Code of Criminal Procedure.

c. It is strictly forbidden to socialize, call or meet any official / staff of DP (Navy) in private or during off hours. If any official / staff from Purchaser side asks for any undue favour or gratification directly or indirectly, the matter is to be immediately brought to the personal notice of Director Procurement (Navy) on Tel: 051-9271468 or through a personal meeting in office. Privacy of firms and their Reps sharing such information will be guaranteed without any prejudice to their normal business activities.

22. **Correspondence.** All correspondence will be addressed to the Purchaser i.e. DP (Navy). Correspondence with regard to payment or issue of delivery receipt may be addressed to CMA Rawalpindi & Consignee respectively with copy endorsed to the DP (Navy).

|                          |                          |
|--------------------------|--------------------------|
| Understood<br>agreed     | Understood<br>not agreed |
| <input type="checkbox"/> | <input type="checkbox"/> |

23. **Pre-shipment Inspection.** PN may send a team of officers including DP(N) member for the inspection of major equipment's and machinery items at OEM premises as per terms of contract. If not already provided for and mentioned in the I.T, firm(s) must clarify the place, number of persons, duration and whether expenses on such visits would be borne by the Purchaser or Contractor. **In case contractor is responsible for bearing such expenses, detailed breakdown of the same should be given separately in the commercial offer.**

|                          |                          |
|--------------------------|--------------------------|
| Understood<br>agreed     | Understood<br>not agreed |
| <input type="checkbox"/> | <input type="checkbox"/> |

24. **Amendment to Contract.** Contract may be amended/modified to include fresh clause (s) modify the existing clauses with the mutual agreement by the supplier and the purchaser; such modification shall form an integral part of the contract.

|                          |                          |
|--------------------------|--------------------------|
| Understood<br>agreed     | Understood<br>not agreed |
| <input type="checkbox"/> | <input type="checkbox"/> |

25. **Discrepancy.** The consignee will render a discrepancy report to all concerned within 60 days after receipt of stores for discrepancies found in the consignment. The quantities found short are to be made good by the supplier, free of cost.

|                          |                          |
|--------------------------|--------------------------|
| Understood<br>agreed     | Understood<br>not agreed |
| <input type="checkbox"/> | <input type="checkbox"/> |

26. **Force Majeure.**

a. The supplier will not be held responsible for any delay occurring in supply of equipment due to event of Force Majeure such as acts of God, War, Civil commotion, Strike, Lockouts, Act of Foreign Government and its agencies and disturbance directly affecting the supplier over which events or circumstances the supplier has no control. In such an event the supplier shall inform the purchaser within 15 days of the happening and within the

|                          |                          |
|--------------------------|--------------------------|
| Understood<br>agreed     | Understood<br>not agreed |
| <input type="checkbox"/> | <input type="checkbox"/> |

same timeframe about the discontinuation of such circumstances/happening in writing. Non-availability of raw material for the manufacture of stores, or of export permit for the contracted stores from the country of its origin, shall not constitute Force Majeure.

b. The Supplier shall provide the Purchaser with all the necessary proof of the occurrence of the events and its effect on the contract performance within 30 days from the start to force majeure event.

c. The Purchaser shall be entitled to conduct investigation into the cause of delay reported by the Supplier.

d. Where the delay was due to genuine force majeure event it shall extend the delivery for a period of equal to the period in which such force majeure remains operative.

e. Such extension in delivery period, due to force majeure, shall not entitle the Suppliers to claim any extra from the Purchaser.

27. **Arbitration.** Parties shall make their attempt to settle all disputes arising under this contract through friendly discussions in good faith. In the event that either party shall perceive such friendly discussion to be making insufficient progress towards settlement of dispute (s) at any time, then such party may be written notice to the other party refer the dispute (s) to final and binding arbitration as provided below:

Understood  
agreed

☐

Understood  
not agreed

☐

a. The dispute will be referred for adjudication to two arbitrators one to be nominated by each party, who before entering upon the reference shall appoint an umpire by mutual agreement, and if they do not agree a judge of the Superior court shall be requested to appoint the umpire. The arbitration proceedings shall be held in Pakistan and under Pakistani Law.

b. The venue of the arbitration shall be the place from which the contract is issued or such other places as the Purchaser at his discretion may determine.

c. The arbitration award shall be firm and final.

d. In course of arbitration the contract shall be continuously be executed except that part which is under arbitration

e. All proceedings under this clause shall be conducted in English language and in writing

28. **Court of Jurisdiction.** In case of any dispute only court of jurisdiction at Rawalpindi, Pakistan shall have jurisdiction to decide the matter.

Understood  
agreed

☐

Understood  
not agreed

☐

29. **Liquidated Damages (LD).** Liquidated Damages upto 2% per month are liable to be imposed on the suppliers by the purchaser in accordance with DP-35, if the stores supplied after the expiry of the delivery date without any valid reasons. Total value of LD shall not exceed 10% of the contract value.

Understood  
agreed

☐

Understood  
not agreed

☐

30. **Risk Purchase.** In the event of failure on the part of supplier to comply with the contractual obligations the contract will be cancelled at the Risk and Expense (RE) of the supplier in accordance with DP-35.

Understood  
agreed

☐

Understood  
not agreed

☐

31. **Compensation Breach of Contract.** If the contractor fails to supply the contracted stores or contract is cancelled either on RE or without RE or contract become ineffective due to default of supplier / seller or stores / equipment declared defective and caused loss to the Government, contractor shall be liable to pay to the Government compensation for loss or inconvenience resulting for his default or from the rescission of his contract when such default or rescission take place such compensation will be in excess to the RE amount, if imposed by the competent authority. Compensation amount in terms of money will be decided by the purchase officer and will be deposited by contractor / seller in Government treasury in the currency of contract.

Understood  
agreed

☐

Understood  
not agreed

☐

32. **Gratuities/Commission/Gifts.** No commission, rebate, bonus, fee or compensation in any form shall be paid to any local or foreign agent, consultant representative, sales promoter or any intermediary by the Manufacturer/Supplier except the agent commission payable as per the agent commission policy of the government and as amended from time to time and given in the contract. Any breach of such clause(s) of the contract by Manufacturer/Supplier and/or their sole nominated representative may result in cancellation of the contract blacklisting of the Manufacturer/Supplier financial penalties and all or any other punitive measure which the purchaser may consider appropriate.

Understood  
agreed

☐

Understood  
not agreed

☐

33. **Termination of Contract.**

a. If at any time during the currency of the contract the Purchaser decides to terminate the contract for any reason whatsoever (other than for reasons of Non-Delivery) he shall have right to do so by giving the Supplier a registered notice to that effect. In that event the Purchaser will accept delivery at the contract price and terms of such stores/goods/services which are in the actual process of manufacture that is completed and ready for delivery within thirty days after receipt by the Supplier of such notice.

Understood  
agreed

☐

Understood  
not agreed

☐

b. In the case of remainder of the undelivered stores/goods/services the Purchaser may elect either:

(i) To have any part thereof completed and take the delivery thereof at the contract price or.

(ii) To cancel the remaining quantity and pay to the Supplier for the articles or sub-components or raw materials purchased by the Supplier and are in the actual process of manufacture at the price to be determined by the Purchaser. In such a case materials in the process of manufacture shall be delivered by the Supplier to the Purchaser.

(iii) No payment shall however be made for any materials not yet in the actual process of manufacture on the date notice of cancellation is received.

c. Should the Supplier fail to deliver goods/services in time as per quality terms of contract or fail to render Bank Guarantee within the stipulated time period or any breach of the contract the Purchaser reserves

the right to terminate/cancel the contract fully or any part thereof at the risk and expense (RE) of the Supplier.

- |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                  |                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------|
| 34. <b><u>Rights Reserved.</u></b> Directorate of Procurement (Navy), Rawalpindi reserves full rights to accept or reject any or all offers including the lowest. Grounds for such rejections may be communicated to the bidder upon written request, but justification for grounds is not required as per PPRA Rule 33 (1).                                                                                | Understood<br>agreed<br><input type="checkbox"/> | Understood<br>not agreed<br><input type="checkbox"/> |
| 35. <b><u>Application of Official Secrets Act, 1923.</u></b> All the matters connected with this enquiry and subsequent actions arising there from come within the scope of the Official Secrets Act, 1923. You are, therefore, requested to ensure complete secrecy regarding documents and stores concerned with the enquiry and to limit the number of your employees having access to this information. | Understood<br>agreed<br><input type="checkbox"/> | Understood<br>not agreed<br><input type="checkbox"/> |
| 36. <b><u>Acknowledgment.</u></b> Firms will send acknowledgement slips within 07 days from the date of downloading of IT from the PPRA Website i.e. <a href="http://WWW.PPRA.ORG.PK">WWW.PPRA.ORG.PK</a>                                                                                                                                                                                                   | Understood<br>agreed<br><input type="checkbox"/> | Understood<br>not agreed<br><input type="checkbox"/> |
| 37. <b><u>Disqualification.</u></b> Offers are liable to be rejected if:-                                                                                                                                                                                                                                                                                                                                   |                                                  |                                                      |
| a. Received later than appointed/fixed date and time.                                                                                                                                                                                                                                                                                                                                                       | Understood<br>agreed                             | Understood<br>not agreed                             |
| b. Offers are found conditional or incomplete in any respect.                                                                                                                                                                                                                                                                                                                                               |                                                  |                                                      |
| c. There is any deviation from the General /Special/Technical Instructions contained in this tender.                                                                                                                                                                                                                                                                                                        | <input type="checkbox"/>                         | <input type="checkbox"/>                             |
| d. Forms DP-1, DP-2 (along with Annexes), and DP-3 duly signed, are NOT received with the <b>technical offer</b> .                                                                                                                                                                                                                                                                                          |                                                  |                                                      |
| e. Taxes and duties, freight/transportation and insurance charges NOT indicated separately as per required price breakdown mentioned at Para17                                                                                                                                                                                                                                                              |                                                  |                                                      |
| f. Treasury challan is NOT attached with the technical offer.                                                                                                                                                                                                                                                                                                                                               |                                                  |                                                      |
| g. Multiple rates are quoted against one item.                                                                                                                                                                                                                                                                                                                                                              |                                                  |                                                      |
| h. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.                                                                                                                                                                                                                                                                     |                                                  |                                                      |
| j. Subject to restriction of export license.                                                                                                                                                                                                                                                                                                                                                                |                                                  |                                                      |
| k. Offers (commercial/technical) containing non-initialed/unauthenticated amendments/corrections/overwriting.                                                                                                                                                                                                                                                                                               |                                                  |                                                      |
| l. If the authorization letter/agency/dealership distribution agreement is not attached or if the validity of the same is expired.                                                                                                                                                                                                                                                                          |                                                  |                                                      |
| m. The commercial offer against FOB/CIF/C&F tender is quoted in local currency and vice versa.                                                                                                                                                                                                                                                                                                              |                                                  |                                                      |
| n. Principals invoice in duplicate clearly indicating whether prices quoted are inclusive or exclusive of the agent commission is not enclosed.                                                                                                                                                                                                                                                             |                                                  |                                                      |
| p. Earnest money is not provided.                                                                                                                                                                                                                                                                                                                                                                           |                                                  |                                                      |
| q. Earnest Money is not provided with the technical offer (or as specified).                                                                                                                                                                                                                                                                                                                                |                                                  |                                                      |
| r. If validity of offer is not quoted as required in IT or made subject to confirmation later.                                                                                                                                                                                                                                                                                                              |                                                  |                                                      |
| s. Offer made through Fax/E-mail/Cable/Telex.                                                                                                                                                                                                                                                                                                                                                               |                                                  |                                                      |
| t. If offer is found to be based on cartel action in connivance with other sources/ participants of the tender.                                                                                                                                                                                                                                                                                             |                                                  |                                                      |
| u. If OEM and principal name and complete address is not mentioned.                                                                                                                                                                                                                                                                                                                                         |                                                  |                                                      |
| v. Original Principal Invoice is not attached with offer.                                                                                                                                                                                                                                                                                                                                                   |                                                  |                                                      |
| 38. <b><u>Appeals by Supplier/Firm.</u></b> Any aggrieved Supplier/Firm against the decision of DP (N) or CINS or any other problematic area towards the execution of the contract may prefer an Appeal to Standing Appeal Committee (SAC)                                                                                                                                                                  | Understood<br>agreed<br><input type="checkbox"/> | Understood<br>not agreed<br><input type="checkbox"/> |

comprising PN Officers and military finance rep at Naval headquarters, Islamabad.  
The detail and timeline for preferring appeals is given below:

| S.No. | Category of Appeal                     | Limitation Period          |
|-------|----------------------------------------|----------------------------|
| a.    | Appeals for liquidated damages         | Within 30 days of decision |
| b.    | Appeals for reinstatement of contracts | Within 30 days of decision |
| c.    | Appeals for risk & expense amount      | Within 30 days of decision |
| d.    | Appeals for rejection of stores        | Within 30 days of decision |
| e.    | Appeals in all other Cases             | Within 30 days of decision |

39. **Limitation.** Any appeal received after the lapse of timelines given in para 38 above shall not be entertained.

Understood  
agreed

Understood  
not agreed

☐
☐

40 **Secrecy/ Non Disclosure Agreement (NDA).** The Supplier shall undertake as per attached Annex C that any information about the sale/purchase Of stores under this contract shall not be communicated to any person other than the manufacturer of the stores, or to any press or Agency not authorized by DP(N) To receive it. Any breach of it shall be punishable under the Official Secrets Act, 1923 in addition to termination of the contract at the risk of the supplier.

Understood  
agreed

Understood  
not agreed

☐
☐

41. **For Firms not Registered with DGDP.** Firms not registered with DGDP undertake to apply for registration with DGDP prior signing of Contract. Details can be found on DGDP website [www.dgdp.gov.pk](http://www.dgdp.gov.pk). These firms can participate in tender iaw paras 12 and 14 above and provision of documentary proof regarding financial status of the firm alongwith NTN and GST registration copies.

Understood  
agreed

Understood  
not agreed

☐
☐

42. Firms which are not registered with DGDP should initiate provisional registration in accordance with Para 41. Besides, ground check by Field Security (FS) Team will be made for security clearance related to participation in the tender after technical opening. Firms undertake to provide following documents for ground check by FS Team:

Understood  
agreed

Understood  
not agreed

☐
☐

- a. NTN
- b. Income Tax Return
- c. Sales Tax Return
- d. Sales Tax Certificate
- e. Chamber of Commerce Industry Certificate
- f. Professional Tax Certificate (Excise & Taxation)
- g. Office/Home/Ware House Property documents
- h. Utility Bills (Phone/Electricity)
- j. Firm Vehicle/Personal Vehicle
- k. CEO Visiting Card/NIC Copy, 03Xspecimen signature of CEO
- l. DGDP Registration letter
- m. Firm Bank Statement
- n. Non Black List Certificate
- p. 2 X Witness + CNIC and Mobile Numbers
- q. Police Verification
- r. Agency Agreement
- s. OEM Certificate
- t. ISO Certificate
- u. Stock List with value
- v. Company Profile/Broachers
- w. Employees List
- x. Firm Categories
- y. Sole Proprietor Certificate
- z. Partnership Deed
- aa Pvt l imited

- ab. Memorandum of Articles
- ac. Form 29 and Form A
- ad. Incorporation Certificate

- |                                                                                                                                                                                                                               |                          |                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| 43. We solemnly undertake that all IT clauses marked as "Understood & Agreed" shall not be changed / withdrawn after tender opening. The IT provisions accepted shall form the baseline for subsequent contract negotiations. | Understood<br>agreed     | Understood<br>not agreed |
|                                                                                                                                                                                                                               | <input type="checkbox"/> | <input type="checkbox"/> |
| 44. The above terms and conditions are confirmed in total for acceptance.                                                                                                                                                     | Understood<br>agreed     | Understood<br>not agreed |
|                                                                                                                                                                                                                               | <input type="checkbox"/> | <input type="checkbox"/> |
| 45. Format of DPL-15 (warranty form) and PBG are enclosed as Annex A & B.                                                                                                                                                     |                          |                          |

Sincerely yours,

\_\_\_\_\_  
(To be Signed by Officer Concerned)

Rank: \_\_\_\_\_

NAME: \_\_\_\_\_

**DPL-15 (WARRANTY)**

FIRM'S NAME: M/s \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1. We hereby guarantee that the articles supplied under the terms of this contract are produced new in accordance with approved drawings/specification and in all respect in accordance with the terms of the contract, and the materials used whether or not of our manufacture are in accordance with the latest appropriate standard specifications, as also in accordance with the terms of complete of good workmanship throughout and that we shall replace FOR/DDP Karachi free of cost every article or part thereof use or in use shall be found defective or not within the limits and tolerance of specifications requirement or in any way not in accordance with the terms of the contract.

2. In case of our failure to replace the defective stores free of cost within a reasonable period, we shall refund the relevant cost FOR/DDP Karachi Basis (As the case may be in currency in with received).

3. This warranty shall remain valid for **01 Years** for all defects in hardware after the acceptance of stores by the end user

The signature must be the same as that on the tender/contract, or if otherwise must be shown to be the signature of a person capable of giving a guarantee on behalf of the contractor



SIGNATURE\_\_\_\_\_

DATE\_\_\_\_\_

PLACE\_\_\_\_\_

**BANK GUARANTEE FOR PERFORMANCE ON  
JUDICIAL STAMP PAPER OF RS. 100/- OR  
AS SUITABLE TO THE AMOUNT OF BG**

- (i) Contract No. \_\_\_\_\_ dated \_\_\_\_\_  
(ii) Name of Firm/Contractor \_\_\_\_\_  
(iii) Address of Firm/Contractor \_\_\_\_\_  
(iv) Name of Guarantor \_\_\_\_\_  
(v) Address of Guarantor \_\_\_\_\_  
(vi) Amount of Guarantee Rs. \_\_\_\_\_  
( \_\_\_\_\_ )  
(in words)  
(vii) Date of expire of Guarantee \_\_\_\_\_

**To: The President of Islamic Republic of Pakistan through the  
Controller of Military Accounts (Defence Purchase) Rawalpindi.**

Sir,

1. Whereas your good self have entered into Contract No. \_\_\_\_\_ dated \_\_\_\_\_  
\_\_\_\_\_ with Messer's \_\_\_\_\_  
\_\_\_\_\_

(Full Name and Address)

hereinafter referred to as our customer and that one of the conditions of the Contract is the submission of unconditional Bank Guarantee by our customer to your good self for a sum of Rs. \_\_\_\_\_  
Rupees/FE (as applicable) \_\_\_\_\_

2. In compliance with this stipulation of the contract, we hereby agree and undertake as under: -

a. To pay to you unconditionally on demand and/or without any reference to our Customer and amount not exceeding the sum or Rs. \_\_\_\_\_ Rupees or FE (as applicable) \_\_\_\_\_ as would be mentioned in your written Demand Notice.

b. To keep this Guarantee in force till \_\_\_\_\_.

c. That the validity of this Bank Guarantee shall be kept one clear year ahead of the original/extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from our Customer i.e. M/s \_\_\_\_\_ or from your office. Claim, if any must be duly received by us on or before this day. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of the validity of this Bank Guarantee. Claim received thereafter shall not be entertained by whether you suffer a loss or not. On receipt of payment under this guarantee, this document i.e. Bank Guarantee must be clearly cancelled, discharged and returned to us.

d. That we shall inform your office regarding termination of the validity of this Bank Guarantee one clear month before the actual expiry date of this Guarantee.

e. That with the consent of our customer you may amend/alter any term/clause of the contract or add/delete any term/clause to/from this contract without making any reference to us. We do not reserve any right to receive any such amendment/alternation or addition/deletion provided such like actions do not increase our monetary liability under this Bank Guarantee which shall be limited only to Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_).

f. That the Bank Guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer/Seller or Vendor.

g. That this an unconditional Bank Guarantee, which shall be encashed on sight on presentation without any reference to our Customer/Seller or Vendor.

**Guarantor**

Dated: \_\_\_\_\_

\_\_\_\_\_

(Bank Seal and Signatures)

**AFFIDAVIT/UNDERTAKING**  
**(WORTH RS. 100/- ON JUDICIAL STAMP PAPER)**

Mr \_\_\_\_\_ Authorized signatory/  
Partner/MD of M/s \_\_\_\_\_, do hereby solemnly affirm to DGP  
(Army), DP (Navy), DP (Air) and Directorate General Defence Purchase, Ministry  
of Defence Production, Rawalpindi that our firm M/s \_\_\_\_\_  
has applied for registration with Director General Defence Purchase (DGDP) duly  
completed all the documents required by registration section on \_\_\_\_\_ (date)  
i.e before signing the contract. I certify that the above mentioned statement is  
correct. In case it is detected on any stage that our firm has not applied for  
registration with Director General Defence Purchase or statement given above is  
incorrect, our firm will be liable for disciplinary action initiated (i.e debarring, the  
firm do business with other Defence Establishment and Govt. Agencies). I also  
accept that any disciplinary action taken will not be challenged in any Court of  
Law.

|                |                           |
|----------------|---------------------------|
|                | Signature _____           |
| Station: _____ | Name : _____              |
| Date: _____    | Appointment in Firm _____ |

**ATTESTED BY OATH COMMISSIONER WITH STAMP**

**INVITATION TO TENDER FORM**

1. Schedule to Tender No. **2690401/R-2608/310022** dated **28-07-2026**. This tender will be closed for Acceptance at **1030** Hours and will be opened at **1100** Hours on. **08-09-2026** Please drop tender in the Tender Box No **201**.
2. You are requested to please use this Performa for price quotation, fill in the prices, affix your stamp on the same, sign it and forward it in original as your Commercial offer along with the covering letter of your firm. If you do not use this form as price quotations your offer might be rejected.
3. you are requested to please attach DP-1 and DP-3 alongwith your quotation duly signed & stamped. Same are available at [www.ppra.org.pk](http://www.ppra.org.pk).

| S NO | DETAIL OF STORES                                                                                                                                                                                                                                                                                                                                                     | QTY                      | UNIT PRICE<br>without<br>GST | TOTAL PRICE<br>without<br>GST |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------|-------------------------------|
| 1.   | <b>PROCUREMENT AND INSTALLATION OF FIRE SUPPRESSION SYSTEM ALONWITH ACCESSORIES &amp; DELIVERABLES AT PN TELECOM (WEST), JNB ORMARA</b><br><br><b><u>Detailed:</u></b><br><b><u>Technical</u>      <u>Specification</u>      <u>Special</u></b><br><b><u>Instructions:</u></b> As per Annex A.<br><b><u>General Requirement/Instructions:</u></b><br>As per Annex B. | As per Annex A of Indent |                              |                               |

**Terms & Conditions**

1. **Terms of Payment.** As per Annex B (Para – 2).
2. **Origin of OEM.** **(Must be filled)**  
Imported with OEM CoC (Certificate of Conformance) compatible to preferred makes given in **of Annex A.** (Name & Country of OEM to be clearly mentioned).
3. **Origin of Stores.** **(Must be filled)**  
Imported (Actual country (place) of manufacturer to be indicated).
4. **Technical Scrutiny Report.** Required
5. **Delivery Period.** within **06** Months
6. **Currency.** Pak Rupee
7. **Basis for acceptance.** CDE on FOR/DDP Karachi Basis

8. **Bid validity.** The validity period of quotations must be indicated **and should invariably be 120 days from the date of opening of Commercial / Financial Proposal or 30th June whichever is later.** Firm undertakes to extend validity of offer if required by equal number of original bid period (i.e. 120 days as per original offer) i.a.w PPRA Rule-26.

9. **Tendering procedure** **Single Stage- Two Envelope** bidding procedure will be followed. PPRA Rule 36 refers.

10. **Earnest Money/Tender Bond:-** Your tender must be accompanied by a **Pay Order/Demand draft/Call Deposit Receipt (CDR)** in favor of **CMA (DP)** in separate envelope, Rawalpindi for the following amounts:-

**Submitting improper Earnest Money.** Earnest Money/Bid Security furnished with tender is strictly in conformity of tender/IT conditions (Clause 14 of DP-1 and clause 10 of DP-2) on the subject. **We have no objection on confiscation of Earnest Money/Bid security and rejection of our offer in case amount of Earnest Money/Bid Security is improper / insufficient in violation of IT condition.**

a. **Rates for Contract.** The rate of earnest money and its maximum ceil for different categories OF FIRMS would be as under:-

(i) **Registered/Indexed/Pre-Qualified Firms.** **2%** of the quoted value subject to maximum ceiling of Rs. 0.500 Million.

(ii) **Registered/Pre-Qualified but Un-indexed Firms.** **3%** of the quoted value subject to maximum ceiling of Rs. 0.750 Million.

(iii) **Unregistered/not Pre-Qualified/Un-indexed Firms.** **5%** of the quoted value subject to maximum ceiling of Rs. 1.000 Million.

b. **Return of Earnest Money**

(i) Earnest money to the unsuccessful bidders will be returned on finalization of the contract.

(ii) Earnest money of the firm/firms with whom contract is concluded will be returned on submission of Bank Guarantee and its acceptance by CMA (DP).

c. Copy of EM must be attached with Technical Offer as proof after hiding the amount with black Bold Marker.

11. **Special Note.**

All Participating firms must submit technical offers in duplicate (one for TSR committee and one for DP (Navy) record).

a. Unregistered (Not registered with Directorate General Defense Purchase) firms must provide the documentary evidence of their financial capability to undertake the project.

b. Unregistered firms are to submit a certificate along with their Technical offer stating that the firm is not black listed by any government organization and not under disciplinary trial or embargo.

c. Only registered suppliers on Active Taxpayers List (ATL) of FBR are eligible to participate in the Tender and submit quote.

d. Release of payments is subject to mandatory submission of Filer Certificate duly issued by FBR showing the name of supplier on

Active Taxpayers List (ATL). No payment will be released by CMA (DP) unless latest Filer Certificate duly issued by FBR showing the name of supplier on its Active Taxpayers list is submitted alongwith payment documents.

e. In case of Pakistani firms, sales tax, NTN and income tax registration certificates are to be attached with the offer. These certificates are mandatory with the BID, otherwise offer shall be **REJECTED**.

f. Company registration certificates are to be attached with offer.

g. Requisite amount of earnest money (in shape of CDR/Demand Draft/Pay Order in the favour of CMA (DP)) is to be attached **in separate envelop in sealed condition with the Technical Offer**. Photocopy of the same shall also be attached with DP-2 as a testimony. **Cheques / crossed cheques shall not be accepted. Technical offers received without earnest money shall not be accepted and will be rejected on spot.**

h. Duly completed Form DP-1 and DP-3 are to be attached with Technical Offer.

j. DP-2 Form shall also be submitted with Technical Offer without mentioning of prices. Moreover, compliance or otherwise against each para/requirement of Annex A & B duly signed & stamped by firm authorized rep is to provide for technical scrutiny.

k. Price preference is admissible to local manufacturers over foreign vendors as per PPRA Rule 24 and Govt. of Pakistan (Ministry of Commerce) SRO 827 (I)/2001.

l. The Supplier shall undertake as per attached Annex C that any information about the sale/purchase of stores under this contract shall not be communicated to any person other than the manufacturer of the stores, or to any press or Agency not authorized by DP (N) to receive it.

Any breach of it shall be punishable under the Official Secrets Act, 1923 in addition to termination of the contract at the risk of the Supplier.

Note: **In case of failure to comply above instructions, Terms and conditions, offer will liable for rejection.**

|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |      |             |
|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|-------------|
| S<br>No                                               | TECHNICAL SPECIFICATIONS FOR PROCUREMENT AND INSTALLATION OF FM-200<br>FIRE SUPPRESSION SYTEM AT PN TELECOM (WEST)                                                                                                                                                                                                                                                                                                                                                                                          |     |      | Firms Reply |
|                                                       | TECHNICAL SPECIFICATIONS OF FM-200 FIRE SUPPRESSION SYSTEM                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |      |             |
| 1.                                                    | HFC-227EA (FM-200) Fire Suppression System, Fire Detection System brands PEMALL USA & VES USA - UL listed and FM approved is a clean agent fire suppression system that protects high-value assets from fire and the effect of fire-fighting, allowing normal operation to be resumed quickly with no collateral damage and clean-up costs. SEVO / FireTrace – USA Fire protection is at the forefront of new technologies in fire safety, offering a range of state-of-the-art fire extinguishing systems. |     |      |             |
| A. FM-200 FIRE SUPPRESSION SYSTEM - SWITCH ROOM       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |      |             |
| S. No                                                 | Items Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Qty | Unit |             |
| a.                                                    | Factory Filled Per KG (HFC-227ea - UL/FM) - Model PEMALL 227                                                                                                                                                                                                                                                                                                                                                                                                                                                | 48  | KG   |             |
| b.                                                    | PEMALL 227™-(360 PSI)-LP SERIES ENGINEERED 155 LB. - S.S. RED COLOR CYL. ASSEMBLY (FILLING RANGE 30 TO 68.9KG) - W/ 1-1/2" S.S .VALVE ASSEMBLY C/W TOP CAP ADAPTER,PRESSURE GAUGE W/GUARD, PRESSURE SWITCH GUARD & CYL.MOUNTING BRACKET. MODEL # H3-SS-0155-1.5,UL/FM Approved Make: PEMALL USA                                                                                                                                                                                                             | 01  | No.  |             |
| c.                                                    | 1-1/2" NPT Rubber Flexible Cylinder Hose for 155 / 255 LB. CYL Model: FH-0150 Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                              | 01  | No.  |             |
| d.                                                    | Latching Solenoid with Supervision and Local Manual Control Head Model: LMCS-06 + LMCSA-01 Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                 | 01  | No.  |             |
| e.                                                    | Low Pressure Supervisory Switch (N/C) 360 PSI Part #. PSS-360-M10-C Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                        | 01  | No.  |             |
| f.                                                    | 1/2" - 1" NOZZLE (BLANK) Part #. NZ-AL-xxxx Note: Actual sizes and quantities shall be determined after flow calculations. Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                                                                                                                                                                                 | 02  | No.  |             |
| g.                                                    | * Caution Label - "DO NOT ENTER..." for HFC-227EA *<br>Caution Label - "OPERATION OF MANUAL..."<br>* Caution Label -ROOM PROTECTED WITH HFC-227EA                                                                                                                                                                                                                                                                                                                                                           | 01  | Set. |             |
| h.                                                    | Schedule 40 Seamless piping, MS fitting and accessories as per HFC-227ea(FM-200) piping standards.                                                                                                                                                                                                                                                                                                                                                                                                          | 01  | Lot. |             |
| B. CONVENTIONAL FIRE DETECTION SYSTEM FOR SWITCH ROOM |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |      |             |
| i.                                                    | Elite XT Conventional Releasing Panel Red 230V with built in Power supply and battery backup. Model: VF1810-11 Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                        | 01  | No.  |             |
| ii.                                                   | Conventional Photoelectric smoke and Heat detector 7th Edition with Base Model: VF2046-00 Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                             | 04  | No.  |             |
| iii.                                                  | Manual Call Point / Release Station (VF3045-10) Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                       | 01  | No.  |             |
| iv.                                                   | Elite XT Abort Switch Surface Mount Red Model: VF1823-10 Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                              | 01  | No.  |             |
| v.                                                    | Sounder with Flasher 24vdc, GEC3 Series                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 01  | No.  |             |



|                                                             |                                                                                                                                                                                                                                                                                                   |            |             |                    |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|--------------------|
|                                                             | Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                                                  |            |             | <b>Firms Reply</b> |
| vi.                                                         | Fire Alarm Bell 6" GB-6 Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                          | 01         | No          |                    |
| vii.                                                        | 2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm dia PVC conduit and as required complete with junction box and all accessories.                                                                                                                                                            | 01         | No          |                    |
| <b>C. INSTALLATION, TESTING &amp; COMMISSIONING</b>         |                                                                                                                                                                                                                                                                                                   |            |             |                    |
| i.                                                          | Installation, Testing & Commissioning of HFC-227ea (FM-200) Suppression system as per flow calculations and drawings.                                                                                                                                                                             | 01         | Job.        |                    |
| ii.                                                         | Installation, Testing & Commissioning of Detection system including Wiring/termination of system components.                                                                                                                                                                                      | 01         | Job.        |                    |
| <b>A. FM-200 FIRE SUPPRESSION SYSTEM - POWER ROOM</b>       |                                                                                                                                                                                                                                                                                                   |            |             |                    |
| <b>S. No</b>                                                | <b>Items Description</b>                                                                                                                                                                                                                                                                          | <b>Qty</b> | <b>Unit</b> |                    |
| i.                                                          | Factory Filled Per KG (HFC-227ea - UL/FM) Model PEMALL 227                                                                                                                                                                                                                                        | 56         | KG          |                    |
| ii.                                                         | PEMALL 227™-(360 PSI)-LP SERIES ENGINEERED 155 LB. - S.S. RED COLOR CYL. ASSEMBLY (FILLING RANGE 30 TO 68.9KG) - W/ 1-1/2" S.S. VALVE ASSEMBLY C/W TOP CAP ADAPTER, PRESSURE GAUGE W/GUARD, PRESSURE SWITCH GUARD & CYL.MOUNTING BRACKET. MODEL # H3-SS-0155-1.5 -UL/FM Approved Make: PEMALL USA | 01         | No.         |                    |
| iii.                                                        | 1-1/2" NPT Rubber Flexible Cylinder Hose for 155 / 255 LB. CYL<br>Model: FH-0150<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                              | 01         | No.         |                    |
| iv.                                                         | Latching Solenoid with Supervision and Local Manual Control Head<br>Model: LMCS-06 + LMCSA-01<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                 | 01         | No.         |                    |
| v.                                                          | Low Pressure Supervisory Switch (N/C) 360 PSI Part #. PSS-360-M10-NC<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                          | 01         | No.         |                    |
| vi.                                                         | 1/2" - 1" NOZZLE (BLANK) Part #. NZ-AL-xxxx<br>Note: Actual sizes and quantities shall be determined after flow calculations.<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                 | 02         | No.         |                    |
| vii.                                                        | * Caution Label - "DO NOT ENTER..." for HFC-227EA *<br>Caution Label - "OPERATION OF MANUAL..." * Caution Label -ROOM PROTECTED WITH HFC-227EA                                                                                                                                                    | 01         | Set.        |                    |
| viii.                                                       | Schedule 40 Seamless piping, MS fitting and accessories as per HFC-227ea(FM-200) piping standards.                                                                                                                                                                                                | 01         | Lot.        |                    |
| <b>B. CONVENTIONAL FIRE DETECTION SYSTEM FOR POWER ROOM</b> |                                                                                                                                                                                                                                                                                                   |            |             |                    |
| i.                                                          | Elite XT Conventional Releasing Panel Red 230V with built in Power supply and battery backup.<br>Model: VF1810-11<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                        | 01         | No.         |                    |
| ii.                                                         | Conventional Photoelectric smoke and Heat detector 7th Edition with Base<br>Model: VF2046-00<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                             | 04         | No.         |                    |
| iii.                                                        | Manual Call Point / Release Station (VF3045-10)<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                          | 01         | No.         |                    |
| iv.                                                         | Elite XT Abort Switch Surface Mount Red                                                                                                                                                                                                                                                           | 01         | No.         |                    |




# Firms Reply

|                                                               | Model: VF1823-10<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                        |     |      |
|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| v.                                                            | Sounder with Flasher 24vdc, GEC3 Series<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                      | 01  | No.  |
| vi.                                                           | Fire Alarm Bell 6" GB-6<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                      | 01  | No   |
| vii.                                                          | 2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm dia PVC conduit and as required complete with junction box and all accessories.                                                                                                                                                           | 01  | No   |
| <b>C. INSTALLATION, TESTING &amp; COMMISSIONING</b>           |                                                                                                                                                                                                                                                                                                  |     |      |
| i.                                                            | Installation, Testing & Commissioning of HFC-227ea (FM-200) Suppression system as per flow calculations and drawings.                                                                                                                                                                            | 01  | Job. |
| ii.                                                           | Installation, Testing & Commissioning of Detection system including Wiring/ termination of system components.                                                                                                                                                                                    | 01  | Job. |
| <b>A. FM-200 FIRE SUPPRESSION SYSTEM - BATTERY ROOM</b>       |                                                                                                                                                                                                                                                                                                  |     |      |
| S. No                                                         | Items Description                                                                                                                                                                                                                                                                                | Qty | Unit |
| i.                                                            | Factory Filled Per KG (HFC-227ea - UL/FM) Model PEMALL 227                                                                                                                                                                                                                                       | 31  | KG   |
| ii.                                                           | PEMALL 227™-(360 PSI)-LP SERIES ENGINEERED 155 LB. - S.S. RED COLOR CYL. ASSEMBLY (FILLING RANGE 30 TO 68.9KG) - W/ 1-1/2" S.S. VALVE ASSEMBLY C/W TOP CAP ADAPTER,PRESSURE GAUGE W/GUARD, PRESSURE SWITCH-GUARD & CYL.MOUNTING BRACKET. MODEL # H3-SS-0155-1.5 -UL/FM Approved Make: PEMALL USA | 01  | No.  |
| iii.                                                          | 1-1/2" NPT Rubber Flexible Cylinder Hose for 155 / 255 LB. CYL Model: FH-0150<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                | 01  | No.  |
| iv.                                                           | Latching Solenoid with Supervision and Local Manual Control Head<br>Model: LMCS-06+ LMCSA-01<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                 | 01  | No.  |
| v.                                                            | Low Pressure Supervisory Switch (N/C) 360 PSI Part #. PSS-360-M10-NC Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                            | 01  | No.  |
| vi.                                                           | 1/2" - 1" NOZZLE (BLANK) Part #. NZ-AL-xxxx<br>Note: Actual sizes and quantities shall be determined after flow calculations.<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                | 02  | No.  |
| vii.                                                          | * Caution Label - "DO NOT ENTER..." for HFC-227EA * Caution Label - "OPERATION OF MANUAL" * Caution Label - ROOM PROTECTED WITH HFC-227EA                                                                                                                                                        | 01  | Set. |
| viii.                                                         | Schedule 40 Seamless piping, MS fitting and accessories as per HFC-227ea(FM-200) piping standards.                                                                                                                                                                                               | 01  | Lot. |
| <b>B. CONVENTIONAL FIRE DETECTION SYSTEM FOR BATTERY ROOM</b> |                                                                                                                                                                                                                                                                                                  |     |      |
| i.                                                            | Elite XT Conventional Releasing Panel Red 230V with built in Power supply and battery backup. Model: VF1810-11<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                          | 01  | No.  |
| ii.                                                           | Conventional Photoelectric smoke and Heat detector 7th Edition with Base<br>Model: VF2046-00<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                            | 04  | No.  |
| iii.                                                          | Manual Call Point / Release Station (VF3045-10)                                                                                                                                                                                                                                                  | 01  | No.  |



|                                                                    |                                                                                                                                                                                                                                                                                                                  |     |      |                    |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|--------------------|
|                                                                    |                                                                                                                                                                                                                                                                                                                  |     |      | <b>Firms Reply</b> |
| iv.                                                                | Make: VES USA(Hochiki) UL/FM Approved<br>Elite XT Abort Switch Surface Mount Red<br>Model: VF1823-10<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                    | 01  | No.  |                    |
| v.                                                                 | Sounder with Flasher 24vdc, GEC3 Series<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                      | 01  | No.  |                    |
| vi.                                                                | Fire Alarm Bell 6" GB-6<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                                      | 01  | No   |                    |
| vii.                                                               | 2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm<br>dia PVC conduit and as required complete with junction box<br>and all accessories.                                                                                                                                                                     | 01  | No   |                    |
| <b>C. INSTALLATION, TESTING &amp; COMMISSIONING</b>                |                                                                                                                                                                                                                                                                                                                  |     |      |                    |
| i.                                                                 | Installation, Testing & Commissioning of HFC-227ea (FM-200)<br>Suppression system as per flow calculations and drawings.                                                                                                                                                                                         | 01  | Job. |                    |
| ii.                                                                | Installation, Testing & Commissioning of Detection system<br>including Wiring/termination of system components.                                                                                                                                                                                                  | 01  | Job. |                    |
| <b>A. FM-200 FIRE SUPPRESSION SYSTEM - TRANSMISSION ROOM</b>       |                                                                                                                                                                                                                                                                                                                  |     |      |                    |
| S. No                                                              | Items Description                                                                                                                                                                                                                                                                                                | Qty | Unit |                    |
| i.                                                                 | Factory Filled Per KG (HFC-227ea - UL/FM) - Model PEMALL<br>227                                                                                                                                                                                                                                                  | 48  | KG   |                    |
| ii.                                                                | PEMALL 227™-(360 PSI)-LP SERIES ENGINEERED 155 LB. -<br>S.S. RED-COLOR CYL. ASSEMBLY (FILLING RANGE 30 TO<br>68.9KG) - W/ 1-1/2" S.S. VALVE ASSEMBLY C/W TOP CAP<br>ADAPTER, PRESSURE GAUGE W/GUARD, PRESSURE<br>SWITCH GUARD & CYL.MOUNTING BRACKET. MODEL #<br>H3-SS-0155-1.5 -UL/FM Approved Make: PEMALL USA | 01  | No.  |                    |
| iii.                                                               | 1-1/2" NPT Rubber Flexible Cylinder Hose for 155 / 255 LB.<br>CYL<br>Model: FH-0150<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                          | 01  | No.  |                    |
| iv.                                                                | Latching Solenoid with Supervision and Local Manual Control<br>Head<br>Model: LMCS-06 + LMCSA-01<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                             | 01  | No.  |                    |
| v.                                                                 | Low Pressure Supervisory Switch (N/C) 360 PSI Part #: PSS-<br>360-M10-NC<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                                     | 01  | No.  |                    |
| vi.                                                                | 1/2" - 1" NOZZLE (BLANK) Part #: NZ-AL-xxxx<br>Note: Actual sizes and quantities shall be determined after flow<br>calculations.<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                             | 02  | No.  |                    |
| vii.                                                               | * Caution Label - "DO NOT ENTER..." for HFC-227EA *<br>Caution Label - "OPERATION OF MANUAL" * Caution Label -<br>ROOM PROTECTED WITH HFC-227EA                                                                                                                                                                  | 01  | Set. |                    |
| viii.                                                              | Schedule 40 Seamless piping, MS fitting and accessories as<br>per HFC-227ea(FM-200) piping standards.                                                                                                                                                                                                            | 01  | Lot. |                    |
| <b>B. CONVENTIONAL FIRE DETECTION SYSTEM FOR TRANSMISSION ROOM</b> |                                                                                                                                                                                                                                                                                                                  |     |      |                    |
| i.                                                                 | Elite XT Conventional Releasing Panel Red 230V with built in<br>Power supply and battery backup. Model: VF1810-11 Make:<br>VES USA (Hochiki) UL/FM Approved                                                                                                                                                      | 01  | No.  |                    |
| ii.                                                                | Conventional Photoelectric smoke and Heat detector 7th Edition<br>with Base Model: VF2046-00                                                                                                                                                                                                                     | 04  | No.  |                    |



**Firms Reply**

|                                                      |                                                                                                                                        |    |      |
|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----|------|
|                                                      | Make: VES USA(Hochiki) UL/FM Approved                                                                                                  | 01 | No.  |
| iii.                                                 | Manual Call Point / Release Station (VF3045-10)<br>Make: VES USA(Hochiki) UL/FM Approved                                               | 01 | No.  |
| iv.                                                  | Elite XT Abort Switch Surface Mount Red Model: VF1823-10<br>Make: VES USA(Hochiki) UL/FM Approved                                      | 01 | No.  |
| v.                                                   | Sounder with Flasher 24vdc, GEC3 Series<br>Make: Gentex USA, UL/FM Approved                                                            | 01 | No.  |
| vi.                                                  | Fire Alarm Bell 6" GB-6<br>Make: Gentex USA, UL/FM Approved                                                                            | 01 | No.  |
| vii.                                                 | 2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm dia PVC conduit and as required complete with junction box and all accessories. | 01 | No.  |
| <b>C. INSTALLATION, TESTING &amp; COMMISSIONING.</b> |                                                                                                                                        |    |      |
| i.                                                   | Installation, Testing & Commissioning of HFC-227ea (FM-200) Suppression system as per flow calculations and drawings.                  | 01 | Job. |
| ii.                                                  | Installation, Testing & Commissioning of Detection system including Wiring/termination of system components.                           | 01 | Job. |

| <b>A. FM-200 FIRE SUPPRESSION SYSTEM - DWDM ROOM</b>       |                                                                                                                                                                                                                                                                                                   |     |      |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| S. No                                                      | Items Description                                                                                                                                                                                                                                                                                 | Qty | Unit |
| i.                                                         | Factory Filled Per KG (HFC-227ea - UL/FM) - Model PEMALL 227                                                                                                                                                                                                                                      | 37  | KG   |
| ii.                                                        | PEMALL 227™-(360 PSI)-LP SERIES ENGINEERED 155 LB. - S.S. RED COLOR CYL. ASSEMBLY (FILLING RANGE 30 TO 68.9KG) - W/ 1-1/2" S.S. VALVE ASSEMBLY C/W TOP CAP ADAPTER, PRESSURE GAUGE W/GUARD, PRESSURE SWITCH GUARD & CYL.MOUNTING BRACKET. MODEL # H3-SS-0155-1.5 -UL/FM Approved Make: PEMALL USA | 01  | No.  |
| iii.                                                       | 1-1/2" NPT Rubber Flexible Cylinder Hose for 155 / 255 LB. CYL<br>Model: FH-0150<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                              | 01  | No.  |
| iv.                                                        | Latching Solenoid with Supervision and Local Manual Control Head<br>Model: LMCS-06 + LMCSA-01<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                 | 01  | No.  |
| v.                                                         | Low Pressure Supervisory Switch (N/C) 360 PSI Part #. PSS-360-M10-NC<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                                                                          | 01  | No.  |
| vi.                                                        | 1/2" - 1" NOZZLE (BLANK) Part #. NZ-AL-xxxx<br>Note: Actual sizes and quantities shall be determined after flow calculations.<br>Make: PEMALL USA -UL/FM Approved                                                                                                                                 | 02  | No.  |
| vii.                                                       | * Caution Label - "DO NOT ENTER..." for HFC-227EA *<br>Caution Label - "OPERATION OF MANUAL" * Caution Label - ROOM PROTECTED WITH HFC-227EA                                                                                                                                                      | 01  | Set. |
| viii.                                                      | Schedule 40 Seamless piping, MS fitting and accessories as per HFC-227ea(FM-200) piping standards.                                                                                                                                                                                                | 01  | Lot. |
| <b>B. CONVENTIONAL FIRE DETECTION SYSTEM FOR DWDM ROOM</b> |                                                                                                                                                                                                                                                                                                   |     |      |
| i.                                                         | Elite XT Conventional Releasing Panel Red 230V with built in Power supply and battery backup. Model: VF1810-11 Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                              | 01  | No.  |
| ii.                                                        | Conventional Photoelectric smoke and Heat detector 7th Edition                                                                                                                                                                                                                                    | 04  | No.  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |             |                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|--------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | with Base Model: VF2046-00<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |             | <b>Firms Reply</b> |
| iii.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Manual Call Point / Release Station (VF3045-10)<br>Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01         | No.         |                    |
| iv.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Elite XT Abort Switch Surface Mount Red<br>Model: VF1823-10 Make: VES USA(Hochiki) UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 01         | No.         |                    |
| v.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Sounder with Flasher 24vdc, GEC3 Series<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 01         | No.         |                    |
| vi.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Fire Alarm Bell 6" GB-6<br>Make: Gentex USA, UL/FM Approved                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 01         | No          |                    |
| vii.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm<br>dia PVC conduit and as required complete with junction box<br>and all accessories.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 01         | No          |                    |
| <b>C. INSTALLATION, TESTING &amp; COMMISSIONING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |             |                    |
| i.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Installation, Testing & Commissioning of HFC-227ea (FM-200)<br>Suppression system as per flow calculations and drawings.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01         | Job.        |                    |
| ii.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Installation, Testing & Commissioning of Detection system<br>including Wiring/termination of system components.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 01         | Job.        |                    |
| 2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>TECHNICAL SPECIFICATIONS OF ADDRESSABLE FIRE DETECTION SYSTEM VDS<br/>APPROVED</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |             |                    |
| <p>FM-200 is a clean agent gas system used to put out fires without damaging electronics. The pemall 227 low pressure series consist of a clean agent fire extinguishing system that utilizes UL listed and FM approved HFC-227 EA fire protection fluid which known commercially as pemall HFC-227 EA. It permits higher discharge rates and is particularly adoptable to areas requiring larger quantities of agent or where discharge duration is challenge. It is a highly affective for suppressant that has low toxicity, atmospheric life time and zero ozone depletion potential.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |             |                    |
| <b>S. No</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Qty</b> | <b>Unit</b> |                    |
| a.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Factory Fitted per KG (HFC-227ea – UL/FM)<br>Model: PEMALL 227                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 220        | Kg          |                    |
| b.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Elite XT Conventional Releasing Panel Red 230V with built<br>in Power supply and battery backup<br>Make: PEMALL – USA<br>Model: VF1810-11 or equivalent Designed and manufactured<br>to the highest standards in a quality controlled environment and<br>with UL and FM approvals, the Elite XT releasing panel offers<br>outstanding value and performance for all small to medium<br>fixed firefighting installations. With three detection zones as<br>standard, release can be configured to activate from any<br>combination of detection zone inputs to allow (among other<br>combinations) any two from three type activations such as<br>would be required for detection in ceiling void, room and floor<br>void applications. The extensive configuration options of the<br>Elite XT allow the functionality of the system to be extensively<br>modified. The panel contains a large LED display to enable<br>easy configuration and control which also displays the time<br>remaining until release for added user safety. The countdown<br>timer is duplicated on up to seven remote status units to<br>provide local indication of the system status. With all of the<br>electronics mounted on a single, easily removable, steel plate<br>Elite XT panels are both robust and easy to install. Elite XT is<br>supplied in an enclosure that matches the design and color of | 05         | Nos         |                    |



|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |     |                    |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|--------------------|
|    | the Elite CP range and is available in standard red or optional gray.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |     | <b>Firms Reply</b> |
| c. | <b>Supply of Photoelectric Smoke / Smoke &amp; Heat Detector</b><br><b>Make: PEMALL – USA or equivalent</b><br><b>Model: VF2046-00</b> or equivalent The VF2045 and VF2046 are conventional multi-criteria Photoelectric Smoke Detectors. They can be used in all open areas where Photoelectric Smoke Detectors are required. The newly developed multi-spectrum smoke categorization technology detects smoldering and flaming fires fueled by traditional materials and polyurethane while reducing nuisance alarms.                                                                                                                                                                                                                                                                                                                                                                          | 20 | Nos |                    |
| d. | <b>Supply of Conventional Manual Pull Stations</b><br><b>Make: PEMALL – USA or equivalent</b><br><b>Model: VF3045</b> or equivalent Conventional Manual Pull Stations are available in a number of configurations supporting Fire Alarm & Fire Suppression Systems. Each model is constructed of a solid die cast housing and comes in glossy red. The back switch plate is plated steel. Most models are connected via terminal block connections                                                                                                                                                                                                                                                                                                                                                                                                                                               | 05 | Nos |                    |
| e. | <b>Supply of Elite Status indicators &amp; Ancillary PCB</b><br><b>Make: PEMALL – USA or equivalent</b><br><b>Model: VF1823-10</b> or equivalent The Elite XT Ancillary Board is compatible with all Elite XT control panels. The board provides volt free normally open contacts allowing control of sub-systems and plant remotely from the main panel over a two wire data bus. Ancillary boards require only a two core data cable from the main control panel and a two core power cable from the main panel. Up to 7 Ancillary boards can be connected to a control panel and each is allocated an address from 1 to 7 using a binary coded DIL switch. The total length of the data cable from the main panel to the last repeater must not exceed 4000 feet. A mixture of status units and Ancillary boards, up to a maximum of 7 of each type, can be connected to the serial data bus. | 05 | Nos |                    |
| f. | <b>Supply of Fire Alarm Bell in 6" housing</b><br><b>Make: PEMALL – USA or equivalent</b><br><b>Model: VF4033-10</b> or equivalent The Fire Alarm Bells provide durable and dependable operation required for life safety alarm systems. Alarm bells are low current, high decibel notification appliances for use in fire and burglary systems or other signaling applications. The Bell is available in 24VDC. These bells are available in 6" or 10" housings and are listed for indoor and outdoor applications. Bells must be used with the VF4035-10 box for outdoor use. They are UL 464 listed and are warranted for 3 years from the date of purchase.                                                                                                                                                                                                                                  | 05 | No. |                    |
| g. | <b>Supply of Sounder with Flasher 24vdc</b><br><b>Make: PEMALL – USA or equivalent</b><br><b>Model: VF4000/ VF4001/VF4002</b> The VES Signal Series is a low profile strobe and horn/strobe combination that offers dependable audible and visual alarms and the lowest current available. The VES Series 24VDC offers tamperproof field selectable candela options of 15, 30, 60, 75, and 110 candela. The VES Series horn offers a continuous or sync-able temporal three in 2400Hz and mechanical tone, a chime and whoop                                                                                                                                                                                                                                                                                                                                                                     | 05 | No. |                    |

|                                        |                                                                                                                                                                                                                                                                 |    |     |                    |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|--------------------|
|                                        | tone. All tones are easy for the professional to change in the field by using switches.                                                                                                                                                                         |    |     | <b>Firms Reply</b> |
| h.                                     | <b>Supply of Fire Resistance Cable</b><br><b>Make: PEMALL – USA or equivalent</b><br>2x1.5sq.mm Fire Resistance Cable LPCB Approved in 20mm dia PVC conduit and as required complete with junction box and all accessories.                                     | 05 | No. |                    |
| j.                                     | Installation, Testing & Commissioning of HFC-227ea (FM-200) Suppression system as per flow calculations and drawings.                                                                                                                                           | 05 | Job |                    |
| k.                                     | Installation, Testing & Commissioning of Detection system including Wiring/termination of system components.                                                                                                                                                    | 05 | Job |                    |
| <b>DETAIL OF ROOMS DIMENSION WISE:</b> |                                                                                                                                                                                                                                                                 |    |     |                    |
| <b>S. No</b>                           | <b>Description</b>                                                                                                                                                                                                                                              |    |     |                    |
| <b>SWITCH ROOM</b>                     |                                                                                                                                                                                                                                                                 |    |     |                    |
| 1.                                     | Supply and installation of clean agent Fire Suppression System for Switch Room including 57 Kg NAVEC 1230 original manufacturer by 3M with 277 lb Cylinder and all other accessories for room dimension L x W x H+= 5.0 m x 4.39 m x 3.96m Make: SEVCO-USA      |    |     |                    |
| <b>POWER ROOM</b>                      |                                                                                                                                                                                                                                                                 |    |     |                    |
| 2.                                     | Supply and installation of clean agent Fire Suppression System for Power Room including 66 Kg NOVEC1230 original manufacturer by 3M with 277 lb Cylinder and all other accessories for room dimension L x W x H+= 5.79 m x 4.39 m x 3.96m Make: SEVCO-USA       |    |     |                    |
| <b>BATTERY ROOM</b>                    |                                                                                                                                                                                                                                                                 |    |     |                    |
| 3.                                     | Supply and installation of clean agent Fire Suppression System for Battery Room including 66 Kg NOVEC1230 original manufacturer by 3M with 130 lb Cylinder and all other accessories for room dimension L x W x H+= 4.39 m x 3.18 m x 3.96 m Make: SEVCO-USA    |    |     |                    |
| <b>TRANSMISSION ROOM</b>               |                                                                                                                                                                                                                                                                 |    |     |                    |
| 4.                                     | Supply and installation of clean agent Fire Suppression System for Transmission Room including 57 Kg NOVEC1230 original manufacturer by 3M with 277 lb Cylinder and all other accessories for room dimension L x W x H+= 4.39 m x 5.0m x 3.96 m Make: SEVCO-USA |    |     |                    |
| <b>DWDM ROOM</b>                       |                                                                                                                                                                                                                                                                 |    |     |                    |
| 5.                                     | Supply and installation of clean agent Fire Suppression System for DWDM Room including 43 Kg NOVEC1230 original manufacturer by 3M with 130 lb Cylinder and all other accessories for room dimension L x W x H+= 4.39 m x 3.79 m x 3.96m Make: SEVCO-USA        |    |     |                    |
| 3.                                     | <b>ELECTRICAL WORKS SCOPE</b>                                                                                                                                                                                                                                   |    |     |                    |
|                                        | a. Supply and installation of complete electrical wiring including requisite (high quality) CBs, DBs, AC panel, safety devices and associated cabling/ wiring accessories for indoor/ outdoor units.                                                            |    |     |                    |
|                                        | b. Supply and installation of control wiring with complete requisite accessories.                                                                                                                                                                               |    |     |                    |
| 4.                                     | <b>CIVIL WORKS SCOPE</b>                                                                                                                                                                                                                                        |    |     |                    |
|                                        | a. Core cutting where required is to be carefully undertaken by the firm during installation work. Any breakage / damage to unit infrastructure during system installation work is to be compensated by the firm.                                               |    |     |                    |
|                                        | b. Any other civil work i.e. CC Foundation, partition work and supporting infrastructure if required is to be undertaken by the firm.                                                                                                                           |    |     |                    |

102

5.

**LIST OF DELIVERABLES**

Fire Suppression system should comprise of following essential components / elements (but not limited to) worked out on the basis of fire risk free environment at PN Telecom (West) at JNB Omara.

| S No                                                                                                       | Items/ Sections                        | Item description                                                                                                                       | Qty | Unit |
|------------------------------------------------------------------------------------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| <b>SUPPLY OF PASSIVE COMPONENTS FOR PROCUREMENT OF FM-200 FIRE SUPPRESSION SYTEM AT PN TELECOM (WEST):</b> |                                        |                                                                                                                                        |     |      |
| a.                                                                                                         | <b>FM 200 Fire Suppres sion System</b> | Factory Fitted per KG cylinder (HFC-227ea - UL/FM)<br>Model: PEMALL 227                                                                | 220 | KG   |
| b.                                                                                                         |                                        | Elite XT Conventional Releasing Panel Red 230V with built in Power supply and battery backup<br>Make: PEMALL - USA<br>Model: VF1810-11 | 05  | Nos. |
| c.                                                                                                         |                                        | Photoelectric Smoke / Smoke & Heat Detector<br>Make: PEMALL - USA or equivalent<br>Model: VF2046-00                                    | 20  | Nos. |
| d.                                                                                                         |                                        | Conventional Manual Pull Stations<br>Make: PEMALL - USA or equivalent<br>Model: VF3045                                                 | 05  | Nos. |
| e.                                                                                                         |                                        | Supply of Elite Status indicators & Ancillary PCB<br>Make: PEMALL - USA or equivalent<br>Model: VF1823-10                              | 05  | Nos. |
| f.                                                                                                         |                                        | Supply of Fire Alarm Bell in 6" housing<br>Make: PEMALL - USA or equivalent<br>Model: VF4033-10                                        | 05  | Nos. |
| g.                                                                                                         |                                        | Supply of Sounder with Flasher 24vdc<br>Make: PEMALL - USA or equivalent<br>Model: VF4000/ VF4001/VF4002                               | 05  | Nos. |
| h.                                                                                                         |                                        | Supply of Fire Resistance Cable<br>Make: PEMALL - USA or equivalent                                                                    | 05  | Nos. |

6. The equipment/system shall be of latest version/recent manufacture and may not be older than one year at the time of delivery.

**Firms Reply**

**ANNEX B TO**  
**INDENT NO. 2690024**  
**DATED 27 JULY 2026**

**GENERAL TERMS AND CONDITIONS**

| S No                                         | GENERAL TERMS & CONDITIONS FOR FIRE SUPPRESSION SYSTEM FOR PN TELECOM (WEST), JNB ORMARA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Firms Reply |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| SCOPE OF SUPPLY/ WORK                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
| 1.                                           | <p>a. The Supplier undertakes to deliver equipment/goods/stores including Supplies and Services to the Purchaser on FOR/ DDP Karachi basis as per INCOTERMS 2020 as per details specified in Annex-A (Technical Specifications) and General Terms and Conditions given at Annex-B to this Indent.</p> <p>b. The Supplier shall, in accordance with the terms and conditions as set forth in the Indent, with due care and diligence, provide the equipment/goods/stores and supply the Services within the date(s) specified in the Project Schedule.</p>                                                                                                                                                                                                                                                       |             |
| PROJECT SCHEDULE                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
| 2.                                           | <p>a. The Contract shall be executed in accordance with the dates in the Project Schedule. In case of delayed performance of any other dates or periods the Supplier shall strive to compensate such overruns in order to finally meet any subsequent binding dates.</p> <p>b. If by reason of any change order, or of any act or omission on the part of the Purchaser, or any event of force majeure the Supplier shall be delayed in the completion of the Contract then provided that the Supplier shall as soon as reasonably practicable have given to the Purchaser notice of his claim for an extension of time with supporting details, the Purchaser shall on receipt of such notice grant the Supplier an extension of time as may be reasonable.</p>                                                |             |
| SCHEDULE OF PAYMENTS                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
| 3.                                           | <p>All payments to the Supplier shall be released through CMA(DP) on achievement of respective milestones as mentioned below or as negotiated by DP (N):-</p> <p>a. 50% payment on completion of following:</p> <p>(1) Delivery at NSD/ PN Telecom (West), JNB Ormara alongwith tools/ stores.</p> <p>(2) Successful Joint Inspection without any discrepancy.</p> <p>(3) Provision of Documents.</p> <p>b. 30% payment on successful completion of installation/ integration/ interfacing/STW/commissioning of platform/ equipment/ machinery at purchaser site complying all specifications/ acceptance criteria and issuance of final acceptance certificate by end user.</p> <p>c. 20% payment on satisfactory conduct of operator and maintainer training of PN Team and issuance of CRV by consignee.</p> |             |
| ADVANCE BANK GUARANTEE (ABG) (IF APPLICABLE) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
| 4.                                           | <p>ABG for an amount equivalent to advance payment, not exceeding 20% of BCP, obtained from a scheduled bank of Pakistan in the favour of CMA(DP), Rawalpindi on a judicial stamp paper shall be furnished by the Supplier within 30 days of signing of the contract. This ABG shall be valid until 60 x days of completion of all contractual obligations as specified in the Contract and thereafter it shall be returned to the</p>                                                                                                                                                                                                                                                                                                                                                                          |             |



**Firms Reply****PERFORMANCE BANK GUARANTEE (PBG)**

5. To ensure timely and correct supply of stores, the Supplier shall furnish an unconditional Performance Bank Guarantee in favour of CMA(DP), Rawalpindi within 30 days of signing of the contract from a scheduled bank for an amount equal to 10% of the total Contract value (on a Judicial Stamp Paper) of appropriate value as per prescribed format. This PBG shall remain valid till 60 days beyond completion of warranty period of supplied systems.

**DOCUMENTATION**

6. a. One set of following document to be provided:
- (1) Workshop Manual/ Maintenance Manuals.
  - (2) IPC (illustrated Part Catalogue)
  - (3) Operating Manuals.
  - (4) Complete Electrical and Control Circuits Diagrams.
  - (5) PCB/Circuit diagram up to component level.
- b. Complete priced spare parts list along with Part Numbers to be provided.

**ADDITIONAL INSTRUCTIONS****7. Certification Requirement**

- a. Supplier/ OEM will confirm through OEM certificate at the time of supply/delivery of the equipment at PN Telecom (West), JNB Ormara that equipment being supplied is proven equipment.
- b. Supplier through certificate is to confirm that he will provide import documents at the time of delivery of stores.
- c. Supplier certificate for conformance of 100% contract specification, (any deviation to be clearly indicated in the offer) will be provided at the time of delivery of stores.
- d. No calibration certificate is required, however quantity of stores will be considered.

- e. Supplier is to provide following documentation at the time of inspection:

- (1) Firm's Warranty/ Guarantee on form "DPL-15" for functionality/ serviceability of the item(s).

- f. OEM's "Certificate of Conformity" originating from "Principle" who is neither the OEM nor the OEM's authorized dealer/agent/ stockist will not be acceptable.

**Accessories**

- g. Details of the accessories being offered are to be intimated in the technical offer and prices of these accessories are to be mentioned separately commercial offer.

**Provision of Spares/ Consumables**

- h. Supplier is to provide OEM recommended parts including consumables required for scheduled maintenance/ operation for 01 year operation of the equipment (List to be provided with the technical proposal for vetting).

**Provision of Brochure**

- i. The OEM's original brochure of the equipment containing all technical details is to be provided by the supplier along with technical offer.

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
|  | <p><b><u>Technical Rejection</u></b><br/> k. In case of non-compliance to any of the clause of Annex A to IT, offer is subject to technical rejection.</p> <p><b><u>Material Details</u></b><br/> l. Supplier will provide complete technical details including make, model/ OEM name &amp; material used, including its source for all the components.</p> <p><b><u>Block Diagram of Proposed System</u></b><br/> m. Supplier is also to provide block diagram of the proposed installation of complete Multiplexers along with backup breakers DBs, UPS and associated equipment indicating all components with technical offer.</p> <p><b><u>Work Schedule</u></b><br/> n. The supplier is to provide complete breakdown of activities with timeline for undertaking installation, STW and trials of proposed installation of complete Multiplexers along with backup breakers DBs, UPS and associated equipment within 02 months of signing the contract.</p> <p><b><u>Obtaining of Licenses</u></b><br/> p. It is the responsibility of the supplier to obtain licenses/ permits etc. (if any) in the seller's country. Failure to obtain the same shall not constitute grounds for Force Majeure.</p> <p><b><u>Packing</u></b><br/> q. Packing of equipment should be of international quality standards to be worthy of, rail and road transportation.</p> <p><b><u>Quality Standards</u></b><br/> r. The equipment and accessories are manufactured and assembled in accordance with British/ US MIL specifications/ Western EU standards or equivalent. The Quality standards compliance certificate is to be submitted with the offer.<br/> s. OEM be ISO or own country's (in case of Western EU) standards certified. Certificate to this effect of OEM is to be provided by supplier while exact mentioning of ISO classification and own country (in case of Western EU) standards, at the time of supply/delivery of the equipment at PN Telecom (West), JNB Ommara.</p> <p><b><u>CONTRACT EFFECTIVE DATE (CED)</u></b><br/> 8. CED shall be established and notified by the Purchaser upon completion of following pre-requisites:<br/> a. Contract signing by both parties<br/> b. Endorsement by Military Finance i.e FA(N)</p> <p><b><u>PRICES OF THE ITEMS</u></b><br/> 9. The Supplier should mention the price of all deliverables (i.e. Equipments/ Services, Spares, Documentation, Test Bench/ Tools/ Test Equipment, Trainings, FATs (Factory Acceptance Trials), Installation/ Integration, Test/ Trials/ Commissioning (Harbour Acceptance Trials, Site Acceptance Trials etc where applicable) separately in financial quote. The same are to be subsequently incorporated in the contract document.</p> <p><b><u>SPARE SUPPORTABILITY</u></b><br/> 10. The Seller will provide details of ready use spares to keep the system functional at its optimum performance alongwith following information for each item:</p> | <p><b><u>Firms Reply</u></b></p> |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|



|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    | a. Part Number/ Patt/ NATO Stock Number<br>b. Description / Nomenclature<br>c. Denomination<br>d. Shelf Life / OEM<br>e. Main Equipment<br>f. Quantity Required<br>g. Special Storage Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>END USER</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 11.                                | PN Telecom (West), JNB Ormara.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>INSTALLATION/ COMMISSIONING</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 12.                                | Installation/ Commissioning and STW of the system/ equipment is to be arranged within 30 days of inspection of stores by the supplier through OEM or their authorized rep(s) as per documented procedure of OEM at Telecom West site in presence of firm rep, end user and rep of Telecom West. Any part of the equipment found defective during test/ trials, commissioning or warranty etc is to be replaced by supplier without additional cost within 30 days.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>PERFORMANCE GUARANTEE TEST</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 13.                                | a. The Purchaser may decide to arrange a Performance Guarantee Test prior conduct of TSR or during tests/trials of the Equipment but before acceptance/ commissioning. The Performance Guarantee Test shall then be executed in accordance with the mutually agreed Performance Protocol Test Procedure and Protocol which sets out the obligations of both PARTIES.<br><br>b. In the event the performance guarantee values as specified in Performance Guarantee Test could not be attained for reasons attributable to the Equipment, and for which the Supplier shall be held responsible under the Contract, the following shall apply:<br><br>c. The Supplier shall be entitled for a mutually agreed period, to take the corrective measures necessary to eliminate the defects or deficiencies by repairing or replacing the affected parts of the Equipment. After such corrective measures Performance Guarantee Test shall be repeated and in the event that the Equipment fails to meet the guarantee values stated in Performance Protocol Test Procedure and Protocol, then liquidated damages shall be applicable as defined in the Article. |
| <b>TRANSFER OF TITLE AND RISK</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 14.                                | a. Risk of loss and damage to the Equipment shall be transferred to the PURCHASER according to the 'INCOTERM 2020 used in the Contract and stated in Article 1.<br><br>b. Title to the Equipment shall be transferred to the Purchaser when the Supplier has received full payment of the Contract Price.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>WARRANTY/ GUARANTEE</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 15.                                | a. Warranty period of all items except defective/non-operational shall commence from the date of acceptance of Goods/ Equipment, whereas warranty of defective/non-operational equipment (at the time of commissioning/ acceptance) shall commence after defect rectification of equipment.<br><br>b. The stores and all its associated accessories should be warranted against DPL-15 by the Supplier for a period of 01 year, for all defects in hardware from the date of final acceptance by PN. Software provided with the systems should also have warranty for a minimum period of 05 years for any bugs found in operations. The Supplier shall provide/incorporate all software updates in this period.<br><br>c. The Supplier should provide guarantee that the article supplied are of latest version and all modifications/up gradation have been incorporated in the equipment being supplied.                                                                                                                                                                                                                                                 |

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|     | <p>d. The Supplier should provide guarantee that the stores produced are of current production and brand new, in accordance with approved drawing, and in all respects The materials used, whether or not of his manufacture should also be in accordance with the latest appropriate standard specifications.</p> <p>e. The Supplier shall provide guarantee for through life supportability of the equipment and software for at least 05 years after acceptance of the entire system.</p>                                                                                                                                                                                                                                                                                                                                                                                         | <b>Firms Reply</b> |
|     | <b>RISK &amp; EXPENSE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    |
| 16. | In the event of failure on the part of Supplier to comply with the contractual obligation, the contract shall be cancelled at the risk and expenses limited to the amount of the contract.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |
|     | <b>ACCEPTANCE CRITERIA</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |
| 17. | <p>a. The final acceptance procedure may be made by PN, taking into consideration the trial procedures recommended by the Supplier, system specification provided by the Supplier and PN own experience/expertise or as per the mutually agreed timeline as defined in the contract.</p> <p>b. The Goods/ Equipment shall undergo onboard acceptance trials.</p> <p>c. The final acceptance certificate should be signed by PN Inspection Authority i.e. CINS and end user only after successful completion of all installation/ Acceptance trials.</p> <p>d. System acceptance shall be based on operational performance through practical verification as per stated specifications of offered equipment and operational requirement for a test period of 15 days (may be extended if discrepancies are observed).</p>                                                             |                    |
|     | <b>NON DISCLOSURE AGREEMENT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |
| 18. | <p>a. Any information about the sale/ purchase/ services/ drawings/ infrastructure etc of the project under the contract shall not be communicated to any person, other than the manufacturer/ provider of the stores/ drawings/ machinery/ equipment/ tools etc or to any press or agency not authorized by the Purchaser to receive it. Any breach on this account shall be punished under the Official Secrets Act 1923. In addition to termination of the contract at the risk of Supplier. "In this regard 'Non Disclosure Agreement (NDA)' as per format at Appendix II to Annex B is to be signed by the firm at the time of signing of contract.</p> <p>b. Promotional rights for publication of the projects are the sole responsibility of the Purchaser, and any use by the consultant shall be subject, in all instances, to the Purchaser's prior written approval.</p> |                    |
|     | <b>PROVISION TO BUY ADDITIONAL SYSTEMS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |
| 19. | The buyer may order additional systems and accessories within 01 year of successful trials of the initially procured system under this indent. The price for the later systems shall be same or less than the price of the system initially procured under this indent.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |
|     | <b>SYSTEM SOFTWARE WHERE APPLICABLE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |
| 20. | <p>Software as well as line diagrams and relevant books/documentation leading to software up-gradation, maintenance software up to component level and backup software etc. should be provided by the manufacturer/Suppliers. In addition following would also be required:</p> <p>a. Software program (in English language) should be user friendly,</p> <p>b. The software modules should be fully documented in the software documentation for understanding their operations.</p> <p>c. It should be fully supportable for through life in case of an upgrade in hardware is necessary due to maintainability and/or technological</p>                                                                                                                                                                                                                                           |                    |

|                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                        | <p>advancements.</p> <p>d. Software should be warranted for a period of at least 05 years of trouble free operation.</p> <p>e. Necessary software for running the diagnostic test up to component level should also be provided</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>INSPECTION OF STORES/ ACCEPTANCE TEST PROCEDURE</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 21.                                                    | <p>a. <b>Inspection Authority:</b> Joint Inspection Team nominated by NHQ Rep of PN Telecom (West), CINS, rep of supplier to carryout of joint inspection of delivered equipment/ stores at user end within 15 days of receipt of stores by PN.</p> <p>b. <b>Place of Inspection:</b> Consignee premises (NSD/ PN Telecom (West), JNB Ormara).</p> <p>c. Inspection shall be arranged within 15 days of delivery of stores at consignee premises.</p> <p>d. Rejection of stores will be governed by following rules:</p> <p>(1) 1<sup>st</sup> rejection on Govt expense (only time liability/ time penalty shall not be charged from supplier).</p> <p>(2) 2<sup>nd</sup> rejection on supplier expense (time liability/ time penalty in the shape of LD shall be imposed by CPO if delay in delivery of store occurs).</p> <p>(3) 3<sup>rd</sup> rejection contract cancellation shall be recommended.</p> <p>e. The seller shall inform Buyer through telex/fax about the date of inspection at least 30 days in advance so that the buyer representatives can be present at site.</p> |
| <b>BUY BACK</b>                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 22.                                                    | The Supplier may buy back the spares parts supplied as part of the contract at the selling price within 03 years of delivery subject to the condition that their shelf life is not expired, items are neither damaged nor repaired and items are genuinely surplus to the requirement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>DISCREPANCY</b>                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 23.                                                    | The Supplier shall render a discrepancy report to all concerned within 30 days after receipt of stores for discrepancies found in the consignment. The quantities found short or defective are to be made by the Supplier, without any additional cost on "DDP consignee's warehouse" within 30 days.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>COMPENSATION ON BREACH OF CONTRACT</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 24.                                                    | If the Supplier fails to supply of contracted stores or contract is cancelled either on RE or without RE or contract become ineffective due to default of Supplier or stores/ equipment declared defective and caused loss to the Government, Supplier shall be liable to pay to the Government compensation for loss or inconvenience resulting for his default or from the rescission of his contract when such default or rescission take place such compensation shall be in excess to the RE amount, if imposed by the competent authority. Compensation amount in terms of money shall be decided by the purchase officer and shall be deposited by Supplier/ Supplier in Government treasury in the currency of contract.                                                                                                                                                                                                                                                                                                                                                          |
| <b>PACKING DETAILS</b>                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 25.                                                    | <p>Packing and other requirements for system to include following aspect:</p> <p>a. Packing note detailing the contents of the consignment/package.</p> <p>b. Packing is to be marked as under:</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Firms Reply



|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                                       | <p>FRONT SIDE: _____<br/> OTHER SIDE: _____<br/> TOP: _____<br/> Dimensions A yellow disc 4" or 6" in diameter, according to the size of the packing<br/> c. Depot storage requirement/detail to be specified.<br/> d. Detailed environmental effects/requirements to be specified.<br/> e. Stacking details/limit in depot to be specified.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <p><b>Firms Reply</b></p> |
| <p><b>ACCEPTANCE/ INSPECTION CRITERIA</b></p>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |
| <p>26.</p>                                            | <p>a. The equipment will not be acceptable in case of the following:</p> <ol style="list-style-type: none"> <li>(1) Equipment specifications are not as per Annex 'A'.</li> <li>(2) Documentation at Para 6 (a &amp; b) of Annex 'B' not provided.</li> <li>(3) Para 7 (a to g) "Certification Requirement" at Annex 'B' are not met.</li> <li>(4) Installation/ Commissioning, STW is not completed to the satisfaction of end user in accordance with OEM approved/recommended procedures (As mutually agreed).</li> <li>(5) Confirmation of performance and functions in not same as given in the contract and relevant documentation/ manuals.</li> </ol> <p>b. The final acceptance certificate will be signed by PN within 01 week only after successful completion of all acceptance trials to the entire satisfaction of PN Inspection Authority i.e CINS and end user.</p>                                                                                                                                                                                                                                |                           |
| <p><b>CHECKING OF SUPPLIES AT CONSIGNEE'S END</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |
| <p>27.</p>                                            | <p>Upon arrival, Supplies shall be checked at consignee's end in the presence of the Purchaser and Supplier's representatives. If for the reasons of economy, or any other reason, the Supplier decides not to nominate his representative for such checking; an advance written notice to this effect shall be given by the Supplier to the consignee prior to or immediately on shipment of stores. In such an event, the Supplier shall clearly undertake that the decision of consignee with regard to quantities and description of the consignment shall be taken, as final and any discrepancy found shall be accordingly made up by the Supplier. In all other cases, the consignee shall inform the Supplier about arrival of consignment immediately on receipt of stores through fax. If no response from the Supplier is received within four (04) working days from initiation of letter through fax, the consignee shall have the right to proceed with the checking without Supplier's representative. Consignee's report on checking of stores shall be binding on the Supplier in such cases.</p> |                           |
| <p><b>ACCEPTANCE TRIALS</b></p>                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |
| <p>28.</p>                                            | <p>a. The Supplier shall provide Factory Acceptance Tests (FATs), Setting to Work (STW), Site Acceptance Trials (SATs) procedures (in English) three months in advance for study and vetting by PN. The final acceptance procedures shall be prepared by the Supplier and shall be presented for acceptance to PN.</p> <p>b. Installation, STW, integration and commissioning/ acceptance trials of the supplied systems shall be carried out in Pakistan, in the presence of Purchaser's reps to prove that the equipment supplied is performing as per mutually agreed acceptance criteria. Acceptance certificate shall be provided by PN within 30 days after successful trials.</p>                                                                                                                                                                                                                                                                                                                                                                                                                           |                           |



**PENALTY**

29. a. The Supplier before making the shipment shall carry out complete test of the equipment at its facilities to ensure that the same has been manufactured as per specifications. In case the equipment does not pass the test/ trials, Purchaser has the right to outright reject the equipment or impose penalty at the rate of 10 - 15% of the value of the relevant equipment/ items.
- b. The penalty shall not absolve the Supplier to undertake the repairs in Pakistan or abroad at his cost and expense including freight charges. This shall be in addition to the penalties and obligations covered in the contract like warranty/ guarantee obligations on Form DPL-15.

**CONTRACT COMPLETION CERTIFICATES**

30. Upon completion of all contractual obligations under this Contract, the Supplier shall submit a "No Demand Certificate" to the Purchaser stating that no stores/ goods, Supplies, Services and payments are outstanding. Concurrently, the Purchaser shall certify through a "No Objection Certificate" that the requirement placed by the Purchaser as per terms and conditions set forth in this Contract has been fulfilled. Specimen of Contract Completion Certificate/ No Demand Certificate shall be added in the contract prior contract signing. Upon receipt of both certificates, Bank Guarantee(s) shall be returned by CMA(DP) to the Purchaser for onward return to the Supplier.

**TECHNICAL SCRUTINY**

31. Technical scrutiny of quotations forwarded by the bidder shall be carried out by a committee nominated by NHQs. The TSR committee may ask the Suppliers to demonstrate their equipment or give a presentation for clarification.

**LIQUIDATED DAMAGES (LDs)**

32. Delay in the supply of stores for first schedule/ supply order upto 21 days and for subsequent schedule/ supply order upto 15 days will be regarded as grace period available to the supplier and the delivery date will be considered to have been automatically extended upto that limit without issuance of any formal amendment. For delays beyond 21 days and in case of subsequent schedule/ supply orders for delays purposes of imposing LD, if and when imposed, grace period will be inclusive i.e LD will be calculated from the original delivery date and not from the expiry of the grace period. LD will be recovered at the rate of upto 2% but not less than 1% of the value of stores supplied late per month or a part of a month for the period exceeding the original DP. The Supplier will not be entitled to any reimbursement of any additional taxes, excise duty, sale tax, etc, imposed by the Govt which becomes effective during the grace period and extensions in DP. LD thus imposed will not exceed 10% of the total value excluding taxes/duties, freight, KPT, insurance charges of the stores delivered late.

**INTEGRITY PACT**

33. Supplier is to sign the integrity pact as per format at Appendix-I to Annex 'B' of this contract upon signing of contract.

**AMENDMENT IN CONTRACT**

34. Amendment in the contract if required shall be processed by Purchaser upon mutual agreement of both parties i.e. Purchaser and Supplier and formally issued through amendment in the contract/corrigendum.

**ARBITRATION**

35. Parties shall make their attempt to settle all disputes arising under this contract through friendly discussions in good faith. In the event that either party shall perceive such friendly discussion to be making insufficient progress towards settlement of dispute at any time, then such party may by written notice to the other party refer the dispute(s) to final and binding arbitration as provided below:
- a. The dispute shall be referred for adjudication to two arbitrators one to be nominated by each party, who before entering upon the reference shall

14

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                           |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|     | <p>appoint an umpire by mutual agreement, and if they do not agree a judge of the superior court shall be requested to appoint the umpire. The arbitration proceedings shall be held in Pakistan and under Pakistani Laws.</p> <p>b. The venue of arbitration shall be the place from where the contract is issued or such other places as the Purchaser at his discretion may determine.</p> <p>c. The arbitration award shall be firm and final and binding on both the parties to the contract.</p> <p>d. In course of arbitration the contract shall be continuously be executed accept that part which is under arbitration.</p> <p>e. All proceedings under this clause shall be conducted in English language and in writing.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b><u>Firms Reply</u></b> |
|     | <b>FORCE MAJEURE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                           |
| 36. | <p>a. The parties will not be held responsible for any non- fulfillment or delay in carrying out the contractual obligations due to event of Force Majeure such as Acts of God (earthquake, flood, fire, typhoon, hurricane, mass epidemic diseases), War (military actions, subversive activities or sabotages), Riots, Civil Commotion, Strike, Lockouts, Prohibitive measures of Governments (Prohibition of trade relations with certain countries as a result of United Nations sanctions imposition) directly affecting the Parties and any events or circumstances on which the Parties has no control.</p> <p>b. In order to be deemed force-majeure, the said events should be of extraordinary, unpredictable and unavoidable nature, and occur after this Contract comes into force and be beyond control of the Parties.</p> <p>c. Should the force-majeure circumstances occur, the suffering Party must notify in writing the other Party of such situation within 30 (thirty) days from occurrence thereof. The said notice should contain information about the nature of the circumstances and, if possible, contain an evaluation or estimate of their probable impact upon performance of obligations under the Contract, as well as the time required for such performance.</p> <p>d. Upon termination of the above-mentioned circumstances, the suffered Party should promptly give a relevant written notice to the other Party. The said notice should specify the time, within which performance of obligations under the Contract is being suggested.</p> <p>e. Within reasonable time, the party exposed to force-majeure should transfer to the other Party a Certificate issued by the legal Authorities, as an evidence of occurrence of the force-majeure situation.</p> <p>f. Should the force-majeure situation occur, the timing of performance by the Parties of their respective obligations under the Contract shall be extended adequately, by adding on the duration of such circumstances and consequences thereof.</p> <p>g. Should the force-majeure circumstances continue for more than consecutive 60 (sixty) days, the Parties shall negotiate and coordinate appropriate measures needed to be taken in order to perform their respective obligations under the Contract. If duration of such circumstances exceeds 6 (six) months and the Parties fail to agree on further coordinated measures needed to perform their respective obligations, the Contracting Party (Purchaser) shall have the right to terminate the Contract, whether partially or wholly, free of any subsequent claims, by sending a written termination notice to the other Party (Seller).</p> |                           |

h. The Purchaser may not claim LD in relation to delays in delivery, provided that such delays have been caused by occurrence of a force majeure event.

**TERMINATION OF CONTRACT**


37. a. If at any time during the currency of the contract the Purchaser decides to terminate the contract for any reason whatsoever (other than for reasons of Non-Delivery) he shall have right to do so by giving the Supplier a registered notice to that effect. In that event the Purchaser shall accept delivery at the contract price and terms of such stores/goods/services which are in the actual process of manufacture that is completed and ready for delivery within thirty days after receipt by the Supplier of such notice.
- b. In the case of remainder of the undelivered stores/goods/services the Purchaser may elect either:
- (1) To have any part thereof completed and take the delivery thereof at the contract price or,
  - (2) To cancel the remaining quantity and pay to the Supplier for the articles or sub-components or raw materials purchased by the Supplier and are in the actual process of manufacture at the price to be determined by the Purchaser. In such a case materials in the process of manufacture shall be delivered by the Supplier to the Purchaser.
  - (3) No payment shall however be made for any materials not yet in the actual process of manufacture on the date notice of cancellation is received.
  - (4) Should the Supplier fail to deliver goods/services in time as per quality terms of contract or fail to render Bank Guarantee within the stipulated time period or any breach of the contract the Purchaser reserves the right to terminate/cancel the contract fully or any part thereof at the risk and expense (RE) of the Supplier. If due to any reasons Purchaser fails to perform its obligations required and needed for the smooth conduct and management of the Contract, Supplier has a right to initiate legal proceedings.

**CONFIDENTIALITY**

38. a. The Supplier and the Purchaser shall keep confidential all information of the other party, whether designated as confidential or not, obtained under or in connection with the Contract and shall not divulge the same to any third party without the written consent of the other party. The provisions of this clause shall not apply to any information in the public domain otherwise than by breach of the Contract; or information obtained from a third party who is free to divulge the same.
- b. The Supplier and the Purchaser shall divulge confidential information only to those employees who are directly involved in the Contract or have use of equipment and/or software used in connection with the Contract and shall ensure that such employees are aware of and comply with these obligations as to confidentiality.
- c. The Supplier shall undertake that any information about the sale/ purchase of the stores under this contract shall not be communicated to any person, other than the manufacturer/ Supplier/company's lawyer(s), or to any press or agency not authorized by the Purchaser to receive it. Any breach on this account shall be punishable under the Official Secret Act-1923 in addition to termination of the Contract at the risk and expense of the Supplier.

**LOGISTIC SUPPORT**

39. a. The seller will guarantee to supply the necessary spares for next 10 years from the date of signing of the contract. A certificate to this effect be provided by the seller prior to acceptance of the system. All the COTS (Commercial Off The Shelf) items



|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                          | <p>supplied as part of the main equipment should preferably be supportable in Pakistan through the respective local authorized After Sales Service Centres for such items.</p> <p>b. The supplier shall ensure provision of spare parts/ repair of faulty modules or on standard materials for a period of 10 years at price catalogue cost and also ensure to provide satisfactory services for period of 7 years after the warranty period. He will also provide the detail list of spares with cost. In case of requirement of spares during the warranty period the vendor has to provide the spares/stores at the same price in which system was provided.</p> <p>c. All upgrades on software related to the systems are to be provided by the supplier without additional cost for a period of 10 years.</p> <p>d. In case of discontinuation of production of any component/part as result of obsolescence or development of upgraded version, the seller is to inform the buyer at least one (01) year in advance. The seller will ensure the provision of such components/parts as demanded by the buyer prior discontinuation of the production and shall also provide alternate for such components/parts in case the original is not available. The seller would also provide technical drawings of essential items which would facilitate user to arrange its development through user's in country resources.</p> <p><del>e. The Seller will be required to have a provision in the same contract for</del></p> |
|                                          | <p>replacement of defective components/ parts through exchange and shall provide in the proposal the Standard Replacements Cost for all major assemblies/ modules/sub-assemblies/PCBs used in the equipment/system for next five years.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>SECURE EXCHANGE OF CORRESPONDENCE</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 40.                                      | All correspondence pertaining to contract between Supplier and PN shall be on secured media.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>ASSIGNMENT AND SUBCONTRACTING</b>     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 41.                                      | <p>a. Neither Party shall assign any of its rights or obligations (in whole or in part) under the Contract without the prior written consent of the other Party, which shall not be unreasonably withheld.</p> <p>b. The Supplier shall not subcontract any part of the Contract without the written consent of the Purchaser, which shall not be unreasonably withheld.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>OWNERSHIP OF CONTRACT</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 42.                                      | <p>In the event of a change of ownership of Supplier, the Supplier shall ensure that the legal instrument or mode by which the change of ownership takes place shall have specified provisions to the effect that:</p> <p>a. Such change of ownership shall not in any way change, alter or modify the Terms and Conditions of this Contract.</p> <p>b. The Supplier under new ownership shall continue to be bound by the Terms and Conditions of this Contract.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>INDEMNITY</b>                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 43.                                      | The Supplier shall at all times indemnify the Purchaser against all claims which may be made in respect of the stores for infringement of any rights protected by Patent, Registration of Design or Trade Mark and shall take all risks of accidents or damages which may cause a failure of the supply from whatever cause arising and the entire responsibility for the sufficiency of all the means used by him for the fulfilment of the contract provided always that in the event of any claim in respect of alleged breach of Patent, Registered Design or Trade Mark being made against the Purchaser, the Purchaser shall notify the Supplier of the same and the Supplier shall be at liberty to                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

**Firms Reply**



|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | settle any dispute or to conduct any litigation that may arise there from at his own expenses. Supplier is to provide indemnity bond.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>SUBLETTING</b>                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 44.                                            | The Supplier shall be entirely responsible for the execution of the contract in all respects according to the terms of the contract. The Supplier shall not sublet, transfer or assign the contract or any part thereof to any other firm/party without prior written permission of the Purchaser.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>CERTIFICATE OF CONFORMANCE (COC) BY OEM</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 45.                                            | <p>a. Supplier shall provide correct and valid e-mail and fax No. to CINS and DP(N). Supplier shall either provide OEM Conformance Certificate to CINS or is to be e-mailed to CINS under intimation to DP(N). Hard copy of COC must follow in any case through courier. On receipt, CINS shall approach the OEM for verification of Conformance Certificate issued by the OEM. Companies/ Suppliers rendering false OEM Conformance Certificates shall be black listed.</p> <p>b. OEM CoC must have following information:</p> <ol style="list-style-type: none"> <li>(1) Description of Stores along with Quantity.</li> <li>(2) Part/ Pattern No of Stores.</li> <li>(3) Manufacturer Identification (Name, Address and Contact No).</li> <li>(4) Date/ Period of manufacturing.</li> <li>(5) List of Serial Numbers, Batch Number or Lot Numbers as embossed/ engraved on the stores (as applicable).</li> <li>(6) Details of Test Reports (FATs/ OEM Lab Test Report) along with dates and tests conducted (as applicable).</li> <li>(7) Details of third party testing authority (if their services used).</li> <li>(8) List of safety/ regulatory standards (as applicable).</li> <li>(9) Conformance to Standards/ Specifications quoted in the Contract.</li> </ol> |
| <b>SECRECY</b>                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 46.                                            | The Supplier(s) shall undertake that any information about the sale/purchase of the stores under this contract shall not be communicated to any person, other than the manufacturer of the stores, or to any press or agency not authorized by the DP(N) to receive it. Any breach on this account shall be punishable under the Official Secret Act-1923 in addition to termination of the contract at the risk of Supplier. "In this regard 'Non Disclosure Agreement (NDA)' as per format at Appendix II to Annex B is to be signed by the firm at the time of signing of contract.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>TRAINING</b>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 48.                                            | <p>Local training should be arranged for PN officials on without any additional cost is as under:</p> <p>a. <b>Local Training.</b> The contractor shall arrange <b>Local technical training of Level-I &amp; II</b> for 08 x PN officials for 05 working days at vendors Pakistan office and refresher training after expiry of the warranty to enable them for repair/maintenance/operation of the system.</p> <p>b. Upon completion of this course the officials should gain comprehensive understanding of the system and network with complete knowledge of all features and trouble shooting.</p> <p>c. The supplier shall provide course notes in hard and soft form.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>MISCELLANEOUS</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 49.                                            | <p>a. The Seller is to provide the copies of the Standards/specifications referred to or used for the equipment and its accessories.</p> <p>b. Obtaining of licenses/permits etc in the seller's country will remain the</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Firms Reply

✓

|                                               |                                                                                                                                                                                                                                                                                                           |                           |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                               | responsibility of the seller. Failure to obtain the same shall not constitute grounds for Force Majeure.                                                                                                                                                                                                  | <b><u>Firms Reply</u></b> |
| c.                                            | The seller is to provide list of all customized components in his offer.                                                                                                                                                                                                                                  |                           |
| d.                                            | The seller is to provide breakdown of all associated items i.e spares, customized components, training etc.                                                                                                                                                                                               |                           |
| e.                                            | The seller is to provide future updates/modifications on the contracted stores.                                                                                                                                                                                                                           |                           |
| f.                                            | The supplier is to provide spares parts catalogue with prices.                                                                                                                                                                                                                                            |                           |
| g.                                            | Stores to be accepted on DPL-15 at consignees end.                                                                                                                                                                                                                                                        |                           |
| h.                                            | Contract to be back loaded from payment point of view. A reasonable percentage of payment should be linked with the supply of deliverables.                                                                                                                                                               |                           |
| j.                                            | Site visit can be arranged on request basis within one week of publishing of the tender. The interested firms may apply alongwith detailed particulars and photocopies of NIC of the visiting team. The visitors will be required to reach at PN Telecom (West), JNB Ormara under their own arrangements. |                           |
| <b><u>BIDDING PROCEDURE</u></b>               |                                                                                                                                                                                                                                                                                                           |                           |
| 50.                                           | This tender shall be floated on Open Tender Basis using Single Stage Two Envelope Bidding procedure.                                                                                                                                                                                                      |                           |
| <b><u>AMENDMENT IN QUANTITY OF STORES</u></b> |                                                                                                                                                                                                                                                                                                           |                           |
| 51.                                           | "Purchaser has the right to increase/decrease the Quantity of stores after opening of commercial offer, depending upon availability of funds. Purchaser decision shall not be challenged by the bidder.                                                                                                   |                           |
| <b><u>DISTRIBUTION OF CONTRACT</u></b>        |                                                                                                                                                                                                                                                                                                           |                           |
| 52.                                           | NA                                                                                                                                                                                                                                                                                                        |                           |



**SECRECY**

The Purchaser and the Contractor undertake and agree to exercise their best efforts to prevent any unauthorized person(s) from gaining access to drawing offices or workshops or other premises where the supplies are being designed, manufactured, constructed, stored and/or outfitted.

As the Contractor and its Sub-Contractor(s) are the exclusive owners of the intellectual property rights/ copy rights and industrial rights of any and all contractual designs, data, software, TDP, drawings etc., and since they possess all relevant rights therein, the Purchaser and the Contractor undertake and agree to prevent such designs, data, software, drawings, TDP, etc. as well as copies thereof from falling into the hands of representatives of any other foreign power or competitor of the Contractor or its Sub-Contractor(s) and Purchaser or any other unauthorized Party or person.

The above provisions shall, however, not be construed as any restriction whatsoever of the Purchaser's/ Shipyard's application and use of such drawings and TDP for any purpose in accordance with this Contract.

The secrecy obligations above are supplementary to those contained in any agreement between the Pakistan Navy on behalf of the Purchaser, whereby the obligations pursuant to above shall be subject to the Pakistan law regarding the custody and protection of classified matter.

It is the Contractor's responsibility to ensure that all such information is protected in accordance with the protective markings assigned by the Purchaser. If in any case this become essential with regards to this Contract to disclose the information classified as Confidential or above to Sub-Contractors (OEMs), approval must be sought from the Contractor.

The Contractor undertakes to prevent any unauthorized visits to the platform(s) being constructed/ upgraded, and/or systems/equipment being manufactured/ developed for the Purchaser to ensure confidentiality of the information concerning this project. No unauthorized Party or person may be allowed onboard during its construction/ upgrade and qualification tests.

The terms of this Contract are 'CONFIDENTIAL' and each Party agrees not to disclose them to any Third Party except as may be necessary for the performance of this Contract which includes its professional advisors and as else may be required.

The Contractor undertakes that any information about the sale/purchase of the goods/stores under this contract shall not be communicated to any person/organization/agency, other than the manufacturer of the stores/ equipment/ material, or to any press or agency not authorized by the Purchaser to receive it. Any breach on this account will be punishable under Official Secrets Act-1923 of Pakistan and may lead to legal action against the Contractor in addition to termination of the contract at the risk and expense of the Contractor.

**DP-3**

TENDER NO.....

NAME OF THE FIRM.....  
DGDP REGISTRATION No.....  
ADDRESS.....  
TELEPHONE No. ....  
OFFICIAL E-MAIL.....  
FAX No .....  
MOBILE No .....

To:

**Directorate of Procurement (Navy)**  
Through Bahira Gate  
Near SNIDS Centre,  
Naval Residential Complex E-8  
ISLAMABAD

Contact: Reception: 051-9262306  
Bahria Gate: 0331-5540649  
Section: 051-9262309

Email: [dpn@paknavy.gov.pk](mailto:dpn@paknavy.gov.pk)  
[Adpn31pre@paknavy.gov.pk](mailto:Adpn31pre@paknavy.gov.pk)

DATE \_\_\_\_\_

DEAR SIR

1. I/We HEREBY OFFER TO SUPPLY TO THE DIRECTOR OF PROCUREMENT (NAVY) THE STORES DETAILED IN SCHEDULE TO THE TENDER INQUIRY OR SUCH PORTION THEREOF AS YOU MAY SPECIFY IN THE ACCEPTANCE OF TENDER AT THE PRICES OFFERED AGAINST THE SAID SCHEDULE AND FURTHER AGREE THAT THIS OFFER WILL REMAIN VALID UP TO **120 DAYS** AND WILL NOT BE WITHDRAWN OR ALTERED IN TERMS OF RATES QUOTED AND THE CONDITIONS ALREADY STATED THEREIN OR ON BEFORE THIS DATE. I/WE SHALL BE BOUND BY A COMMUNICATION OF ACCEPTANCE TO BE DISPATCHED WITHIN THE PRESCRIBED TIME.

2. I/We HAVE UNDERSTOOD THE INSTRUCTIONS TO TENDERS AND GENERAL CONDITIONS GOVERNING CONTRACT IN FORM NO. DP-35 (REVISED 2024) INCLUDED IN THE PAMPHLET ENTITLED, GOVERNMENT OF PAKISTAN, MINISTRY OF DEFENCE (DIRECTORATE GENERAL DEFENCE PURCHASE) "GENERAL CONDITIONS GOVERNING CONTRACTS" AND HAVE THOROUGHLY EXAMINED THE SPECIFICATIONS/DRAWINGS AND/ OR PATTERNS QUOTED IN THE SCHEDULE HERETO AND AM/ARE FULLY AWARE OF THE NATURE OF THE STORES REQUIRED AND MY/OUR OFFER IS TO SUPPLY STORES STRICTLY IN ACCORDANCE WITH THE REQUIREMENTS.

3. THE FOLLOWING PAGES HAVE BEEN ADDED TO AND FORM PART OF THIS TENDER:

- A. ....  
B. ....  
C. ....

YOURS FAITHFULLY,

.....  
(SIGNATURE OF TENDERER)

.....  
(CAPACITY IN WHICH SIGNING)

ADDRESS:.....

DATE.....

SIGNATURE OF WITNESS.....

ADDRESS.....

\*INDIVIDUAL SIGNING TENDER AND/OR OTHER DOCUMENTS CONNECTED WITH A CONTRACT MUST SPECIFY:-

- (a) WHETHER SIGNING AS "SOLE PROPRIETOR" OF THE FIRM OR HIS ATTORNEY.
- (b) WHETHER SIGNING AS A "REGISTERED ACTIVE PARTNER" OF THE FIRM OR HIS ATTORNEY.
- (c) WHETHER SIGNING FOR THE FIRM "PER PROCURATION".
- (d) IN THE CASE OF COMPANIES AND FIRMS REGISTERED UNDER THE ACT, 1913 AS AMENDED UP-TO-DATE AND UNDER THE PARTNERSHIP ACT 1932, THE CAPACITY IN WHICH SIGNING E.G., THE DIRECTOR, SECRETARY, MANAGER, PARTNER, ETC. OR THEIR ATTORNEY AND PRODUCE COPY OF DOCUMENT EMPOWERING HIM SO TO SIGN, IF CALLED UPON TO DO SO.
- (e) Principal's Proforma invoice (in original)
- (f) Earnest money
- (g) Treasury Challan Form for tender Fees as applicable

**NECESSARY DATA FOR ISSUANCE OF CONTRACTS ON BID SECURITY/EARNEST MONEY**

**IMPORTANT**

Each column must be filled in with BLOCK CAPITAL LETTERS, incompleteness shall render disqualification.

1. Name : \_\_\_\_\_
2. Father's Name : \_\_\_\_\_
3. Address (Residential) : \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
4. Designation in Firm: \_\_\_\_\_
5. CNIC: \_\_\_\_\_  
(Attach Copy of CNIC)
6. NTN: \_\_\_\_\_  
(Attach Copy of NTN)
7. Firm's Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
8. Date of Establishment of Firm: \_\_\_\_\_
9. Firm's Registration Certificate with FBR/Chamber of Commerce/Registrar of Companies.  
(Attach Copy of relevant CERTIFICATE)
10. In case PARTNERSHIP (Attach particulars at serial 1, 2,3,4,5 and 6 of each partner).

(Kindly fill in the above form and forward it under your own letter head with contact details)