



I O N
OPERATIONS DIVISION

Subject: **Technical Evaluation for Procurement of CCTV System**
(Tender# NADRA-HQ-RFB-53/2026)

Reference: Admin-Procurement ION no. NADRA/Proc/Ops/53/2026 dated 03rd June 2026

With reference to above quoted ION, Bidder Evaluation for Procurement of CCTV system Tender# NADRA-HQ-RFB-53/2026 duly signed by all members and president is attached for information and necessary action, please.


Deputy Director
Operations Division
(Usman Khalid)

NADRA/Ops Div/Tech Eval/CCTV/53/2026 **dated 04th June 2026**

To: Admin Dte (Procurement) 

Bidder Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Sr. No	Bidder Evaluation	M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
		Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	Firm has a Valid NTN Registration	Yes (Page 106-107)	Yes (Page 4)	Yes (Page 200)	Yes (Page 80,82)	Yes (Page 44)	Yes (Page 64 65)	Yes (Page 78)	Yes (Page 138-139)	Yes (Page 233)
2	Firm has a Valid GST Registration	Yes (Page 108)	Yes (Page 7)	Yes (Page 197)	Yes (Page 80,82)	Yes (Page 47)	Yes (Page 64)	Yes (Page 80)	Yes (Page 138-139)	Yes (Page 232)
3	Firm is active on ATL list of FBR	Yes (Page 111-112)	Yes (Page 6)	Yes (Page 196, 204)	Yes (Page 83)	Yes (Page 46)	Yes (Page 68)	Yes (Page 81)	Yes (Page 138-139)	Yes (Page 234)
4	Firm will produce an Affidavit for Non-Blacklisting	Yes (Page 498)	Yes (Page 8-9)	Yes	Yes (Page 129-130)	Yes (Page 48)	Yes (Page 71)	Yes (Page 82)	Yes (Page 384)	Yes (Page 238)
5	Letter of Bid (Technical and Financial Both)	Yes (Page 4), Financial check*	Yes (Page 2), Financial check*	Yes (Page 32)	Yes (Page 7)	Yes (Page 2, 49)	Yes (Page 3)	Yes (Page 83)	Yes (Page 76)	Yes (Page 201-202)
6	Warranty Minimum Warranty One Year for all equipment except HDD (for HDD 2 years warranty is required)	Yes (Page 8)	Yes (Page 70)	Yes (Page 47)	Yes (Page 6)	Yes (Page 52)	Yes (Page 70)	Yes (Page 84)	Yes (Page 10)	Yes (Page 196, 221)
7	Bid Security	Yes (Page 8)	Page (1) Original submitted	Yes	Yes	Yes (Page 10)	Yes	Yes (Page 70-71)	Yes (Page 388)	Yes (Page 2)
8	Firm must submit purchase orders evidencing the supply of CCTV equipment Attach Purchase Orders for minimum period of two years (FY 2023-24 & FY 2024-25) At least one (1) PO shall be attached for each financial year.	Yes (Page 115-318)	No (Page 71-88) , 20224-25 Not Included	Yes (Page 111-152)	Yes (Page 96)	Yes (Page 55-160)	Yes (Page 76-89) Check 2023	Yes (Page 87-103)	Yes (Page 475, 912)	Yes (Page 63-159)
9	Contact details of technical person to address queries during testing of the device/application (Name, E-mail, Mobile no.)	Yes (Page 80)	Yes (Page 69)	Yes (Page 153)	Yes (Page 133)	Yes	Yes	Yes (Page 104)	Yes (Page 162) * Not specific	Yes (Page 225)
10	Authorization Letter is required	Yes (Page 69-70)	Yes (Page 15)	Yes (Page 47)	Yes (Page 77)	Yes (Page 13)	Yes (Page 69)	Yes (Page 66, 105)	Yes (Page 85, 121)	Yes (Page 8)
Qualified / Not Qualified		Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member _____
Member Name : Usman Khalid (Ops)
Deputy Director

Member _____
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member _____
Member Name : Abdul Jabbar (T&D)
Deputy Director

President _____
President Name : Syed Abdul Salam
COO

3/6/26


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
#	Proposed Model	DS60HKVS-VX1 / DS80HKVS-VX1	6/ 8 TB Hard Drive Surveillance Grade	DS80HKAI-VX1	DS60HKVS-VX1 / DS80HKVS-VX1	Dahua HDD 6TB 8TB	DS60HKVS-VX1 / DS80HKAI-VX1	SEAGATE/WD 6/ 8 TB Hard Drive Surveillance Grade	Seagate Model No. ST6000VX008 / Seagate Model No. ST8000VX009	DS60HKVS-VX1 / DS80HKVS-VX1
Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	Storage / HDD Storage Capacity: 6 TB / 8 TB Type: Surveillance-grade SATA HDD Form Factor: 3.5 inch Interface: SATA III (6 Gb/s) Designed for 24/7 continuous video recording Optimized for CCTV / NVR / DVR systems Supports multiple HD camera streams High reliability and low power consumption 2-year warranty Must be compatible with quoted CCTV system	Yes (Page 27-31)	Yes (Page 12) email response, Western digital Model - WD85PURZ and WD64PURZ. However due to global supply chain constraints, an equivalent will be provided if not available at time of order.	Yes (Page 42, 56-57, 64-66)	Yes (Page 10,11, 29-34)	Yes (Page 6-7) (Query reply page 2)	Yes (Page 17-22)	Yes (Page 7)	Yes (Page 71)	Yes (Page 22-27)
Technically Qualified / Not Qualified		Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Sr.#	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-7604NXI-K1(STD)(B)	DS-7604NXI-K1/VPro(STD)	DS-7604NXI-K1(STD)(B)	DS-7604NXI-K1(STD)(B)	DHI-NVR4204-EI	DS-7604NXI-K1 (B)	DS-7604NXI-K1	DHI-NVR4204-EI	DS-7604NXI-K1
Item	Minimum Specification of CCTV and allied equipment		Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1.	4-Channel Network Video Recorder (NVR)	Supports minimum 4 IP cameras Supports up to 8-12 MP IP camera resolution Video compression: H.265+ / H.265 / H.264+ / H.264 AI Analytics supporting human or equivalent Smart functions: Perimeter protection / motion detection Incoming bandwidth: minimum 40 Mbps or higher HDMI output with up to 4K resolution Simultaneous HDMI and VGA output Supports minimum 1 SATA HDD, up to 10 TB ONVIF compliant Supports remote access via web and client software Gigabit Ethernet RJ-45, USB ports for backup, 12 VDC power supply	Page(10, 33)	Yes (Page 13, 40-43)	Yes (Page 43-44, 50-54)	Yes (Page 11, 35-40)	Yes (Page 7,18-20)	Yes (Page 23-27)	Yes (Page 7, 23-26)	Yes (Page 71-72)	Yes (Page 32-37)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)


Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


**Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026**

Sr.#	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-7608NXI-K2/VPro(STD)	DS-7608NXI-K2/VPro(STD)	DS-7608NXI-K2/VPro(STD)	DS-7608NXI-K2/VPro(STD)	DHI-NVR4208-EI	DS-7608NXI-K2/Vpro	DS-7608NXI-K2	DHI-NVR4208-EI	DS-7608NXI-K2/Vpro
	Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	8-Channel Network VideoRecorder (NVR)	Supports minimum 8 IP cameras Supports high-resolution IP cameras (up to 8-12 MP) Video compression: H.265+ / H.265 / H.264+ / H.264 AI-based human and vehicle detection Smart functions: Perimeter protection/ motion detection Incoming bandwidth: minimum 80 Mbps or higher HDMI output with up to 4K resolution Simultaneous HDMI and VGA output Supports minimum 2 SATA HDDs ,HDD capacity: minimum 10 TB per HDD ONVIF compliant Supports remote monitoring via web and client software Gigabit Ethernet RJ-45 (10/100/1000 Mbps), USB ports for backup and export 12 VDC power supply	Page(10,38-41)	Yes (Page 13, 45-48)	Yes (Page 44, 59-61)	Yes (Page 11-12, 41-44)	Yes (Page 7, 33-35)	Yes (Page 28-31)	Yes (Page 7, 30-34)	Yes (Page 72)	Yes (Page 28-31)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)


Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
Proposed Model		DS-2CD3347G3E-LIUF/SL/UHK(2.8mm)(O-STD)	DS-2CD2047G2-LU/SL(2.8mm)(C)(O-STD)	DS-2CD3347G3E-LIUF/SL/UHK(2.8mm)(O-STD)	DS-2CD3347G3E-LIUF/SL/UHK(2.8mm)(O-STD)	DHUA-DH-IPCHDW2449T-S-PV	DS-2CD3347G3E-LIUF/SL/UHK(2.8mm)(O-STD)	DS-2CD3347G3E-LIUF/SL/UHK	DHUA-DH-IPC-HDW2449T-S-PV	DS-2CD3347G3E-LIUF/SL/UHK
Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	Dome Network Camera Minimum 4 Megapixel resolution Progressive scan CMOS sensor True day/night with IR cut filter True WDR > 120 dB,Built-in IR illumination on (minimum 30-40 m) H.265/H.264 video compression, AI-based human & vehicle detection on Smart events: Intrusion / line crossing,Built-in microphone and speaker ONVIF compliant,PoE (IEEE 802.3af) and 12 VDC MicroSD card slot, IP67-rated outdoor metal housing Note: The CCTV Management software should be capable of the followings: No one should access camera settings without authorization Allow access only from approved IP Address	Yes (Page 9, 10, 14-19)	Yes (Page 12, 22-27) (Query Reply page 2)	Yes (Page 42, 89-94)	Yes (Page 10, 22-26)	Yes (Page 6, 15-17)(Query Reply page 2)	Yes (Page 12-17)	Yes (Page 6, 16-21)	Yes (via email confirmation (page 2)	Yes (Page 16-21)
Technically Qualified / Not Qualified		Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director


President 
President Name : Syed Abdul Salam
COO

Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

r.#	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-2CD3T47G3E-LIUF/SL(4mm)(O-STD)	DS-2CD2047G2-LU/SL(2.8mm)(C)(O-STD)	DS-2CD3T47G3E-LIUF/SL(4mm)(O-STD)	DS-2CD3T47G3E-LIUF/SL(4mm)(O-STD)	DH-IPCHFW3449T1-ASPV-PRO	DS-2CD3T47G3E-LIUF/SL	DS-2CD3T47G3E-LIUF/SL	DH-IPC-HFW3449T1-AS-PV-PRO	DS-2CD3T47G3E-LIUF/SL
	Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	Bullet Network Camera	Minimum 4 Megapixel resolution Progressive scan CMOS sensor True day/night with IR cut filter True WDR ≥ 120 dB Built-in IR and white light illumination (minimum 50–60 m) H.265 / H.264 video compression AI-based human & vehicle detection Smart events: Intrusion / line crossing Built-in microphone and speaker, Visual and audible active deterrence ONVIF compliant, PoE (IEEE 802.3af/at) and 12 VDC, MicroSD card slot IP67 outdoor protection , IK10 vandal resistance, Metal housing Note: The CCTV Management software should be capable of the followings: • No one should access camera settings without authorization • Allow access only from approved IP Address	Page (9,10, 21-26) IR range 30 m	Yes (Page 12,16-20) via email confirmation (page 2 of spec sheet) (IK10 oK query reply page 1)	Yes (Page 42, 83-87)	Yes (Page 10, 16-20)	Page (6, 25-28)	Page (6-10)	Yes (Page 6, 10-13)	Page (70-71)	Yes (Page 11-15)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

President 
President Name : Syed Abdul Salam
COO

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

S. No	Technical Specification of CCTV System		M/S 4ZEE TRADERS DS-9616NXI-I8/Vpro/UHK(STD)	M/S DWP Technologies DS-9616NXI-I8/VPro(STD)	M/S JAZZ DS-9616NXI-I8/Vpro/UHK(STD)	M/S Makkays DS-9616NXI-I8/Vpro/UHK(STD)	M/S Mansha Brothers DHI-NVR5816-EI2	M/S Mepcon Eng DS-9616NXI-I8/Vpro	M/S Pacific Security DS-9616NXI-I8/Vpro	M/S VITAL INTERNATIONAL DHI-NVR5816-EI2	M/S WORLD WIDE VISION DS-9616NXI-I8/VPro/UHK
	Proposed Model										
	Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	16-Channel Network Video Recorder (NVR)	Supports minimum 16 IP cameras Supports high-resolution camera streams (up to 12-32 MP) Video compression: H.265+ / H.265 / H.264+ / H.264 Facial detection/recognition support and smart search functions, AI-based human and vehicle detection Incoming bandwidth ≥ 160-320 Mbps Video outputs: HDMI with up to 4K and VGA outputs HDMI1/VGA simultaneous and HDMI2/VGA independent output Minimum 2 × USB ports for backup and export Minimum 8 SATA HDD interfaces (RAID capable) ONVIF compliant network protocol support RAID support: RAID0, RAID1, RAID5, RAID6, RAID10 Audio: 2-channel audio output + 1-channel two-way Alarm I/O: minimum 16 inputs / 8 outputs Power Supply: 100-240 VAC	Page(10,11, 43-48)	Yes (Page 13, 50-55)	Yes (Page 44, 96-101)	Yes (Page 12, 46-51)	Yes (Page 7,21-24)	Yes (Page 33-38)	Yes (Page 7-8, 36-41)	Yes (Page 72)	Yes (Page 37-42)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)


Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Sr.#	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-9632NXI-I8/Vpro/UHK(STD)	DS-9632NXI-I8R/VPro(STD)	DS-9632NXI-I8/Vpro/UHK(STD)	DS-9632NXI-I8/Vpro/UHK(STD)	DHI-NVR5832-EI2	DS-9632NXI-I8/Vpro	DS-8632NXI-I8/S	DHI-NVR5832-EI2	DS-9632NXI-I8/Vpro/UHK
	Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	32-Channel Network Video Recorder (NVR)	Network Video Recorder supporting minimum 32 IP camera channels Support for H.265+/H.265/H.264+/H.264 video compression formats Recording resolution support up to 32 megapixels Minimum 320 Mbps incoming bandwidth capacity Built-in AI / deep-learning based video analytics Support for facial recognition and intelligent perimeter protection Capability for minimum 16-channel simultaneous playback Dual HDMI outputs with support for 4K (3840 × 2160) resolution Internal storage support for minimum 8 SATA HDDs, up to 16 TB per drive, with RAID support Dual Gigabit Ethernet ports (10/100/1000 Mbps) for network redundancy Support for alarm inputs/outputs, two-way audio, and POS integra on 100–240 VAC power supply, operating temperature –10°C to +55°C	Page(11,50-55)	Yes (Page 13, 57-62)	Yes (Page 44, 103-109)	Yes (Page 12-13, 53-58)	Yes (Page 7-8, 29-32)	Yes (Page 40-45)	Yes (Page 8, 43-48)	Yes (Page 72)	Yes (Page 43-55)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director


Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

Sr.#	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-3E1310P-EI(O-STD)(B)	DS-3E1310HP-EI(O-STD)(B)	DS-3E1310P-EI(O-STD)(B)	DS-3E1310P-EI(O-STD)(B)	DH-CS4210-8GT110	DS-3E1310P-EI(B)	DS-3E1310P-EI(B)	DH-CS4210-8GT-110	DS-3E1310P-EI(B)
	Item	Minimum Specification of CCTV and allied equipment	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	8-Port Network Switch	Smart managed Fast Ethernet PoE switch suitable for IP surveillance networks Minimum 8 × 10/100 Mbps PoE ports and 2 × Gigabit uplink ports Compliance with IEEE 802.3af / 802.3at PoE standards Minimum 110 W total PoE power budget, with up to 30 W per port Support for long-range PoE transmission up to 300 meters Built-in PoE watchdog for automatic detection and restart of unresponsive devices Support for 802.1Q VLAN for network segmentation and security STP / RSTP loop prevention to ensure network stability Cable detection and port isolation features for fault diagnosis Minimum 6 kV surge protection for enhanced reliability Metal enclosure suitable for desktop or wall-mounted installation	Page(11, 12, 57-61)	Yes (Page 14, 34-38)	Yes (Page 44, 67-71)	Yes (Page 13, 60-64)	Yes (Page 8, 36-38) Query reply page 2, support 250 meter)	Yes (Page 47-51)	Yes (Page 9, 50-54)	Yes (Page 73) Query response page 2)	Yes (Page 54-58)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Not Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)


Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026

S. No	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		DS-3E1520P-EI(O-STD	DS-3E0518P-E(O-STD)(B)	DS-3E1520P-EI(O-STD)	DS-3E1520P-EI(O-STD)	DH-CS4220-16GT-240	DS-3E1520P-EI	DS-3E1518P-EI	DH-CS4220-16GT-240	DS-3E1520P-EI
Item	Minimum Specification of CCTV and allied equipment		Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	16-Port Gigabit Network Switch	Smart managed Gigabit PoE network switch suitable for IP surveillance systems Minimum 16 × Gigabit PoE RJ45 ports, 1 × Gigabit RJ45 uplink, and 1 × Gigabit SFP fiber port Compliance with IEEE 802.3af / 802.3at PoE standards Minimum 230 W total PoE power budget, with up to 30 W per PoE port Support for long-range PoE transmission up to 300 meters Built-in PoE watchdog for automatic restart of unresponsive IP devices Support for 802.1Q VLAN and port isolation for network security STP / RSTP loop prevention to ensure stable network operation Support for link aggregation for bandwidth expansion and redundancy Minimum 6 kV surge protection for enhanced reliability Rack-mountable metal enclosure with 100–240 VAC power supply	Page(12, 62-64)	Yes (Page 14, 29-32) Not comply unmanaged switch vs smart managed,	Yes (Page 44, 72-76)	Yes (Page 13, 65-69)	Yes (Page 8, 39-41)	Yes (Page 53-57)	Yes (Page 9, 55-59)	Yes (Page 73)	Yes (Page 54-58)
Technically Qualified / Not Qualified			Qualified	Not Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO


**Technical Evaluation for Procurement of CCTV System
TENDER # NADRA-HQ-RFB-53/2026**

r. #	Technical Specification of CCTV System		M/S 4ZEE TRADERS	M/S DWP Technologies	M/S JAZZ	M/S Makkays	M/S Mansha Brothers	M/S Mepcon Eng	M/S Pacific Security	M/S VITAL INTERNATIONAL	M/S WORLD WIDE VISION
	Proposed Model		HIKVISION DS-D5032F3-1V0S(European standard)	Hikvision DS-D5032F3-1V0S/ British Standard	DS-D5032F3-1V0S(European standard)	DS-D5032F3-1V0S(European standard)	Dahua-LM32-F200	DS-D5032F3-1V0S	DS-D5032F3-1V0SO-S	Dahua-DHI-LM32-F200	DS-D5032F3-1V0S
Item	Minimum Specification of CCTV and allied equipment		Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No	Comply Yes/No
1	32-Inch LED Display	Professional-grade LED display suitable for CCTV control rooms and monitoring applications Screen size: 32 inches with industrial / commercial design Display resolution: Minimum Full HD (1920 × 1080) LED backlight technology with wide viewing angles 24/7 continuous operation support for professional use Multiple video inputs including HDMI and VGA High brightness and contrast ratio suitable for indoor surveillance environments Anti-glare screen surface for reduced reflection Integrated speakers for basic audio monitoring VESA mount compatible for wall or bracket installation	Yes (Page 12, 65-67)	Yes (Page 14, 64-67)	Yes (Page 44, 78-80)	Yes (Page 14, 71-73)	Yes (Page 9)	Yes (Page 59-62)	Yes (Page 9, 61-63)	Yes (Page 73)	Yes (Page 59-61)
Technically Qualified / Not Qualified			Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified

Member 
Member Name : Usman Khalid (Ops)
Deputy Director

Member 
Member Name : Naeem Sarwar
Asst. Director (C&IT)

Member 
Member Name : Abdul Jabbar (T&D)
Deputy Director

President 
President Name : Syed Abdul Salam
COO