

CENTRAL AVIATION SPARES DEPOT (EME)
QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI
TENDER NOTICE

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased.** Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

Ser	Tender No	Detail of Required Stores	No of Items	Delivery Period	Date and Time of Tender	
					Submission	Opening
a.	81201-EME/LP/26-27/IT-9 dated 4 August 2026	Misc	(List attached as Annexure A to C)	30 Days for Local Stores & 90 Days for Foreign Stores	24 August 2026 at 1030 Hrs	24 August 2026 at 1100 Hrs

2. **Submission of Offers by the Firms.**

- a. Quoted rates must be valid up to **30 Jun 2027**.
- b. Delivery Period should be 1 x month for local and 3 x months for imported items.
- c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.
- d. Remaining life of shelf life / life expiry items should be 80% of total life at the time of delivery.
- e. **Bids of firms registered with Central Aviation Spares Depot or having valid Military Intelligence Directorate security clearance for interaction with Army will only be accepted.**
- f. Firm must quote items in separate envelopes clearly marked "Technical Offer" and Commercial Offer" in separate categories Annexures wise as given below. **IT number must be mentioned on both envelopes: -**

Category	Heading on Envelop (Technical)	Heading on Envelop (commercial)
Misc	Annexure A to C (Technical)	Annexure A to C (Commercial)

- g. **Technical Offer.** The offer must include the following information / documents which will be evaluated by respective boards for completeness and acceptance: -
 - (1) **Tender Fees (non-refundable) amounting to Rs 3,000/- per tender.**
 - (2) **Bid Security / Earnest Money amounting to 5% of the total amount of bid (unit price x required quantity x 0.05) must accompany in the**

shape of PAY ORDER / BANK DRAFT in the name of Commandant CASD. Same will be returned on delivery of ordered items. Bid Security will be confiscated if bidder withdraws his bid during the period of bid validity, changes his original bid in any manner, fails to deliver item or to provide CDR/ BG (when required/ due). Tender without bid security / earnest money or if the amount of bid security / earnest money deposited is less than 5% of the total amount of bid, will not be entertained.

- (3) Brand name, specification, country of origin.
- (4) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.
- (5) **Validity of offer should be upto 30 Jun 2027.**
- (6) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of Purchase Orders. If firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items than firm should approach this office before expiry of delivery period.
- (7) Remaining shelf life / expiry of items should be 80% of total life at the time of delivery.
- (8) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.
- (9) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.
- (10) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test / inspect samples before placing of purchase orders.
- (11) During warranty period (if stores supplied is/ are backed by warranty), if a fault occurs in supplied stores then supplier will be responsible to either rectify the fault communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
- (12) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.
- (13) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.
- (14) Make / model / brand and country of origin of stores must be mentioned where applicable.
- (15) Manufacturer certificate / Certificate of Conformance of branded items must be provided.
- (16) Prices / rates will be quoted on delivery basis at locations all over Pakistan.
- (17) Prices / rates will be inclusive of all applicable taxes / duties.

- (18) Prices / rates quoted must be as per accounting unit.
- (19) More than one manufacturer / model may also be quoted giving separate price of each manufacturer / model.
- (20) Prices / rates will be quoted in Pakistani currency.
- (21) Partial delivery / partial payment will not be accepted / made.
- (22) Payment will be made through Controller Military Accounts Rawalpindi after receipt and acceptance of ordered stores.
- (23) If stores are not delivered within delivery period, penalty will be imposed.
- (24) Items should be packed properly at the time of delivery as per standard packing regime.
- (25) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.
- (26) Technical detail may be sought out by firms.

h. **Commercial Offer.** This offer must include the item wise rate and total amount of stores to be offered. This offered will only be considered after acceptance of technical offer.

- (1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**
- (2) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words "NOT QUOTED"
- (3) List of stores(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.
- (4) Quoted rates are only valid on firm's letter head.
- (5) No change should be made in tender inquiry provided (part number, nomenclature, accounting unit, photo and technical details/ specifications). Bidders should fill prices / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers. In case of any change/ amendment in quoted item (without which correct quote is not possible), details of same should be clearly mentioned in bold italics.

3. **Essential Documents Requirement.** Firm shall ensure submission of following essential documents along with technical offer to participate in tender: -

- a. Certificate that firm is neither defaulter nor blacklisted by any Government / Military Organization directly or indirectly.
- b. Undertaking for adequate financial capability to the value of tender.
- c. **Each bid should accompany 5% of the bid amount of items as bid security / earnest money (COMPULSORY) in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained.**

- d. **Tender fee amounting to Rs. 3,000/-** per tender.
4. **Purchasers Right.** Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **Liquated Damage charges will be imposed on weekly basis after expiry of delivery period.**
5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para 1a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.
6. **Additional details required for each item separately**
- a. Rate including taxes / duties.
 - b. Delivery period of each item.
 - c. Offer validity till **30 June 2027**.
 - d. Performance guarantee.
 - e. Clarify shipping plan (By Air / Sea).
 - f. Specify warranty period.

For further details contact.

Phone: 051-5686289 or Visit Web site www.ppra.org.pk

Ser	Part no	Nomen	A/U	Technical Specification	Phot
1.	3830-ZO-250-7903	NITROGEN GAS TYPE HP	CUM	BRAND LOCAL VOLUM SIZE 2000 PSI PRESSURE	
2.	7510-266-67178-OLD	TAPE MASKING	Rol	Manufacturer: Originally supplied by 3M (Minnesota Mining & Manufacturing Co., USA) and also covered by U.S. military/GSA specifications. Country of Origin: USA (for the 3M and GSA versions). Width: 1/4 inch (6.35 mm) Length: 60 yards (54.9 m) Thickness: 0.0055 inch (0.14 mm) Color: Tan Material: Crepe paper Adhesive: Pressure-sensitive adhesive on one side Core Diameter: 3 inches Specification: A-A-883 Type 1 / PPP-T-42 / MS16698-68	
3.	6830-ZO-250-5627	Breathing OXYGEN GAS	CUM	Oxygen Gas	

4.	ASTMD5363	LOCTITE222 ADHESIVE (250 ML)	Tube	Product: LOCTITE® 222 Thread locker Type: Low-strength anaerobic thread locker Manufacturer: Henkel (USA/Germany) Typical Package Sizes: 250 m. Dimensions: HxWxD 6.22x2.24x1.10 inches	
5.	PWC11-041	CLEANER DEGREASE (PACKING OF 1 LIT)	Ltr	Brand: Actrel® 3338L Cleaner Manufacturer: ExxonMobil Chemical USA Height: 250–270 mm (9.8–10.6 in) Width: 85–95 mm (3.3–3.7 in) Depth: 55–70 mm (2.2–2.8 in) Weight (Filled): 0.9–1.1 kg (2.0–2.4 lb)	

6.	PWC51166-1	Sleeve	Nos	Brand: Textron Inc. Country Origin United States (manufacturer) Packaged Weight: 0.51 lb Packaged Dimensions : 6.3 (L) x 7 (W) x 1.15 (H) in	
----	------------	--------	-----	--	---

Ser	Part no	Nomen	A/U	Technical Specifications	Photo
1.	10274	STOCKINET	MTR	Brand: 3M Aerospace Size: 6-inch × 25 yd	
2.	10P30-5Y	BASE	Ltr	Manufacturer: AkzoNobel Aerospace Coatings (USA / Netherlands) Description: Fluid-Resistant Epoxy Primer Base Can Height: ~7.5 inches (~19 cm) Can Diameter: ~6.6 inches (~16.8 cm) Standard Shipping Carton (Single Can Box): ~7.1" × 7.1" × 9.0" Shipping Weight: ~12–13 lbs (~5.4–5.9 kg)	

3.	AERO SHELL GREASE 58	Grease	KG	Manufacturer / Brand: Shell Aero Shell Product: Aero Shell Grease 58 Height: approximately 125–130 mm (4.9–5.1 in) Diameter: approximately 110–115 mm (4.3–4.5 in) Weight of grease: 1 kg (2.2 lb) Container material: Metal tin	
4.	AVN-366-16047-48	ANTI FREEZE	Lit	Brand: Aero-Sense Dimensions (L × W × H): ~29.0 cm × 25.5 cm × 39.0 cm (approx. 11.4" × 10.0" × 15.4") Gross Weight: ~22.0 kg (~48.5 lbs)	

5.	AVN-NIV-S-274	SOFT COTTON CLOTH (LATA)	MTR	Country of specification: USA (aviation supply specification style) 100% cotton Soft woven cotton waste/cloth Free from oil, grease, metal particles	
6.	B100-24	GREASE	KG	Brand: Only Textron Aviation Authorized will be accepted	
7.	CS-3204 TYPE 1	Sealant	Tin	Brand: Flame master (Flame master Corporation) Country of Origin: United States Dimensions (L × W × H): 4.5" x 4.5" x 7.5" (approx. 11.4 cm x 11.4 cm x 19.1 cm) Weight: 3.5–4.0 lbs(1.6–1.8 kg)	

8.	CS3330	SEALANT	Kit	Manufacturer: Flame master Corporation Country of Origin: United States Product family: Chemseal CS-3330 Net Fill Volume: 3.5 fl. oz / ~100 mL	 A black applicator rod and a small bottle of Chemseal CS-3330 sealant. The bottle has a white cap and a label with the product name and number.
9.	DAPCO 2100	SEALANT	BTL	Original manufacturer: D Aircraft Products, Inc. (DAPCO™ brand) Country of origin: USA. Size: 6 oz cartridge	 A green DAPCO 2100 sealant cartridge with a red cap, a white applicator rod, and a black applicator rod. The cartridge has a label with the product name and number.

10.	DAPCO 3300	CEMENT SILLICONE	BTL	Brand: Textron Maximum Shelf Life: 6 Months Weight: 0.44 lbs Dimensions : 3.8 (L) x 2.45 (W) x 2.7 (H) in Packaged Weight: 0.47 lbs Packaged Dimensions : 5.7 (L) x 5.3 (W) x 2.65 (H) in	
11.	Molykote D-321R	Oil / Lubricant Spray	CAN	Brand Name: MOLYKOTE® Product Name: MOLYKOTE® D-321 R Anti-Friction Coating Parent Manufacturer: DuPont Specialty Products USA, LLC (formerly Dow Corning Molykote) Origin: Made in USA / Manufactured under US aerospace supply chain Size: 400ml	

12.	D-ZOLVE GL 15-33	URETHANE PAINT STRIPPER	ltr	Brand Name: D-ZOLVE™ GL Manufacturer: Solvent Kleene, Inc. 1 US Gallon (128 fl. oz. / 3.785 L)	
13.	EC1300L	SCOTCH GRIP	Nos	Brand Name: 3M™ Product Family: Scotch-Grip™ Product Name: 1300L Rubber & Gasket Adhesive Container Size: 32 fl oz (1 Quart / 946.3 mL)	

14.	EC-275	HAERDNER MATERIAL	Nos	Brand: AkzoNobel Aerospace Coatings (USA distribution) Product Name: EC-275 Curing Solution (Hardener) Height: 190 mm (7.5 in) Width: 115 mm (4.5 in) Depth: 60 mm (2.4 in) Net Volume: 0.946 L (1 US Quart)	
15.	EN3628-0.63	Locking Wire 0.25inch/0.6 mm	Nos	Brand: Malin Co. (USA) EN3628-0.63 Lock Wire is a European aerospace specification stainless steel locking (safety) wire	

16.	KO 1,0 GOST 792-67	Locking wire	EA	Malin Co. (USA) Product: Aircraft Stainless Steel Lockwire (Safety Wire) Manufacturer: Malin Company Diameter: 0.032 in Corrosion-resistant stainless steel	
17.	SR243	LOCTITE SR243	BTL	Brand: LOCTITE® (manufactured by Henkel, USA/Germany) Product: LOCTITE® 243 Medium-Strength Blue Threadlocker dimensions 57 × 28 × 158 mm (D × W × H) Weight: 314g Size: (250 mL bottle)	


18.	LPS FORCE 842	DRY MOLY LUBRICANT	Btl	Brand: LPS (ITW Pro Brands) – Made in the USA. 11 oz (312 g / 468 mL) 1.2 lb (0.54 kg)	
19.	MIL-A-46146	Sealant Type II CLASS 1	TUB	Brand: DOWSIL 3145 RTV MIL-A-46146 (90 mL) Product: DOWSIL™ 3145 RTV MIL-A-46146	

20.	MIL-G-21164	AEROSHELL GREASE 64	KG	Brand: Aero Shell Container size: 3kg Container: Metal can (round tin)	
-----	-------------	------------------------	----	--	---

21.	MIL-PRF-10924	GREASE, AUTOMOTIVE AND ARTILLARY, OEM PART NO MIL-PRF- 10924,FW,B-350, MILITARY SPECIFICATIONS PROMULGATED, USA	EA	Brand: Castrol Brayco 885 Specification: MIL-PRF-10924 Made in: USA (qualified military product)	
22.	2380	Turbo Oil	Nos	Brand Name: Eastman Product Name: Turbo Oil 2380™ Type: Synthetic Turbine Engine & Accessory Oil Volume: 946 mL (1 U.S. Quart) Military Specification: MIL-PRF-23699 STD (Standard Class) and SAE AS5780 SPC	

23.	MIL-PRF-25567	LEAK DETECTION COMPOUND	Nos	Brand Name: SHERLOCK® Manufacturer: Winton Products Co., Inc. Product: Sherlock Gas & Air Leak Detector Type: Type I Military Specification: MIL-PRF-25567E Application: Oxygen and compressed gas leak detection Bottle Size: 8 oz (237 mL)	
24.	MIL-PRF-32033	LUBRICATING OIL	NOS	Brand Name LPS® (ITW Pro Brands / LPS Laboratories) Product Name LPS® 3 Premier Rust Inhibitor Container Size 11 wt oz (312 g / 380 mL) Aerosol Can Height: 9.1 in (231 mm) Diameter (Width): 2.9 in (74 mm) Length: 2.83 in (72 mm) (packaging specification) Net Weight: 11 oz (312 g) Shipping Weight: 0.92 lb (0.42 kg)	

25.	MIL-PRF-680 Type III	Dry Cleaning Solvent	Nos	Specification: MIL-PRF-680 Type III Container Size: 1 Gallon (3.78 L) NSN: 6850-01-474-2320 Typical Use: Aircraft parts cleaning, engine components, landing gear, bearings, and metal parts. Flash Point: Minimum 200°F (93°C) (High Flash Point). AXAREL™ 3000 (Vantage Specialty Chemicals) Meets MIL-PRF-680 Type III Widely used in aerospace and military maintenance	
26.	MIL-T-5540	PERMATEX ANTI-SEIZE	Nos	Brand: Permatex® Product Name: Anti-Seize Lubricant (Advanced Formula / Metallic Silver Grade) Item / Part Number: 80071 Military Specification Equivalents: MIL-T-5540 / MIL-A-907E	

27.	MPK	SOLVENT CLEANER	LTR	Manufacturer: Eastman Chemical Company Brand: Eastman Container Type: Rectangular metal solvent can Nominal Capacity: Approximately 1 U.S. gallon (3.785 L) Manufacturer: Eastman Chemical Company Product Code: SPC 13010 MPK TECH LIQ	
28.	PERMATEX 3D	PERMATEX	TUB	Brand: Permatex® Product Name: Aviation Form-A-Gasket® Sealant (Item/Part No. #3A) Net Weight / Volume: 3 oz / 85 g Approximate Physical Box Dimensions: Height: ~ 6.5 to 7.0 inches (≈16.5 to 17.8 cm) Width: ~ 2.5 to 3.0 inches (≈6.3 to 7.6 cm) Depth: ~ 1.5 to 1.8 inches (≈3.8 to 4.6 cm)	
29.	PR-1422	B-1/2 AIRCRAFT STRUCTURE FILLER / EDGE CEMENT	NOS	Brand Name: PPG Pro-Seal® / PRC® Product: PR-1422 Class B-1/2 (Semkit Cartridge) Location: Sylmar, California, USA PR-1422 B-1/2 (Aircraft Structure Filler / Edge Cement / Fuel Tank Sealant) configured in a 130 ml / 6 oz Semkit cartridge format:	

30.	PR-1425	B-1/2 AIRCRAFT STRUCTURE FILLER / EDGE CEMENT	NOS	Brand: PPG Aerospace / PRC® Product Name: PR-1425 B-1/2 Aircraft Structure Sealant (Windshield & Canopy) Packaging Type: Semkit® Package (Cartridge & Mixing System) Volume / Capacity: 6 oz / 130 ml (Standard Semkit cartridge size #6)	
31.	PR-1448	SEALANT	Kit	Brand: PPG Aerospace / PRC® Product Name: PR-1448 B-2 Void Filling Compound Kit Type: Can Kit Total Volume: 1 Pint / 16 fl. oz. (0.473 Liters) Base Can Volume: 1 Pint (0.473 L) Curing Agent Can Volume: 4 fl. oz. (0.118 L) Shipping Weight: Approx. 2.5 lbs (1.13 kg)	
32.	PR 1773 B2	SEALING Compound	Kit	Brand: PPG Aerospace / PRC® Series: PR-1773 B2 Container Size: Quart Kit	

33.	PR-1776M	SEALANT	Kit	Manufacturer: PPG Aerospace / PRC® Product: PR-1776M (B-1/2) Corrosion Inhibitive Aerospace Sealant Quart Kit Sealant Type: Manganese Dioxide Cured Polysulfide. Primary Function: Corrosion Inhibitive Aerospace Sealant (Non-Chromate).	
34.	PRO-SEA 890	SEALANT	Nos	Brand: PPG Aerospace Product Name: P/S 890® Aircraft Fuel Tank & Structural Sealant Former Brand Name: Pro-Seal® 890 (PRC-DeSoto) Manufacturer: PPG Industries, Aerospace Division Country of Manufacture: United States (USA) 6 oz (177 mL) Semkit Cartridg	

35.	PWC05-002	LAYOUT DYE	Nos	Brand: Micro Supreme Product: Layout Dye No. 142 (Purple) Color: Purple Manufacturer: Micro Supreme Company (USA)	
36.	PWC05-003	CLOTH ABRASIVE	NOS	Brand: 3M (Model: 314D Aluminum Oxide Abrasive Cloth) Boxed Roll Dimensions: 2 in × 50 yd (50.8 mm × 45.7 m) Typical Widths Available: 1 in (25 mm), 2 in (50 mm), and 4 in (100 mm) Standard Length: 50 yd (45.7 m)	
37.	PWC05-005A	EMULSIFIER	Mos	Brand: Witconate® Product: HC-59B Manufacturer (Original): Witco Chemical Corporation, USA Current Brand Owner: Nouryon Type: Industrial emulsifier / surfactant Application: Aircraft engine cleaning and oil emulsification PWC Specification: PWC05-005A 1 U.S. Gallon (3.78 L)	

38.	PWC05-007	LEAK DETECTOR FLUID, OEM REF NO PWC05-007,RW,BELL- 412,BELL TEXTRON INC,USA	NOS	Brand / Manufacturer: Leak-Tec® (An ITW Company / American Gas & Chemical Co.) Product Name: 372E Leak Detecting Fluid OEM Reference / Spec: PWC05-007 Net Contents / Volume: 8 fl. oz. (237 mL) / 2 oz. squeeze tube options Bottle Height: Approx. 6.5 inches (16.5 cm) Bottle Diameter: Approx. 2.0 inches (5.1 cm) Weight: Approx. 0.6 lbs (270 g)	
39.	PWC05-014	CLOTH ABRASIVE	NOS	Item No.: PWC05-014 Description: Cloth, Abrasive Reference Product: Scotch-Brite™ Abrasive Hand Pad Typical Manufacturer: 3M Supplier Code: 28112 Application: Surface cleaning, removal of oxidation, light deburring, paint preparation,	


40.	PWC05-018/ PWC-05-018A	PENCIL SILVER (PERM MARKER, SILVER)	NOS	Brand: Berol Verithin (Prismacolor Verithin) Model: Silver No. 753 PWC Reference: PWC05-018A Dimensions: Approximately 156 mm (L) × 7 mm (Ø) ☐ Material: Hexagonal wood-cased colored pencil with hard silver core	
41.	PWC05-019	COMPOUND LAPPING	BTL	Brand: Clover Manufacturer: Clover (now marketed by Loctite / Henkel in many markets) Product Name: Clover Silicon Carbide Valve Grinding Compound 2A Equivalent Grit: 400 Grit (Fine) P&WC Material Number: PWC05-019 Weight: 1 lb (454 g)	
42.	PWC05-027	INK, MARKING	NOS	Brand Name (Original Approved Product): Carter's Product: Carter's No. 21451 Black Marking Ink Product Details P&WC Material Number: PWC05-027 Description: Ink, Marking Color: Black Commercial Reference: Carter's No. 21451 Capacity typically around 2 fl oz (59 mL).	

43.	PWC05-053	SHEET, POLYETHYLENE	Mtr	Brand Information Brand / Manufacturer: Husky (Poly-America) Product Name: Plastic Sheeting (Drop Cloth / Moisture Barrier) Thickness: 2 MIL Dimensions & Specifications Roll Width: 10 Feet (3.04 meters) Roll Length: 100 Feet (30.4 meters) Total Coverage Area: 1,000 Sq. Ft. (92.9 square meters) Weight: Approx. 9.57 lbs (4.34 kg)	
44.	PWC06-004	ANTI SEIZE COMPOUND	Tub	Brand Name Molykote® Product: Molykote G-N Metal Assembly Paste Manufacturer: Dow Corning (now marketed under the Molykote brand by DuPont). P&WC lists Dow Corning G-N Metal Assembly Paste as the commercial reference for PWC06-004 150 g (5.3 oz)	

45.	PWC11-009	ETHYLE ALCOHAL	LTR	Brand Name Q Concepts Product: Denatured Ethyl Alcohol (Anhydrous 99%) Grade: Technical Grade NA-1987 CAS No.: 64-17-5 The container shown is a 32 fl oz (946 mL) rectangular metal solvent can	
46.	PWC11-014	ALCOHOL ISOPROPYL	LTR	Brand Information Brand / Manufacturer: Techspray Product Name: 99.8% Pure Anhydrous Isopropyl Alcohol (IPA) Purity / Grade: Technical / Reagent Grade (99.8% Anhydrous) 2. Jug / Gallon Container (Right) Capacity / Volume: 1 Gallon / 128 fl oz (3.8 L) (Part #: 1610-G1 / 1610-G4) Container Dimensions: Approx. 12 in × 6 in × 6 in Weight: Approx. 6.9 - 8 lbs	
47.	ROYCO 103	PROTACTANT	Nos	Brand Name Brand: ROYCO® Product: ROYCO® 103 Protectant Manufacturer: LANXESS Solutions US Inc. 12 oz (340 g)	

48.	MIL-PRF-23827	SHC 100 (GREASE)	KG	Brand Information Brand: Mobil Manufacturer: ExxonMobil Product Name: Mobil Aviation Grease SHC 100 (Synthetic Aircraft Wheel Bearing Grease) Country of Origin Origin: United States Dimensions & Weight Net Weight: 2.0 kg / 4.4 lbs Gross Package Weight: Approx. 5.25 lbs (2.4 kg) Can Dimensions (L × W × H): Approx. 7in × 7in × 6in\$ (\$17.8cm × 17.8cm × 15.2cm)\$	
49.	LOCTITE222	Adhesive	Nos	Brand Information Brand: LOCTITE® Manufacturer: Henkel Product Name: LOCTITE® 222 Low Strength Threadlocker Country of Origin Origin: Ireland Dimensions & Volume Net Volume / Weight: 50 ml / 53.1 g Bottle Dimensions (L × W × H): Approx. 6cm × 2.5cm × 15.8cm\$ (\$2.36in × 0.98in × 6.22in)\$	

50.	TR-115	EXEMPT REDUCER	LTR	Brand Information Brand / Manufacturer: AkzoNobel (Akzo Nobel Coatings, Inc. / Aerospace Coatings) Product Name: TR-115 Exempt Solvent Reducer (VOC Exempt Thinner) Country of Origin Origin: United States (Manufactured in Waukegan, IL) Dimensions & Weight Net Volume: 1 US Gallon / 3.78 Liters Gross Package Weight: Approx. 7.5 lbs / 3.4 kg Can Dimensions (D × H): Standard 1-gallon cylindrical metal paint can — Approx. 6.6in × 7.7in (\$16.8cm × 19.5cm)	
-----	--------	----------------	-----	---	---

Ser	Part no	Nomen	A/U	Qty	Technical Specification	Photo
1.	MOLIKOTE DC-33 LIGHT	GREASE,SILICON, LOW TEMPERATURE, LIGHT CONSISTENCY	Nos	6	• Brand: Molykote • Molykote 33 Light • MEP 08-031	
2.	743-T	TAPE, PRESSURE SENSITIVE ADHESIVE, 2 INCH, POLYVINYL FLOURIDE, ACRYLIC, OEM REF No 743-T,AFT CABIN PARTITION ASSEMBLY, FW, PHENOM 100, ABSCOA INDUSTRIES USA	Nos	20	• Brand: EandH Laminating and Slitting Co • 743-MT (2-Inch-Roll) • Imported	

3.	PR-2050 B-1/2	SEALING COMMMOUND, POLYTHIOETHER, OEM REF NO PR-2050 B-1/2, FW, PHENOM 100, DESOTO INTERNATIONAL, INC, USA	Nos	4	• Brand: PPG Aerospace • Imported • 4.5 Oz SEMKIT	
4.	POLYKEN 108PE	TAPE, PRESSURE SENSITIVE ADHESIVE, OEM REF NO POLYKEN 108PE, FINISHING FLOOR INSTL, AFT, BAGGAGE COMPARTMENT, FW, PHENOM 100, EMBRAER S A, BRAZIL	Nos	10	• Brand: Polyken® 108PE • Flame Retardant (FR) Double-Coated Cloth Tape • MEP 06-048	
5.	EC847	ADHESIVE, OEM REF NO EC847, FUEL-TANK ACCESS PANEL- INSTALLATION,FW,PHENOM 100, 3M COMPANY, USA	Nos	2	• Brand: 3M • 3M™ 021200-19721 Scotch-Weld™ 847 Brown Nitrile High Performance Rubber & Gasket Adhesive • Imported • Must meet military specification MMM-A-121 • Quart Can	

6.	RTV 157	ADHESIVE, OEM REF NO RTV 157, FW,PHENOM 100, MOMENTIVE PERFORMANCE MATERIALS INC, USA	Nos	5	• Brand: Momentive Performance • Momentive™ RTV157 Gray High Strain Silicone Electrical Sealant • 2.8 oz Tube • Imported	
7.	RL100H	COMPRESSOR OIL, EMKARATE, OEM REF NO RL100H, VAPOUR CYCLE SYSTEM,AIR CONDITIONING SYSTEM,FW,PHENOM 100,ENVIRO SYSTEMS,USA	Nos	3	• Brand: EMKARATE • Imported • Nu-Calgon RL100H Emkarate® ISO VG 100 Refrigeration Oil	
8.	TURCO 1495-X	WAX, AIRCRAFT,OEM REF NO TURCO 1495-X, FW,PHENOM 100,HENKEL TECHNOLOGIES,FRANCE	Nos	3	• Brand: Henkel Bonderite-C-MC1495-X • Imported	

9.	COR-BAN 27L	Corrosion Preventive, Compound, COR-BAN 27L	Nos	5	• Brand: ZIP CHEM • COR-BAN 27L • Imported	
10.	PR1826B2 MIL-S-29574(AMS3277)-OLD	Sealing Compound	Ea	4	• Brand: PPG Aerospace • Imported • 6 Oz SEMKIT	
11.	MS20995C32-OLD	STIANLESS STEEL LOCK WIRE	Nos	5	• Brand: Malin • Imported • Stainless Steel Lock Wire • Diameter 0.32 inch	

12.	LOCTITE 241	SEALING COMPOUND, OEM REF NO LOCTITIE 241,MAIN DOOR MICRO SWITCH REMOVAL,FW,PHENOM 100, LOCTITE CORP,USA	Nos	2	• Brand: Henkel • Loctite 241 • Imported	
13.	PR1440 B1/2	Sealant	Nos	2	• Brand: PPG Aerospace • Imported • Quart Kit • AMS-S-8802	
14.	BRAYCO MICRONIC 881	OIL, SYNTHETIC, FLUID HYDRAULIC, FIRE RESISTANT, ESTER BASED	Nos	23	• Brand: BRAYCO 881 • Imported	

15.	SW050	Glass cleaner	Nos	9	- Brand: Sprayway - Glass Cleaner - Ammonia Free - Imported	
16.	74-451AQ2	De-ice boot edge sealer	Nos	3	- Brand: GOODRICH 74-451-AQ-2 - Edge Sealer Kit for Grey De-Icers - Quart Kit - Imported	

17.	SJ3551CFBLK1"X50YD-ND	Dual Lock velcro	Nos	10	• Brand: 3M • 3M Dual Lock Reclosable Fastener SJ3551CF BLK 1"X50YD • 1 inch wide 50 yards long • Imported	
18.	Poly film 1"	Poly film 1"	Nos	6	• Imported • For aircraft use, 1-inch poly film specialized narrow-width polyurethane protective tape (like leading edge protection tape) or polyester/polyimide film tape used for electrical insulation, hinging, or surface protection • Provides high resistance to abrasion, tearing, and weather	
19.	Poly Film 2"	Poly Film 2"	Nos	6	• Imported • For aircraft use, 1-inch poly film specialized narrow-width polyurethane protective tape (like leading edge protection tape) or polyester/polyimide film tape used for electrical insulation, hinging, or surface protection • Provides high resistance to abrasion, tearing, and weather	

20.	REMOVEGRAX MLS-12	Biodegradable Detergent	Nos	6	• Brand: CLARUS TECHNOLOGY • Imported • CLARUS RemoveGrax MLS-12	
21.	MIL-L-87177	Cleaning and Lubricating compound, electrical contact, OEM ref no MIL-L-87177, main landing gear,FW,Phenom 100, Military Specification promulgated by military,USA	Nos	5	• Brand: SUPER CORR A Clear • MIL-L-87177A Type I Grade B • Spec Corrosion Prevention Compound • 16 oz Aerosol Can	
22.	DIESTONE DLS	Cleaning Compound,Solvent-Detergent,OEM Ref No DIESTONE DLS,Static Port Sorrounding plate for Flushness – Special Detailed Inspection, FW, Phenom 100,Socomore,France	Nos	2	• SOCOMOR FINISHING TECHNOLOGIES • MEP 13-097	

23.	Rhodiasolv E-23	Solvent for Manual Cleaning	Nos	3	• Brand: X5 Company SOLSYS E23 • Rhodiasolv E-23 • Imported • MEP 13 073 • MEK (ASTM D 740)	
24.	PWC11-001C	Turbo Engine Compressor Cleaner (Turco Oil T5884)	Litr	5	• Bonderite • Turco • PWC11-001G	
25.	PWC11-003	Cleyner, Detergent (Engine Washing) Ref Ardrex 6345SPMC 87-2	Nos	5	• Chemetall (BASF Group) • Biodegradable Performance Recovery Solutions Ardrex 6345	
26.	PWC11-003E	Detergent Cleaner	Nos	5	• Vantage Specialties Inc. • B&B TC-100, • MIL-C-85704B Type IIA, • CPMC79038	

27.	ZOK-27	ARDROX	Nos	5	• ZOK International Group Ltd • EMCON Engineering • MIL-PRF-85704C Type II	
28.	A-A-59503	Nitrogen, type I, Grade B , class 1	Nos	6	• MESSER GASES LTDA • A-A-59503	
29.	LF5050	Pitot adapter lubricating fluid	Nos	3	• BrandL Barfield • LF5050 Lubricating Fluid • 8oz Bottle • Imported	
30.	NSBT-8N	Anti seize lubricant	Nos	3	• BrandL BOSTIK® • NSBT-8N NEVER-SEEZ® Pure Nickel Anti-Seize & Lubricating Compound • 8 oz Brush Top Can • Imported	

31.	RTV-162	Adhesive-sealants, RTV, silicone	Nos	3	• Brand: Momentive • RTV162 White Electronic Silicone Adhesive Sealant • MIL-A-46146, ASTM C920	
32.	74-451-207	Fast Boot Primer	Nos	2	• Brand: GOODRICH • 74-451-207 FASTboot Patch Adhesive Primer • 1/2 Pint • Imported	
33.	74-451-AQ-1 KIT	Silver conductive edge sealer	Nos	5	• Brand: GOODRICH • 74-451-AQ-1 Edge Sealer Kit for Grey De-Icers • Pint Kit • Imported	
34.	PS700	Fireproof gray polysulfide Type-I	Nos	5	• Brand: PPG® • P/S 700 AMS 3381 Spec Firewall Sealant • Pint Kit • Imported	

35.	RTV780	Sealant, silicone-white, single component	Nos	4	• X5 COMERCIO DE PRODUTOS AERONAUTICOS E INDUSTRIAIS LTDA • 738RTV (MIL-A-46146) • ASTM C920	
36.	AV138	Epoxy-av 138 adhesive, component	Nos	3	• Brand: Araldite • MEP 09-022 • FIRST WAVE AVIATION LLC • INTERTURBINE AVIATION LOGISTICS GMBH • X5 COMERCIO DE PRODUTOS AERONAUTICOS E INDUSTRIAIS LTDA •	
37.	HV998	Catalyst adhesive	Nos	2	• Brand: Huntsman • MEP 09-022 • FIRST WAVE AVIATION LLC • INTERTURBINE AVIATION LOGISTICS GMBH • X5 COMERCIO DE PRODUTOS AERONAUTICOS E INDUSTRIAIS LTDA	
38.	PR1425B2	Window/ Windshield sealant	Nos	5	• Brand: PPG® • PR-1425 B-2 LMA-MU065 Class B-2 Spec Windshield & Canopy Sealant • Pint Kit • MEP 09-037 • PR1425 CF - B-2 (MEP 09-037)	

39.	P-94	Adhesive primer, acrylic, safety walk	Nos	2	• Brand: 3M™ • Tape Primer 94, Yellow • 946 ml • MEP 09-076 • P-8215 (MEP 09-076 TYPE I)	
40.	2-310	Glue	Nos	3	• Brand: Parker LORD® 310 • Modified Thixotropic Epoxy Adhesive A/B Gray 210 mL Cartridge • Imported • MEP 09-058	
41.	SANI-PAK POWDER SP77000 SERIES	Toilet deodorant powder	Nos	13	• Brand: Celeste SANI-PAK SP-77008 • Blue Powder Chemical Toilet Deodourant • 8gm Packet (Box of 100)	
42.	FL-CCP	Leather conditioner protector	Nos	9	• Brand: Pelle • Leather Conditioner/Protector	

43.	INK REMOVER	Ink Remover	Nos	5	• Brand: PERRONE • Ink Remover for top coated leather • IR-202 • Imported	
44.	Wool clean Carpet Spot Removal Kit	Wool clean kit	Nos	4	• Brand: WoolClean, Spot Removal Kit • Imported	
45.	BONDERITE C-AK 53S ALKALINE CLEANER	Alkaline cleaner degreasing	Nos	4	• Brand: HENKEL Bond Rtie • Imported • MEP 21-015	
46.	CALLA 800	Solvent for Manual Cleaning, boot de-ice	Nos	2	• Brand: ZIPCHEM • CALLA 800 • MIL-C-87936	

47.	MS-SNOOP-GAL	Refrigerant leakage detector	Nos	5	• Brand: Snoop® Liquid Leak Detector • MS-SNOOPR-GAL • Imported	
48.	000W280	Electrical shielding tape	Nos	4	• Brand: RAYFAST LIMITED • 000W280-TAPE Flexible Tinned Copper Electrical Conductive Tape • TE Connectivity • Imported	
49.	ECODE3018797	Tape, screw sealing, 1/2 in, 50m - Teflon	Nos	10	• ECODE3018797 is a 1/2-inch wide and 50-meter long roll of professional-grade PTFE (Teflon) thread seal tape • EMBRAER S.A. • MEP 06-32	