

**CENTRAL AVIATION SPARES DEPOT (EME)**  
**QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI**  
**TENDER NOTICE**

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased.** Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

| Ser | Tender No                                 | Detail of Required Stores | No of Items                          | Delivery Period                                       | Date and Time of Tender    |                            |
|-----|-------------------------------------------|---------------------------|--------------------------------------|-------------------------------------------------------|----------------------------|----------------------------|
|     |                                           |                           |                                      |                                                       | Submission                 | Opening                    |
| a.  | 81201-EME/LP/26-27/IT-11dated 12 Aug 2026 | Misc                      | (List attached as Annexure A and B ) | 30 Days for Local Stores & 90 Days for Foreign Stores | 31 August 2026 at 1030 Hrs | 31 August 2026 at 1100 Hrs |

2. **Submission of Offers by the Firms.**

- a. Quoted rates must be valid up to **30 Jun 2027**.
- b. Delivery Period should be 1 x month for local and 3 x months for imported items.
- c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.
- d. Remaining life of shelf life / life expiry items should be 80% of total life at the time of delivery.
- e. **Bids of firms registered with Central Aviation Spares Depot or having valid Military Intelligence Directorate security clearance for interaction with Army will only be accepted.**
- f. Firm must quote items in separate envelopes clearly marked "Technical Offer" and Commercial Offer" in separate categories Annexures wise as given below. **IT number must be mentioned on both envelopes: -**

| Category | Heading on Envelop (Technical)         | Heading on Envelop (commercial)        |
|----------|----------------------------------------|----------------------------------------|
| Misc     | <b>Annexure A and B</b><br>(Technical) | <b>Annexure A to B</b><br>(Commercial) |

- g. **Technical Offer.** The offer must include the following information / documents which will be evaluated by respective boards for completeness and acceptance: -
  - (1) **Tender Fees (non-refundable) amounting to Rs 3,000/- per tender.**
  - (2) **Bid Security / Earnest Money amounting to 5% of the total amount of bid (unit price x required quantity x 0.05) must accompany in the shape of PAY ORDER / BANK DRAFT in the name of Commandant**

**CASD. Same will be returned on delivery of ordered items. Bid Security will be confiscated if bidder withdraws his bid during the period of bid validity, changes his original bid in any manner, fails to deliver item or to provide CDR/ BG (when required/ due). Tender without bid security / earnest money or if the amount of bid security / earnest money deposited is less than 5% of the total amount of bid, will not be entertained.**

- (3) Brand name, specification, country of origin.
- (4) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.
- (5) **Validity of offer should be upto 30 Jun 2027.**
- (6) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of Purchase Orders. If firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items than firm should approach this office before expiry of delivery period.
- (7) Remaining shelf life / expiry of items should be 80% of total life at the time of delivery.
- (8) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.
- (9) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.
- (10) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test / inspect samples before placing of purchase orders.
- (11) During warranty period (if stores supplied is/ are backed by warranty), if a fault occurs in supplied stores then supplier will be responsible to either rectify the fault communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
- (12) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.
- (13) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.
- (14) Make / model / brand and country of origin of stores must be mentioned where applicable.
- (15) Manufacturer certificate / Certificate of Conformance of branded items must be provided.
- (16) Prices / rates will be quoted on delivery basis at locations all over Pakistan.
- (17) Prices / rates will be inclusive of all applicable taxes / duties.
- (18) Prices / rates quoted must be as per accounting unit.

- (19) More than one manufacturer / model may also be quoted giving separate price of each manufacturer / model.
  - (20) Prices / rates will be quoted in Pakistani currency.
  - (21) Partial delivery / partial payment will not be accepted / made.
  - (22) Payment will be made through Controller Military Accounts Rawalpindi after receipt and acceptance of ordered stores.
  - (23) If stores are not delivered within delivery period, penalty will be imposed.
  - (24) Items should be packed properly at the time of delivery as per standard packing regime.
  - (25) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.
  - (26) Technical detail may be sought out by firms.
- h. **Commercial Offer.** This offer must include the item wise rate and total amount of stores to be offered. This offered will only be considered after acceptance of technical offer.
- (1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**
  - (2) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words "NOT QUOTED"
  - (3) List of stores(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.
  - (4) Quoted rates are only valid on firm's letter head.
  - (5) No change should be made in tender inquiry provided (part number, nomenclature, accounting unit, photo and technical details/ specifications). Bidders should fill prices / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers. In case of any change/ amendment in quoted item (without which correct quote is not possible), details of same should be clearly mentioned in bold italics.
3. **Essential Documents Requirement.** Firm shall ensure submission of following essential documents along with technical offer to participate in tender: -
- a. Certificate that firm is neither defaulter nor blacklisted by any Government / Military Organization directly or indirectly.
  - b. Undertaking for adequate financial capability to the value of tender.
  - c. **Each bid should accompany 5% of the bid amount of items as bid security / earnest money (COMPULSORY) in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained.**
  - d. **Tender fee amounting to Rs. 3,000/- per tender.**

4. **Purchasers Right.** Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **Liquated Damage charges will be imposed on weekly basis after expiry of delivery period.**
5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para 1a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.
6. **Additional details required for each item separately**
  - a. Rate including taxes / duties.
  - b. Delivery period of each item.
  - c. Offer validity till **30 June 2027**.
  - d. Performance guarantee.
  - e. Clarify shipping plan (By Air / Sea).
  - f. Specify warranty period.

For further details contact.

**Phone: 051-5686289 or Visit Web site [www.ppra.org.pk](http://www.ppra.org.pk)**

**AVCVR EXPENDABLE**

| Ser | Part No       | Nomen         | A/U | Mil/ Tech Spec                                                                                               | Photo                                                                                 |
|-----|---------------|---------------|-----|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 1.  | 6127533-046   | SEALING       | NOS | MFR: Prints Pk<br>Paper Sticker for Tamper Proofing<br>Size : A4 Sheet                                       |    |
| 2.  | AVN-EXP-44285 | BAKING SODA   | NOS | MFR: Mother Choice<br>Sodium Bicarbonate ( $\text{NaHCO}_3$ )<br>Commonly Known as Baking Soda<br>A/U in KGs |    |
| 3.  | AVN-SIGS-4908 | BNC Connector | NOS | MFR: Canare<br>Material : Copper + Aluminum<br>Type : Solder Free<br>Size : 13 mm Diameter                   |    |
| 4.  | ASNE0608-02   | BRACKET,CLAMP | NOS | MFR: Fixotec Pk<br>Material : Nylon<br>Dimensions : 12 x 22 mm                                               |  |
| 5.  | DHS754-150-10 | BREADING      | MTR | MFR: Tech Flex USA<br>Braided Sleeve<br>Material : NYLON<br>Size : 10 mm Diameter                            |  |

|     |                 |                     |     |                                                                                                                                             |                                                                                       |
|-----|-----------------|---------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 6.  | 985710-040k     | CABLE ELECTRICAL    | FT  | MFR: Wire Masters USA<br>Stranded, Flexible Tin coated copper wire<br>Temp Rating : 240°C<br>Size : 24 AWG Aviation Grade                   |    |
| 7.  | 985710-060KBLEU | CABLE ELECTRIC      | NOS | MFR: Wire Masters USA<br>Stranded, Flexible Tin coated copper wire<br>Temp Rating : 240°C<br>Size : 22 AWG Aviation Grade                   |    |
| 8.  | 985771-040k10D  | CABLE.ELECTRICAL    | NOS | Shielded Stranded, Flexible Tin coated copper wire (1 Core)<br>Temp Rating : 240°C<br>Size : 24 AWG Aviation Grade                          |    |
| 9.  | 985772-100K10D  | CABLE ELECTRICAL    | NOS | MFR: Wire Masters USA<br>Shielded Stranded, Flexible Tin coated copper wire (2 Core)<br>Temp Rating : 240°C<br>Size : 24 AWG Aviation Grade |   |
| 10. | 330A67-0522-169 | CABLE ElecTRICAL    | NOS | MFR: Wire Master USA<br>4 Core Cable<br>Tin Plated Copper (Stranded Shielded)<br>Gauge : 22 AWG<br>Voltage : 110 - 220                      |  |
| 11. | AVN-SIGS-4894   | Camera 5 MP HD Dome | NOS | Manufacturer : DAHUA<br>Model : DH-HAC-T1AP15                                                                                               |  |

|     |                |                          |     |                                                                                                                                                                       |                                                                                       |
|-----|----------------|--------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 12. | DHS771-124-03  | CIRCUIT BREAKER 1A       | EA  | MFR : CROUZET<br>Mfr P.No : 84400048<br>Rating : 1 Amp<br>Type : Push-Pull<br>Poles : Single Pole                                                                     |    |
| 13. | AVN-SIGS-4893  | DC Power Pin             | NOS | MFR: Switch Craft Inc<br>DC Power Pin MALE<br>Type : Solder Contacts<br>Size : 2.1 x 5.5 mm                                                                           |    |
| 14. | AVN-SIGS-4899  | DC Power Supply Variable | NOS | MFR: Local<br>Voltage : 6 to 36 VDC (Variable)<br>Current : 3 Amp                                                                                                     |    |
| 15. | DHS751-111-06  | CAP,BLANKING             | NOS | Material : Rubber<br>Internal Dia : 10 mm<br>External Dia : 16 mm<br>For 2 mm Thickness sheet                                                                         |   |
| 16. | 3M*            | ISOLATOR,MALE            | NOS | MFR: Advance tech<br>High Speed USB 2.0 Isolator<br>Supports 480Mbps,12Mbps,1.5Mbps<br>Safety device to protect SSD harddisk<br>against voltage/ current fluctuations |  |
| 17. | AVN-503-T-3907 | DRILL BIT 3/32"          | NOS | MFR: TITAN<br>Material : Tungsten Carbide<br>Size : 3/32"<br>Used For : Sheet Metal                                                                                   |  |

|     |                |                            |     |                                                                                                             |                                                                                       |
|-----|----------------|----------------------------|-----|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 18. | AVN-5032-113   | DRILL BIT 5/32"            | NOS | MFR: TITAN<br>Material : Tungsten Carbide<br>Size : 5/32"<br>Used For : Sheet Metal                         |    |
| 19. | AVN-5032-112   | DRILL BIT 1/8"             | PKT | MFR: TITAN<br>Material : Tungsten Carbide<br>Size : 1/8"<br>Used For : Sheet Metal                          |    |
| 20. | AVN-Tool-44159 | DRILL BIT 5 MM             | DOZ | MFR: TITAN<br>Material : Tungsten Carbide<br>Size : 5 MM<br>Used For : Sheet Metal                          |    |
| 21. | AVN-SIGS-4902  | LAN Joiner Cu              | NOS | MFR : U Green<br>RJ45 Coupler for CAT-6 Cable                                                               |    |
| 22. | HGB953046      | BTY CELL 3.7V              | NOS | MFR: MAXELL<br>Lithium Cell 3V<br>Model : CR1220<br>Current: 35 mah                                         |    |
| 23. | AVN-503490     | PARACHUTE BLACK FIRE PROOF | MTR | MFR: Sikor- Tex China<br>Fire Retardant Fabric<br>High Temp Resistant 60degree Celsius                      |   |
| 24. | 6127426-016    | RIVET                      | LBS | MFR: Howmet Aerospace<br>Counter Sunk Head<br>Material : Aluminum Alloy<br>Size : 3/32 Inch<br>Length : 6mm |  |
| 25. | 6127426-023    | RIVET                      | LBS | MFR: Howmet Aerospace<br>Round Head<br>Material : Aluminum Alloy<br>Size : 1/8 Inch<br>Length : 5/16 Inch   |  |



|     |                 |                 |     |                                                                                                                                      |                                                                                       |
|-----|-----------------|-----------------|-----|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 26. | MS20470-AD4-7   | RIVET           | NOS | MFR: Howmet Aerospace<br>Universal Head<br>Material : Aluminum Alloy<br>Size : 1/8 Inch<br>Length : 7/16 Inch                        |    |
| 27. | MS20426AD3-5    | RIVET,SOLID     | NOS | MFR: Howmet Aerospace<br>Counter Sunk Head<br>Material : Aluminum Alloy<br>Size : 3/32 Inch<br>Length : 5/16 Inch                    |    |
| 28. | MS20426B2-8     | RIVET SOLID     | NOS | MFR: Howmet Aerospace<br>Head Marking : Dimpled<br>Material Code 2117AD<br>Material : Aluminum Alloy<br>Dia : 3.2 mm<br>Length : 4mm |    |
| 29. | MS20426AD3-4    | RIVET,SOLID     | NOS | MFR: Howmet Aerospace<br>Counter Sunk Head<br>Material : Aluminum Alloy<br>Size : 3/32 Inch<br>Length : 1/4 Inch                     |    |
| 30. | 6127195-002     | RIVE NUT        | NOS | MFR: Howmet Aerospace<br>Material : Aluminum Alloy<br>Size : 4mm Length: 14mm                                                        |   |
| 31. | 209-030-216-71  | RUBBER STRIP    | NOS | MFR: Howmet Aerospace<br>Material : Rubber<br>Width : 1.5 mm<br>Thickness : 2 mm<br>A/U in Meter                                     |  |
| 32. | EN6049-003-04-5 | SHEATH, BRAIDED | EA  | MFR: Tech flex USA<br>Braided Sleeve<br>Material : NYLON<br>Size : 5 mm Diameter                                                     |  |

|     |               |                        |     |                                                                                                                                                                         |                                                                                       |
|-----|---------------|------------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 33. | AVN-SIGs-4919 | Shocks Mount           | NOS | Material : Rubber<br>Shape : Cylindrical<br>Dia : 30 mm<br>Length : 30 mm<br>Center Hole Dia : 6 mm                                                                     |    |
| 34. | AVN-EXP-4913  | SHRINKABLE SLEEVE 2MM  | NOS | MFR: Tyco Electronics<br>Material: Rubber<br>Size : 2 mm Diameter<br>Voltage Rating : 600 V<br>Temp Rating : -40 ° C to 125 ° C                                         |    |
| 35. | AVN-EXP-4915  | SHRINKABLE SLEEVE 10MM | NOS | MFR: Tyco Electronics<br>Material: Rubber<br>Size : 10 mm Diameter<br>Voltage Rating : 600 V<br>Temp Rating : -40 ° C to 125 ° C                                        |    |
| 36. | NVG-17-SS15MM | SHRINKABLE SLEEVE 15MM | MTR | MFR: Tyco Electronics<br>Material: Rubber<br>Size : 15 mm Diameter<br>Voltage Rating : 600 V<br>Temp Rating : -40 ° C to 125 ° C                                        |    |
| 37. | 617812        | SPACER                 | EA  | Length : 0.8 Inch<br>Base : 0.2 Inch Diameter<br>Screw Size : 5mm                                                                                                       |   |
| 38. | AVN-SIGS-4909 | Terminal Strip 6 pt DC | NOS | MFR: RS Group<br>Terminal Block<br>Ratings : 600 V, 25 A<br>Poles : 6 Poles (Dual Row)<br>Size (L x W x H) : 70 x 20 x 15                                               |  |
| 39. | 610-5F        | TOGGLE SWITCH          | NOS | MFR: NKK Switches USA<br>2 States ON/OFF<br>Rating : 3A , 250V & 5A , 125V<br>Connection : 6 Pin<br>Mounting Hole Size : 20 mm<br>Dimensions (W x L x H) : 20 x 28 x 45 |  |

|     |               |                             |     |                                                                                                                                                                                                                                                            |                                                                                       |
|-----|---------------|-----------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 40. | M39029/31-240 | PIN CONNECT MALE            | NOS | <p>"MFR: Elecbee<br/> Required : Pair of Male &amp; Female<br/> Model : ARS-9305-CBL (Female)<br/> No of pins: 5<br/> Diameter : 17.86 mm<br/> Length : 40.49 mm<br/> Model : ARS-9305-CBL (Male)<br/> Diameter : 16.26 mm<br/> Length : 0.64 inch"</p>    |    |
| 41. | 0000057014    | CONNECTOR                   | NOS | <p>Model : Y2M-7TK<br/> MAKE : HETSCS<br/> Pins Type : 7 Pin Solder<br/> Mounting Type: Cable<br/> Dimensions : 1 x 1 inches<br/> Shell Size : 21 mm<br/> Operating Temp : -40 to 85 degrees<br/> Rated Current : 10 Amp<br/> Contact Material : Brass</p> |    |
| 42. | Y2-24ZJ       | 24 PIN CONNECTOR SOCKET     | NOS | <p>Model : Y28M-24TK<br/> MAKE : Elecbee<br/> Pins Type : 24 Pin Solder<br/> Mounting Type: Cable<br/> Dimensions : 9.84 x 7.87 x 3.94 inches<br/> Rated Current : 10 Amp<br/> Contact Material : Brass</p>                                                |   |
| 43. | AVN-SIGS-4892 | XVR 4.0 DAHUA 265x125x50 MM | NOS | <p>4 CH DVR<br/> MFR : DAHUA<br/> Dimensions (LxWxH) : 265 x 125 x 50 mm<br/> Modified Input/Output Connectors<br/> 7 Pin<br/> 24 Pin<br/> 5 Pin<br/> LAN &amp; HDMI</p>                                                                                   |  |
| 44. | D436-36       | SPLICE RED                  | NOS | <p>MFR: Tyco Electronics<br/> Color Code : Red<br/> Size : for 14 - 16 AWG wire / 1.5 - 2.5 mm</p>                                                                                                                                                         |  |

|     |               |                            |     |                                                                                                                                        |                                                                                       |
|-----|---------------|----------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 45. | AVN-SIGS-4900 | Thimble Power Supply       | NOS | MFR: Tyco Electronics<br>Material: Copper<br>Insulation: PVC Insulated For 12 VDC<br>Size : for 22 to 18 AWG wire / 0.5 - 1.0 mm       |    |
| 46. | DHS711-713.13 | LUG, TERMINAL              | NOS | MFR: Te Connectivity<br>Material: Copper, tin coated<br>PVC Insulated<br>Conductor Size : 22 - 18 AWG / 0.5 - 1.0 mm<br>Hole Size : M4 |    |
| 47. | DHS711-713-25 | LEG TERMINAL               | EA  | Material: Copper, tin coated<br>PVC Insulated<br>Conductor Size : 14 - 16 AWG / 1.2 - 2.5 mm<br>Hole Size : M5                         |    |
| 48. | AVN-EXP-4910  | NYLON STRAP KSS 4? CV-150  | NOS | MFR: KSS<br>Material : NYLON<br>Length : 4"<br>Operating Temp : -40 degrees to 85 degrees<br>Packing : 100 Pcs                         |    |
| 49. | AVN-EXP-4911  | NYLON STRAP KSS 8? CV-350  | NOS | MFR: KSS<br>Material : NYLON<br>Length : 8"<br>Operating Temp : -40 degrees to 85 degrees<br>Packing : 100 Pcs                         |  |
| 50. | AVN-EXP-4912  | NYLON STRAP KSS 12? CV-450 | NOS | MFR: KSS<br>Material : NYLON<br>Length : 12"<br>Operating Temp : -40 degrees to 85 degrees<br>Packing : 100 Pcs                        |  |

|     |               |                       |     |                                                                                                                                                                    |                                                                                       |
|-----|---------------|-----------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 51. | AVN-SIGS-4895 | AVCVR Panel Ind It    | NOS | MFR: LOCAL<br>Material : Aluminum<br>Size (L x W) : 75 x 45 mm<br>Thickness : 1.2 mm<br>POWER IND and SSD FAILURE<br>holes : 10 mm Dia<br>2x Screw Hole : 4 mm Dia |    |
| 52. | DHS713-511.02 | SLEEVE SELFSOLDRING   | NOS | MFR: Tyco Electronics<br>Size : for 22 to 18 AWG wire / 0.5 - 1.0 mm<br>Length : 40 mm<br>Dia : 2.7 mm                                                             |    |
| 53. | DHS713-511.03 | SLEEVE SELF SOLDERING | NOS | MFR: Tyco Electronics<br>Size : for 16 - 14 AWG wire / 1.5 - 2.5 mm<br>Length : 40 mm<br>Dia : 4.5 mm                                                              |    |
| 54. | PFP-27-450-1  | LIGHT                 | NOS | MFR: RS PRO<br>Color : Amber light<br>LED Voltage : 12 VDC<br>LED Current : 0.02 Amp to 20 mA<br>Connector Type : JST-2 Pin Male                                   |    |
| 55. | CM-1BM        | LIGHT                 | NOS | MFR: RS PRO<br>Color : Green Light<br>LED Voltage : 12 VDC<br>LED Current : 0.02 Amp to 20 mA<br>Connector Type : JST-2 Pin Male                                   |   |
| 56. | 85100R8       | CONNECTOR             | NOS | MFR: Tyco Electronics<br>Type : JST-2Pin Female<br>Voltage : 24 VDC                                                                                                |  |
| 57. | 6161909-000   | SOLDERING WIRE        | GM  | MFR: DECENT<br>Tin/Lead Composition : 60/40<br>Thickness : 0.8 mm<br>Weight : 50 Grams per piece                                                                   |  |

|     |                  |                            |     |                                                                                                                                 |                                                                                       |
|-----|------------------|----------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 58. | TI-75A AMS 4901L | Titanium Alloy Sheet Metal | NOS | MFR: KAISER ALLUMINIUM USA<br>Titanium Alloy Sheet<br>Thickness : 0.8 mm<br>Size : 4 x 8 Feet                                   |    |
| 59. | ASNA3012-8581    | PLATE                      | NOS | MFR: KAISER ALLUMINIUM USA<br>Aluminum Alloy Sheet<br>Markintg Code : ALCLAD 2024-T3<br>Thickness : 1.0 mm<br>Size : 4 x 8 Feet |    |
| 60. | ASNA3012-8600    | ALUMINIUM SHEET            | NOS | MFR: KAISER ALLUMINIUM USA<br>Material : Aluminum<br>Markintg Code : ALCLAD 2024-T3<br>Thickness : 1.2mm<br>Size : 4 x 8 Feet   |    |
| 61. | 2024 PLT 3EPO-3  | SHEET                      | NOS | MFR: KAISER ALLUMINIUM USA<br>Material : Aluminum<br>Markintg Code : ALCLAD 2024-T3<br>Thickness : 1.5 mm<br>Size : 4 x 8 Feet  |    |
| 62. | 22201BC050003L   | SCREW                      | NOS | MFR: CHERRY AEROSPACE<br>Hex Head<br>Material : Stainless Steel Alloy<br>Size : 5mm<br>Length : 12mm                            |   |
| 63. | 22201BC050004L   | SCREW                      | NOS | MFR: CHERRY AEROSPACE<br>Hex Head<br>Material : Stainless Steel Alloy<br>Size : 4mm<br>Length : 14mm                            |  |
| 64. | 22256BC050014L   | SCREW                      | NOS | MFR: CHERRY AEROSPACE<br>Counter Sunk Head<br>Material : Stainless Steel Alloy<br>Size : 5mm<br>Length : 14mm                   |  |

|     |                |               |     |                                                                                                            |                                                                                       |
|-----|----------------|---------------|-----|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 65. | 22271BC040012L | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Universal Head<br>Material : Stainless Steel Alloy<br>Size : 4mm<br>Length : 12mm |    |
| 66. | 22271BC040014L | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Universal Head<br>Material : Stainless Steel Alloy<br>Size : 4mm<br>Length : 14mm |    |
| 67. | 22271BC050014L | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Universal Head<br>Material : Stainless Steel Alloy<br>Size : 5mm<br>Length : 14mm |    |
| 68. | 22271BC050020L | SCREW,MACHINE | NOS | MFR: CHERRY AEROSPACE<br>Universal Head<br>Material : Stainless Steel Alloy<br>Size : 5mm<br>Length : 20mm |    |
| 69. | 6127321-013    | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Round Head<br>Material : Stainless Steel<br>Size : 4 mm<br>Length : 14 mm         |    |
| 70. | 6127330-043    | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Counter sunk<br>Material : Stainless Steel<br>Size : 4 mm<br>Length : 14 mm       |  |
| 71. | 6127366-027    | SCREW         | NOS | MFR: CHERRY AEROSPACE<br>Round Head<br>Material : Stainless Steel<br>Size : 3 mm<br>Length : 12 mm         |  |

|     |               |                         |     |                                                                                                                                            |                                                                                       |
|-----|---------------|-------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 72. | 6127391-008   | SCREW                   | NOS | MFR: CHERRY AEROSPACE<br>Counter Sunk<br>Material : Stainless Steel<br>Size : 5 mm<br>Length : 50 mm                                       |    |
| 73. | MS27039C0805  | SCREW, MACHINE          | NOS | MFR: CHERRY AEROSPACE<br>PAN Head Machine Screw<br>Material : Corrosion Resistant Steel<br>Size : 4mm<br>Length : 3/8 Inch                 |    |
| 74. | MS27039C0808  | SCREW,MACHINE, PAN HEAD | NOS | MFR: CHERRY AEROSPACE<br>PAN Head Machine Screw<br>Material : Corrosion Resistant Steel<br>Size : 4mm<br>Length : 14 mm                    |    |
| 75. | 111296-74     | BLIND RIVET             | NOS | MFR: CHERRY AEROSPACE<br>Material : Aluminum<br>Size : 1/8 Inch                                                                            |    |
| 76. | ASNA0080-411A | RIVET                   | NOS | MFR: CHERRY AEROSPACE<br>Material : Aluminum<br>Size : 3/32 Inch                                                                           |    |
| 77. | 6127194-037   | NUT                     | NOS | MFR: Howmet Aerospace<br>Self Locking Nut<br>Material : Steel with Cadmium Plating<br>Screw Size : 3 mm                                    |   |
| 78. | 6127194-067   | NUT                     | NOS | MFR: Howmet Aerospace<br>Self Locking Nut<br>Material : Steel with Cadmium Plating<br>Screw Size : 5 mm                                    |  |
| 79. | 52351CCM050E  | NUT,ANCHOR              | NOS | Two Lug Fixed Anchor Nut<br>Material : Matallic<br>Center Screw Hole, Size : 5mm<br>Center to Center Distance b/w<br>Mounting Holes : 15mm |  |

|     |              |            |     |                                                                                                                                                                                    |                                                                                       |
|-----|--------------|------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 80. | 52358CBD050N | NUT ANCHOR | NOS | MFR: Howmet Aerospace<br>Two Lug Fixed Anchor Nut<br>Material : Matallic<br>Center Screw Hole Size : 5mm<br>Center to Center Distance b/w<br>Mounting Holes : 20mm                 |    |
| 81. | 6127321-004  | NUT,ANCHOR | NOS | MFR: Howmet Aerospace<br>Two Lug Fixed Anchor Nut<br>Material : Steel<br>Center Screw Hole, Size : 5mm<br>Center to Center Distance b/w<br>Mounting Holes : 10mm<br>Aviation Grade |    |
| 82. | MS21075L04N  | NUT PLATE  | NOS | MFR: Howmet Aerospace<br>Two Lug Fixed Anchor Nut<br>Material : Steel<br>Center Screw Hole, Size : 4mm<br>Center to Center Distance b/w<br>Mounting Holes : 10mm<br>Aviation Grade |    |
| 83. | 52350FBD050N | NUT,ANCHOR | NOS | MFR: Howmet Aerospace<br>Material: Metallic<br>Type : Moveable<br>Center hole size : 5mm                                                                                           |   |
| 84. | 52351CBD040N | NUT ANCHOR | NOS | MFR: Howmet Aerospace<br>Material: Metallic<br>Type : Moveable<br>Center hole size : 4mm                                                                                           |  |
| 85. | 52353CBDO40N | NUT ANCHOR | NOS | MFR: Howmet Aerospace<br>Material: Metallic<br>Type : Moveable<br>Center hole size : 3 mm                                                                                          |  |
| 86. | MS21069L08   | NUT PLATE  | NOS | MFR: Howmet Aerospace<br>Material: Metallic<br>Type : Moveable<br>Center hole size : 2.5 mm                                                                                        |  |


|     |                            |                     |     |                                                                                                            |                                                                                       |
|-----|----------------------------|---------------------|-----|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 87. | 23111AG040LE               | WASHER              | NOS | MFR: CHERRY AEROSPACE<br>Material : Stainless Steel<br>Size : 4mm                                          |    |
| 88. | 23111AG050LE               | WASHER FLAT         | NOS | MFR: CHERRY AEROSPACE<br>Material : Stainless Steel<br>Size : 5mm                                          |    |
| 89. | 21215TB3215<br>RIVET B42/4 | STEEL RIVET SPECIAL | NOS | MFR: CHERRY AEROSPACE<br>Material : Steel<br>Type : Round Head Head<br>Thickness : 2.4 mm<br>Length : 8 mm |    |
| 90. | M9513G                     | GRINDER             | NOS | MFR: TITAN<br>Material : Tungsten Carbide<br>Shape : Ball Nose<br>Head Dia = 14 mm<br>Head Length = 25 mm  |    |
| 91. | 5995ZO3520699              | LAN Cable Cat-6     | NOS | Manufacturer : Dahua<br>Type : CAT-6 UTP Cable                                                             |    |
| 92. | 2510ZO3505885              | BEADING RUBBER      | NOS | MFR: WARCO<br>Rubber edge trim U-Shaped<br>Material : Flexible Synthetic Rubber<br>For 1 mm to 1.5mm Sheet |   |
| 93. | UG291BU                    | CONNECTOR           | NOS | USB 2.0<br>Type : Female<br>Connector Material : Tin plated steel<br>Shell Material : Black Plastic        |  |
| 94. | ATG-0067                   | CUTTER BLADE        | NOS | MFR: TITAN<br>Material : Solid Tungsten Tungsten Carbide<br>Size : 4"                                      |  |

|      |                    |                         |     |                                                                                                                                                                                          |                                                                                       |
|------|--------------------|-------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 95.  | GP-AVN-00200       | FIXTURE                 | EA  | Material : Polymer Plastic<br>Size L x W x H : 100 x 133 x 13                                                                                                                            |    |
| 96.  | AVN-EXP-4920       | GMSA COMPOUND           | NOS | GMSA Glue (Rapid Bounding)<br>Size : 20 gm                                                                                                                                               |    |
| 97.  | AVN-366-16947-1455 | HARDWARE KIT            | NOS | Material : HSS<br>2 x Counter sunk M4 x 20 mm Nut & Screw<br>2 x Counter sunk M3 x 15 mm Nut & Screw<br>2 x Round Head M3 x 15 mm Nut & Screw<br>2 x Counter Sunk M2 x 10 mm Screw & Nut |    |
| 98.  | AVN-SIG-59006      | AVCVR INTERFACE         | NOS | Material : Aluminum<br>LAN Connector Mount Bracket<br>Markings : AVCVR INTERFACE<br>Size L x W x H : 40 x 80 x 40 mm                                                                     |    |
| 99.  | AVN-EXP-4921       | INTERFACE TAGS          | NOS | Electronic Equipment Label Sticker Sheet<br>Material : Polyethylene                                                                                                                      |   |
| 100. | 3958113            | MACHINIST TAP & DIE SET | NOS | MFR: TITAN<br>3 Pcs Tap Set<br>Material : Tungstin Carbide<br>Size : 3mm, 4mm & 5mm 3pcs Set                                                                                             |  |
| 101. | AVN-503568         | SOLUTION NT-80          | LTR | Material : Polyehloroprene<br>Packing : 600 gm<br>Use for upholstery                                                                                                                     |  |

|      |                           |                       |     |                                                                                                                                                                                                     |                                                                                       |
|------|---------------------------|-----------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 102. | AED600U31-CBK             | SSD ADATA CASING      | NOS | MFR: Kingston/Samsung/ Hikvision<br>M2NGFF SSD Casing<br>Material : Alluminum Alloy<br>Transfer Rate : 5 Gbps<br>SSD supporting sizes : 2230, 2242,<br>2260 & 2280                                  |    |
| 103. | Y2/5810/ADVANCED_100-D316 | SSD-99000             | NOS | MFR: Kingston/Samsung/ Hikvision<br>M2NGFF SSD<br>Storage : 128 GB                                                                                                                                  |    |
| 104. | C33-5026                  | VARIABLE RESISTOR     | NOS | MFR: Vishay<br>Electronic Code : 503 or 50KA<br>Material : Melt Resistant<br>Thermoplastic<br>Terminals : Tin Plated Copper / Brass                                                                 |    |
| 105. | 0177697890                | CARD ASSY RELAY       | NOS | MFR: Kingston/Samsung/ Hikvision<br>SATA III to M.2 SSD Card Assy.<br>Size support different length M.2<br>drives.<br>Dimintions : 22mm x 80mm<br>PCB made of FR-4 a flame retardant<br>fiber glass |    |
| 106. | DCD771C2 (220A)           | Dewalt Drill Cordless | NOS | MFR By Stanely Black & Decker<br>1x Drill driver Unit<br>2x20v Max 1.3 AH Compact<br>Li-Ion Bty Packs<br>1x Compact Bty Charger<br>1x Storage bag                                                   |   |
| 107. | AVN -Tool- 4410           | RIVET NUT GUN         | NOS | Mfr GianTisan<br>Tool Kit Model : BT- 607<br>Tool Length : 410 mm<br>Tmetric Sizes<br>M3,M4,M5,M6,M8,M10,M12                                                                                        |  |
| 108. | 1001A60                   | SOLDEERING IRON       | NOS | MFR :Suoyer<br>Model No : SE 960<br>INPUT Voltage: 220 vac<br>output power : 60 W                                                                                                                   |  |

|      |                  |                      |     |                                                                                                                        |                                                                                     |
|------|------------------|----------------------|-----|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 109. | MODEL PT52-2     | TAP AND DIE SET      | NOS | MFR :Titan<br>Material : Tungsten carbide<br>Size: 2mm<br>length : 45mm                                                |  |
| 110. | 204-050-154-1    | JSTXH CONNECTOR      | NOS | MFR : Tyco electronics Connectivity<br>Pins counts : 4 Pins<br>Pitch : 2.54 mm                                         |  |
| 111. | 5355-01-336-5785 | KNOB                 | NOS | <b>Rehostate</b><br>MFR: Ohmite<br>Material: Ceramic<br>Terminal: 3 Solder luds<br>Power: 2 Watt 15K ohms              |  |
| 112. | DS-2ZCA1723S     | Camera               | NOS | MFR: Japan / China<br>Material: Aluminium alloy 570/733<br>Dimension: 50*50*50mm<br>Weight: 0.230 Kg<br>Resolution 5MP |  |
| 113. | AVN-NIV-P-261    | POWER SUPPLY 28 V DC | Nos | MFR: Local<br>Input: 28V DC<br>Output:12.3VDC<br>Current: 3Amp<br>Backup: 30 Min                                       |  |

DCG EXPENDABLE

| Ser | Part No         | Nomen                    | A/U | Mil/ Tech Spec                                                                                                                                                                                                                                                                                                                                                                               | Rational Justification                                | Photo                                                                                 |
|-----|-----------------|--------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------|
| 1.  | 5490TAFLON50 MM | Scotch Tape 50 MM        | Nos | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> 3M<br/> <b>Nomen :</b> 3M Scotch 5490 PTFE Film Tape (50mm x 33 mm)<br/> <b>Type :</b> Adhesive Tape<br/> <b>Width :</b> 50 mm<br/> <b>Length :</b> 33 Meter<br/> <b>Temp Range:</b> -54 to 260 °C<br/>           Chemical Resistant: Highly Resistant to chemicals, corrosion and dirt build up</p> | Used for masking of S.S Strip during installation     |    |
| 2.  | CA1010          | ANTI CORROSION SIZE 6.Oz | TUB | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> PPG<br/> <b>Packing :</b> Tube of 6.0 Oz<br/> <b>Temp Range:</b> -54 to 160 °C<br/>           Maximum Shelf Life<br/> <b>Note :</b> Expiry date, Lot no &amp; Batch No should be mention clear on product</p>                                                                                        | Used for protection against Corrosion                 |   |
| 3.  | 03-49           | MAPERO FILLER            | NOS | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> Akzonobel<br/> <b>Packing :</b> Kit of three Parts Base (21049100B300G), Hardener (21049002D150G), &amp; Thinner (51707000X050G)<br/> <b>NetWeight =</b> 0.5 kg<br/>           Maximum Shelf Life</p>                                                                                                | Used for finishing of lower surface PU strip of Blade |  |

|    |            |                   |     |                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                    |                                                                                       |
|----|------------|-------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------|
|    |            |                   |     | <b>Note:</b> Expiry date, Lot no & Batch No should be mention clear on product                                                                                                                                                                                                                                                                                                                                                                |                                                    |                                                                                       |
| 4. | OX50-85    | BARISAL (400ML)   | BTL | <b>Only imported item will be accepted</b><br><b>Specs:-</b> BRISAL- OX50<br><b>Company</b> = Labinal (SAFRAN AEROSYSTEM)<br><b>Packing:</b> 200gm<br><b>Packing :</b> Tin/Can<br><b>Airbus Specification :</b> CM 686<br><b>Maximum Shelf Life</b><br><b>Note :</b> Expiry date, Lot no & Batch No should be mention clear on product                                                                                                        | Used for insullation of bonding wire of MRH Puma   |    |
| 5. | HS-8171    | VAK PACK SHEET    | NOS | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Vack Pack Sheet</b><br><b>Nomen :</b> HS8171 Vaccum Bagging Film<br><b>Company :</b> Aerovac<br><b>Color :</b> Green<br><b>Tensile Strenght :</b> 12000 - 17000 psi<br><b>Max Use Temp :</b> 204 °C<br><b>Stand Thickness :</b> 0.002"<br><b>Size</b> = Width 17 inch for TRB, MRB Ecrl<br>39 inch for TRB, MRB Puma<br><b>Roll Length :</b> 500'<br><b>Packing :</b> Roll | Used for making vaccum during lower surface blades |   |
| 6. | PR1776A2AS | SEALING COUMPOUND | KIT | <b>Only imported item will be accepted'</b><br><b>Specs:-</b><br><b>Company :</b> PPG Aerospace<br><b>Packing :</b> Sealing compound kite of two parts Base, Hardener<br><b>Weight :</b> 1 kg<br><b>Note :</b> Expiry date, Lot no &                                                                                                                                                                                                          | Used for Gen Sealing of Assy                       |  |

|    |              |                            |     |                                                                                                                                                                                                                                                                                                                                                                      |                                                   |                                                                                       |
|----|--------------|----------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------|
|    |              |                            |     | Batch No should be mention clear on product                                                                                                                                                                                                                                                                                                                          |                                                   |                                                                                       |
| 7. | A-6741-155-2 | TEFLON TAPE (ROLL)         | NOS | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company : Hertzell Propeller (Textron Aviation Part)</b><br><b>Nomen : Aviation Grade Teflon (PTFE) Tape</b><br><b>Consumable Code : CM 155</b><br><b>Width : 0.5 Inch</b><br><b>Thicnkness : 0.010"</b><br><b>Length : 100 feet</b><br><b>Weight : 0.44 lbs (Aprox)</b><br><b>Packing : Roll</b> | Used for sealing of blades of Prop assy           |    |
| 8. | CN-3798      | TEAR PLY CLOTH             | MTR | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Nomen : Aerospace Grade Nylon Fabric Tearply Cloth</b><br><b>Company : Airbus Helicopter</b><br><b>Length : 50 m</b><br><b>Width : 1 m</b><br><b>Thickness : 0.004"</b><br><b>Thread Count : 57 x 54 (Wrap x fill)</b><br><b>Type : Absolve Adhesive</b><br><b>Color : Orange</b>                 | Used for Bonding of lower Surface Blades & Strips |    |
| 9. | CNDB34/5     | DRY GLASS FABRIC, 1 M WIDE | NOS | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company : Airbus (distributor : BGF Industries)</b><br><b>Length : 30 m</b><br><b>Width : 1 m</b><br><b>Arial Weight : 50 g/m to 110 g/m Aprox</b><br><b>Color : White</b>                                                                                                                        | Used during Repairing of Blades                   |  |



|     |               |                        |     |                                                                                                                                                                                                                                                                                                                        |                                                                          |                                                                                      |
|-----|---------------|------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 10. | CM 241        | CLEANING AGENT         | TUB | <p>Only imported item will be accepted</p> <p><b>Specs :-</b><br/> <b>Company : SOCO More</b><br/> <b>Nomen : Hyso 99</b><br/> <b>Type : Cleaning Agent</b><br/> <b>Packing : Gal</b><br/> <b>Weight : 20 ltr</b></p>                                                                                                  | Used for Gen Cleaning of assy and components                             |   |
| 11. | CM 6074       | BLUE STOP              | NOS | <p>Only imported item will be accepted</p> <p><b>Specs:-</b><br/> <b>Company : Henkel</b><br/> <b>Type : Thread Locking Adhesive</b><br/> <b>Color : Blue</b><br/> <b>Weight : 4 Oz</b></p>                                                                                                                            | Used as anti corrosion agent                                             |   |
| 12. | AVN-NIV-R-163 | RUBBER GLOVES          | No  | <p><b>Specs:-</b><br/> <b>Company : Local</b><br/> <b>Size : 18" Long</b><br/> <b>Firm Hand Grip</b><br/> <b>Flexible, Nylon Rubber</b><br/> <b>Thickness : 3 mm</b><br/> <b>Long Life Gloves Req</b></p>                                                                                                              | Used for protection during depainting                                    |   |
| 13. | AVN-503101    | ADHESIVE FABRIC 38MM W | ROL | <p>Only imported item will be accepted</p> <p><b>Specs:-</b><br/> <b>Company : 3M</b><br/> <b>Type : Fabric Adhesive Tape</b><br/> <b>Nomen : Scotch Polyethrene Coated Cloth Tape</b><br/> <b>Width : 38 mm</b><br/> <b>Length : 10 m</b><br/> <b>Thickness : 0.08 mm</b><br/> <b>Temp Range : -50 to +200 °C</b></p> | Used for sealing and holding of sand protection tape & root PU of Blades |  |


|     |       |                    |     |                                                                                                                                                                                                                                                                                                                                                     |                                                |                                                                                      |
|-----|-------|--------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|--------------------------------------------------------------------------------------|
| 14. | C-634 | Protective Product | NOS | <p><b>Only imported item will be accepted</b><br/> <b>Specs:</b><br/> <b>Ardrox 396/1 E8</b><br/> <b>Brand: Chemetall</b><br/> <b>Company :</b> Global Aviation<br/> <b>Airbus Part No :</b> ECA 3071<br/> <b>NATO C-634</b><br/> <b>Type :</b> Anti Corrosion and Protective Fluid<br/> <b>Appearance :</b> Liquid<br/> <b>Req Unit :</b> Ltrs</p> | Used for preservation of unpainted parts       |   |
| 15. | U-14  | BIDIUM CLOTH       | MTR | <p><b>Only imported item will be accepted'</b><br/> <b>Specs:-</b><br/> <b>Nomen :</b> Bidium A2 High Performance Non-woven Fabric<br/> <b>Company :</b> Kaytech Engineered Fabric<br/> <b>Length :</b> 50m<br/> <b>Width :</b> 1m</p>                                                                                                              | Used during Repairing of Blades                |   |
| 16. | DX296 | DYKEM LAYOUT RED   | LTR | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> Dykem<br/> <b>Type :</b> Fluid<br/> <b>Color :</b> Translucent red<br/> <b>Weight :</b> 4 Oz<br/> <b>Note :</b> Expiry date, Lot no &amp; Batch No should be mention clear on product</p>                                                                   | Used for Contact pattren of final assy of Ecrl |  |

|     |             |             |     |                                                                                                                                                                                                                                                                                                                                                                                 |                                                       |                                                                                       |
|-----|-------------|-------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------|
| 17. | EC1917      | ADHESIVE    | TUB | <p><b>Only imported item will be accepted' Specs</b><br/> <b>Spaecs:-</b><br/> <b>Nomen : 3M Scotch-weld structural adhesive primer EC-3917</b><br/> <b>EC1917 - ADHESIVE,BOX 1 LITER</b> by Airbus Helicopters, Inc.<br/>           Company : <b>3M</b><br/>           Type : <b>Adhesive</b><br/>           Packing : <b>Box</b><br/>           Box Weight : <b>1 Ltr</b></p> | Used for Bonding of labels on Ecrl Hel Assys          |    |
| 18. | DECA 202B   | White Sprit | LTR | <p><b>Only imported item will be accepted Specs</b><br/> <b>Specs:-</b><br/> <b>Company : Tettrion</b><br/>           Nato code:S-752<br/>           Standard specification MIL-PRF-680C<br/>           Type 1</p>                                                                                                                                                              | Used for cleaning of Bearings                         |    |
| 19. | AVN-5032140 | GAUZ PAD    | BOX | <p><b>Specs:-</b><br/> <b>Company : Surgitex</b><br/> <b>Type : Surical Gauze Pad</b><br/> <b>Packing : Packet of 10 Pcs</b></p>                                                                                                                                                                                                                                                | Used for cleaning of blades surface on critical areas |   |
| 20. | AVN-503565  | STEEL PUTTY | KG  | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company : Devcon</b><br/> <b>Nomen : Devcon Plastic Steel Putty (A)</b><br/> <b>P/N : Devcon 1010 or 10112</b><br/> <b>Color : Gray . Soft Metalic Gray</b><br/> <b>Packing : Iron Round Tin</b><br/> <b>Steel Puty kit : Hardner and Base</b><br/> <b>Weight : 500g</b></p>                          | Used during surface prepration of blades              |  |

|     |                |                    |     |                                                                                                                                                                                |                                               |                                                                                       |
|-----|----------------|--------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------|
| 21. | AVN-NIV-S-509  | SURGICAL BLADE     | NOS | <b>Specs:-</b><br><b>Type :</b> Surgical Blade<br><b>Packing :</b> Box<br><b>Pcs :</b> 100<br><b>Blade No :</b> 24<br><b>Color :</b> Black Color Blade<br>Top Japanies Quality | Used during Repairing of Blades               |    |
| 22. | AVN-503879     | FACE / DUST MASK   | PKT | <b>Specs:-</b><br><b>Company :</b> Local<br><b>Packing :</b> Box<br><b>NO :</b> NP : 305<br><b>Type :</b> Face Mask<br><b>Pcs :</b> 50<br>Top Quality                          | Used for protection against dust and moisture |    |
| 23. | EXP-04         | GREASE PROOF PAPER | EA  | <b>Specs:-</b><br><b>Length :</b> 18"<br><b>Width :</b> 12"<br><b>Thickness :</b> 1 mm<br>Good Quality Grease Proof Paper Roll                                                 | Used for preservation of gears                |    |
| 24. | AVN-503830-OLD | PAPER CUP          | NOS | <b>Specs:-</b><br><b>Capacity :</b> 250 ml<br>Disposable Paper Cups<br>Good Quality                                                                                            | Used for compound mixing                      |   |
| 25. | AVN-5031081    | MARKER SNOW MAN    | NOS | <b>Specs:-</b><br><b>Company :</b> Snowmen<br><b>Color :</b> 6 Different Colors ( Red, Yellow, Black, Green, Blue, White)<br>Long Life Best Quality                            | Used for identification & marking             |  |

|     |               |                         |     |                                                                                                                                                                                                                                                                                                                                                                   |                                                              |                                                                                      |
|-----|---------------|-------------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 26. | AVN-5032254   | Sndoor                  | NOS | <b>Specs:-</b><br><b>Color :</b> Orange<br><b>Type :</b> Powder Form<br><b>Packing :</b> 500 g Pack                                                                                                                                                                                                                                                               | Used for cotact pattren of gears of MGB                      |   |
| 27. | CN HP 317F2   | HEXELITE KIT / ADHESIVE | KIT | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company :</b> Axson Technologies<br><b>Consumable Code :</b> CM 6067<br><b>Weight of Kit :</b> 1.250 kg<br><b>Kit :</b> (Hardner P/No : HY 951 + Base HP-317F2)<br>Base (Transparent)<br>Hardener (Blueish)<br><b>Note :</b> Expiry date, Lot no & Batch No should be mention clear on product | Used for bonding of stainless steel strip of MRB puma & Ecrl |   |
| 28. | CN EA9309-3NA | ADHESIVE                | NOS | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company :</b> Locktite<br><b>Color :</b> (Base = Pink + Hardner = Blue)<br><b>Kit :</b> Hardner + Base<br><b>Net Weight :</b> 1 kg<br>Maximum Shelf Life<br><b>Note :</b> Expiry date, Lot no & Batch No should be mention clear on product                                                    | Used for Bonding of lower Surface Blades                     |  |

|     |              |                                         |     |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                   |                                                                                       |
|-----|--------------|-----------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 29. | MC-780       | Sealant(TYPE II,<br>Class B, Grade 1/2) | KIT | <p><b>Only imported item will be accepted'</b><br/> <b>Specs :-</b><br/> <b>Company :</b> Naftoseal<br/> <b>Techkit :</b> 55<br/> <b>Color :</b> Dark Gray<br/> <b>Kit :</b> Hardner + Base<br/> <b>Note :</b> Expiry date, Lot no &amp; Batch No should be mention clear on product</p>                                                                                                                 | Used for Gen Sealing of Assy                                      |    |
| 30. | D-148-OLD    | VARNISH +<br>HARDNER                    | NOS | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> Henkel<br/> <b>Type :</b> Dry Film Lubricant Varnish<br/> <b>BONDERITE L-GP D 148 ACHESON</b><br/> <b>Net Weight :</b> (1 kg Base / 0.17 kg Hardner)<br/> <b>Packing :</b> Container<br/> <b>Maximum Shelf Life</b><br/> <b>Note :</b> Expiry date, Lot no &amp; Batch No should be mention clear on product</p> | Used to apply thin layer on MRH sleeve spindle for anti corrosion |    |
| 31. | AVN-EXP-4603 | GRINDER DISC 14"                        | NOS | <p><b>Specs:-</b><br/> <b>Type :</b> Grinding Disk<br/> <b>Dia =</b> 14" inch<br/> <b>Grid Size :</b> 80, 120, 220<br/> <b>Type =</b> Abressive</p>                                                                                                                                                                                                                                                      | Used to remove paint from blades                                  |  |
| 32. | 6856KD150-2  | SEALING<br>COMPOUND<br>MASTINOX         | TUB | <p><b>Only imported item will be accepted</b><br/> <b>Specs:-</b><br/> <b>Company :</b> PPG Aerospace<br/> <b>Net Weight :</b> 6.0 Oz<br/> <b>Packing :</b> Tube<br/> <b>Maximum Shelf Life</b><br/> <b>Note :</b> Expiry date, Lot no &amp;</p>                                                                                                                                                         | Used as preventive agent against corrosion                        |  |

|     |               |                   |     |                                                                                                                                                                                                                                                                                                                                             |                                                             |                                                                                       |
|-----|---------------|-------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
|     |               |                   |     | Batch No should be mention clear on product                                                                                                                                                                                                                                                                                                 |                                                             |                                                                                       |
| 33. | P86A          | Adhesion Promotor | NOS | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company :</b> 3M<br><b>Type :</b> Adhesive promoter<br><b>Weight :</b> 473 ml<br><b>Dry Time :</b> 10 Mint (Aprox)<br>Packing Container<br>Maximum Shelf Life                                                                                                            | Used for installation of sand errosion tape on blades       |    |
| 34. | 991200151     | HYSD EPOXY PATEL  | KIT | <b>Only imported item will be accepted'</b><br><b>Spces:-</b><br><b>Company :</b> Henkel<br><b>Type :</b> Epoxy Adhesive<br><b>Packing :</b> Tube<br><b>Weight :</b> 22.6 g<br><b>Work Life :</b> 50 Minut<br><b>Apearance :</b> Ultra Clean                                                                                                | Used for installation of teflon tape and race assy of prop. |    |
| 35. | AIR 4206B-OLD | Grease            | KG  | <b>Only imported item will be accepted'</b><br><b>Speces:-</b><br><b>Nomen :</b> NYCO Grease NO 6<br><b>Company :</b> Nyco<br><b>NATO Code :</b> G-355<br><b>Temp Range :</b> -40 to +121 °C<br><b>Color :</b> Homogeneous Black<br><b>Weight :</b> 1 KG<br><b>Note :</b> Expiry date, Lot no & Batch No should be mention clear on product | Used for servicing of threads                               |   |
| 36. | CN-11         | NYLON MESK        | EA  | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Nomen :</b> C-11 Nylon Mesh<br><b>Company :</b> Airbus<br><b>Mesh Aperue :</b> 11 Micron<br><b>Color :</b> White                                                                                                                                                         | Used for Bonding of lower Surface Blades & Strips           |  |

|     |               |                                                                                             |     |                                                                                                                                                                                                                                                                                                                                       |                                          |                                                                                      |
|-----|---------------|---------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------|
|     |               |                                                                                             |     | <b>Material</b> : 100 % Monofilament<br><b>Fabric Thickness</b> : 40 Micron<br><b>Width</b> : 1 m<br><b>Length</b> : 50 m                                                                                                                                                                                                             |                                          |                                                                                      |
| 37. | P05 / P09     | EPOXY PRIMER                                                                                | LTR | <b>Only imported item will be accepted</b><br><b>Specs:-</b><br><b>Company</b> : Akzonoble<br><b>Type</b> : Epoxy Primer<br><b>Color</b> : Full Gloss Finish<br><b>Kit Composed of</b> : 3 Parts<br>(Primer = P09 CM 4373),<br>(Hardner = CM 4375), (Thiner = CM 4342)<br><b>Packing Size</b> : 1/5 ltrs<br><b>Packing Type</b> : Gal | Used as primer before paint              |                                                                                      |
| 38. | MIL-PRF-83483 | ANTISEIZE COMPOUND, MOLY-50, OEM REF NO MIL-PRF-83483, RW, AW-139, LANXESS CORPORATION, USA | TUB | <b>Only imported item will be accepted'</b><br><b>Specs:-</b><br><b>Company</b> : Locktite<br><b>Type</b> : Sealant Liquid<br><b>Net Weight</b> : 473 ml<br><b>Packing</b> : Containor                                                                                                                                                | Used for locking of threads of Prop assy |   |
| 39. | FCH16         | BOX GLAZE                                                                                   | BOX | <b>Only imported item will be accepted'</b><br><b>Spces:-</b><br><b>Company</b> : Maguiars<br><b>Type</b> : Professional Wax<br><b>Packing</b> : Blue Matel Round Tin<br><b>Apearance</b> : Past Wax<br><b>Part No</b> : ECA 3132.10<br><b>Note</b> : Expiry date, Lot no & Batch No should be mention clear on product               | Used to polish and prevent compound      |  |

|     |                   |                     |     |                                                                                                                                                                                                                                                 |                                   |                                                                                       |
|-----|-------------------|---------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------|
| 40. | AVN-366-16047-396 | PERMATEX            | NOS | <p><b>Only imported item will be accepted</b></p> <p><b>Specs:-</b><br/> <b>Sealant Liquid</b><br/> <b>Weight : 473 ml</b><br/> <b>Country of origin : USA</b></p>                                                                              | Used in gasket Sealant            |    |
| 41. | 220 Grit          | EMERY SHEET         | NOS | <p><b>Spcecs-</b><br/> <b>Grit Size : 220D</b></p>                                                                                                                                                                                              | Used for Smoothness of surfaces   |    |
| 42. | Z3CN18-10         | LOCK WIRE DIA 0.8MM | ROL | <p><b>Only imported item will be accepted</b></p> <p><b>Spces:-</b><br/> <b>Company : Malin</b><br/> <b>Stanless Steel Wire</b><br/> <b>Weight : 1 lb</b><br/> <b>Dia : 0.8 mm</b><br/> <b>Size = 200 m Length</b></p>                          | Used of locking of nuts and bolts |    |
| 43. | 280 GRIT          | ABASSIVE PAPER      | NOS | <p><b>Spcecs-</b><br/> <b>Grit Size : 280D</b></p>                                                                                                                                                                                              | Used for Smoothness of Surfaces   |   |
| 44. | SP 100            | MGB LUBRICATION OIL | LTR | <p><b>Only imported item will be accepted</b></p> <p><b>Spces :-</b><br/> <b>Castrol Alpha SP-100</b><br/> <b>Company : Castrol Alpha</b><br/> <b>Type : Lubricant</b><br/> <b>Usage : Turbine Oil</b><br/> <b>Size of Barrel : 200 ltr</b></p> | Used in MGB / TGB Test benches    |  |

|     |                        |                          |     |                                                                                                                                                                                                                                                                                    |                                            |                                                                                       |
|-----|------------------------|--------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------|
| 45. | DX-100DYKEM            | Steel blue               | BTL | <p><b>Only imported item will be accepted</b><br/> Specs:-<br/> <b>Company : Dykem</b><br/> <b>Type : Fluide</b><br/> <b>Color : Steel Blue</b><br/> <b>Dry Time : Dry Within minut</b><br/> <b>Size of bottle : 236 ml</b></p>                                                    | Used for marking on MGB and TGB Puma assy  |    |
| 46. | AWS-46                 | HYD OIL                  | Nos | <p><b>Only imported item will be accepted'</b><br/> Spces :-<br/> <b>Castrol Hyspin AWS-46</b><br/> <b>Company : Castrol</b><br/> <b>Net Weight : Size : 200 Barrel</b></p>                                                                                                        | Used in MGB / TGB Test benches             |    |
| 47. | 471-19MM Wide Black    | 471-19MM WIDE YELLOW-OLD | ROL | <p><b>Only imported item will be accepted</b><br/> Spces:-<br/> <b>Nomen : 3M Vinyl Tape 471</b><br/> <b>Type : Adhesive Tape</b><br/> <b>Company : 3M</b><br/> <b>Color : Black</b><br/> <b>Width : 19 mm "</b><br/> <b>Length : 33 Meter</b><br/> <b>Thickness : 0.13 mm</b></p> | Used for identification of sleeve Assy MRH |   |
| 48. | 471-19MM WIDE BLUE-OLD | Tape Adhesive            | ROL | <p><b>Only imported item will be accepted</b><br/> Spces:-<br/> <b>Nomen : 3M Vinyl Tape 471</b><br/> <b>Type : Adhesive Tape</b><br/> <b>Company : 3M</b><br/> <b>Color : Blue</b><br/> <b>Width : 19 mm "</b><br/> <b>Length : 33 Meter</b><br/> <b>Thickness : 0.13 mm</b></p>  | Used for identification of sleeve Assy MRH |  |

|     |                             |               |     |                                                                                                                                                                                                                                                                                                            |                                            |                                                                                     |
|-----|-----------------------------|---------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------|
| 49. | 471-19MM WIDE<br>YELLOW-OLD | Tape Adhesive | ROL | <p><b>Only imported item will be accepted</b></p> <p><b>Spces:-</b></p> <p><b>Nomen</b> : 3M Vinyl Tape 471</p> <p><b>Type</b> : Adhesive Tape</p> <p><b>Company</b> : 3M</p> <p><b>Color</b> : Yellow</p> <p><b>Width</b> : 19 mm "</p> <p><b>Length</b> : 33 Meter</p> <p><b>Thickness</b> : 0.13 mm</p> | Used for identification of sleeve Assy MRH |  |
| 50. | 471-19MM WIDE<br>RED-OLD    | Tape Adhesive | ROL | <p><b>Only imported item will be accepted</b></p> <p><b>Spces:-</b></p> <p><b>Nomen</b> : 3M Vinyl Tape 471</p> <p><b>Type</b> : Adhesive Tape</p> <p><b>Company</b> : 3M</p> <p><b>Color</b> : Red</p> <p><b>Width</b> : 19 mm "</p> <p><b>Length</b> : 33 Meter</p> <p><b>Thickness</b> : 0.13 mm</p>    | Used for identification of sleeve Assy MRH |  |