

CENTRAL AVIATION SPARES DEPOT (EME)
QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI
TENDER NOTICE

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased.** Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

Ser	Tender No	Detail of Required Stores	No of Items	Delivery Period	Date and Time of Tender	
					Submission	Opening
a.	81201-EME/LP/26-27/IT-16 dated 2 September 2026	Misc	(List attached as Annexure A)	30 Days for Local Stores & 90 Days for Foreign Stores	17 September 2026 at 1030 Hrs	17 September 2026 at 1100 Hrs

2. **Submission of Offers by the Firms.**

- a. Quoted rates must be valid up to **30 Jun 2027**.
- b. Delivery Period should be 1 x month for local and 3 x months for imported items.
- c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.
- d. Remaining life of shelf life / life expiry items should be 80% of total life at the time of delivery.
- e. **Bids of firms registered with Central Aviation Spares Depot or having valid Military Intelligence Directorate security clearance for interaction with Army will only be accepted.**
- f. Firm must quote items in separate envelopes clearly marked "Technical Offer" and Commercial Offer" in separate categories Annexures wise as given below. **IT number must be mentioned on both envelopes: -**

Category	Heading on Envelop (Technical)	Heading on Envelop (commercial)
Misc	Annexure A (Technical)	Annexure A (Commercial)

- g. **Technical Offer.** The offer must include the following information / documents which will be evaluated by respective boards for completeness and acceptance: -
 - (1) **Tender Fees (non-refundable) amounting to Rs 3,000/- per tender.**
 - (2) **Bid Security / Earnest Money amounting to 5% of the total amount of bid (unit price x required quantity x 0.05) must accompany in the shape of PAY ORDER / BANK DRAFT in the name of Commandant CASD. Same will be returned on delivery of ordered items. Bid**

Security will be confiscated if bidder withdraws his bid during the period of bid validity, changes his original bid in any manner, fails to deliver item or to provide CDR/ BG (when required/ due). Tender without bid security / earnest money or if the amount of bid security / earnest money deposited is less than 5% of the total amount of bid, will not be entertained.

- (3) Brand name, specification, country of origin.
- (4) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.
- (5) Validity of offer should be upto 30 Jun 2027.**
- (6) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of Purchase Orders. If firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items than firm should approach this office before expiry of delivery period.
- (7) Remaining shelf life / expiry of items should be 80% of total life at the time of delivery.
- (8) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.
- (9) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.
- (10) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test / inspect samples before placing of purchase orders.
- (11) During warranty period (if stores supplied is/ are backed by warranty), if a fault occurs in supplied stores then supplier will be responsible to either rectify the fault communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
- (12) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.
- (13) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.
- (14) Make / model / brand and country of origin of stores must be mentioned where applicable.
- (15) Manufacturer certificate / Certificate of Conformance of branded items must be provided.
- (16) Prices / rates will be quoted on delivery basis at locations all over Pakistan.
- (17) Prices / rates will be inclusive of all applicable taxes / duties.
- (18) Prices / rates quoted must be as per accounting unit.
- (19) More than one manufacturer / model may also be quoted giving separate

- price of each manufacturer / model.
- (20) Prices / rates will be quoted in Pakistani currency.
- (21) Partial delivery / partial payment will not be accepted / made.
- (22) Payment will be made through Controller Military Accounts Rawalpindi after receipt and acceptance of ordered stores.
- (23) If stores are not delivered within delivery period, penalty will be imposed.
- (24) Items should be packed properly at the time of delivery as per standard packing regime.
- (25) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.
- (26) Technical detail may be sought out by firms.

h. **Commercial Offer.** This offer must include the item wise rate and total amount of stores to be offered. This offered will only be considered after acceptance of technical offer.

- (1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**
- (2) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words "NOT QUOTED"
- (3) List of stores(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.
- (4) Quoted rates are only valid on firm's letter head.
- (5) No change should be made in tender inquiry provided (part number, nomenclature, accounting unit, photo and technical details/ specifications). Bidders should fill prices / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers. In case of any change/ amendment in quoted item (without which correct quote is not possible), details of same should be clearly mentioned in bold italics.

3. **Essential Documents Requirement.** Firm shall ensure submission of following essential documents along with technical offer to participate in tender: -


- a. Certificate that firm is neither defaulter nor blacklisted by any Government / Military Organization directly or indirectly.
- b. Undertaking for adequate financial capability to the value of tender.
- c. **Each bid should accompany 5% of the bid amount of items as bid security / earnest money (COMPULSORY) in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained.**
- d. **Tender fee amounting to Rs. 3,000/- per tender.**




4. **Purchasers Right.** Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **Liquated Damage charges will be imposed on weekly basis after expiry of delivery period.**
5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para 1a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.
6. **Additional details required for each item separately**
 - a. Rate including taxes / duties.
 - b. Delivery period of each item.
 - c. Offer validity till **30 June 2027**.
 - d. Performance guarantee.
 - e. Clarify shipping plan (By Air / Sea).
 - f. Specify warranty period.

For further details contact.

Phone: 051-5686289 or Visit Web site www.ppra.org.pk

SIMULATOR DEVELOPMENT WORKSHOP ITEMS

Ser	Part No	Nomenclature	A/U	Qty	Mil / Tech Specification	Pic	Remarks
1.	AVN-PWD-1506	ELECT ROD WELDING NO 10 S.S	Nos	50	WELDING ELECTRODES NO 10, 2.5x300mm, 2.5Kg Company: Permanent Brand,		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
2.	150SG1017	DISC BAFFLE	Nos	100	FLAP DISC Width: 4" Compnay / Brand: iNGCO / SMT		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
3.	AS004	PRIMER EP-CP 100-50 (GRAY COLOUR) ARO DOOR COMPANY	Nos	10	Brand: Master Compay / Nippon , 3.64 ltr Colour: Gray		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
4.	GSE-691406	IRON CUTTER DISK 14"	Nos	50	Cutter Disc 14" for iron cutting iNGO/ Pegatec		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
5.	TPN/FCE/TOWG/F G-0074	DOUBLE TAPE WHITE	Nos	20	Double Sticky Tape size 1" white. Compnay: 3M Fast Bound Tape		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
6.	DBC34/12	FIBER GLASS FABRIC	Mtr	100	Thickness: 0.5mm-5mm, Colour:White,High Glossy, Sadaat Fiber		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

7.	9520ZO3505766	MS Square Pipe 2 x 2 14 BG	FT	100	MS Square Pipe 2 x 2 14 BG (20 ft Length) Full Guage Company: Adam Jee		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
8.	GP-GENSTO-20114	MS Square Pipe	FT	100	MS Square Pipe 3/4 x 3/4 18 BG (20 ft Length), Full Guage Company: Adam Jee		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
9.	5180ZO3531449	DRILL BIT SET	Nos	5	Company: iNGCO / Armstrong for Stainless Steel Material cutting Industrial Use.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
10.	G2/PGB/0208/MS	Aluminium Sheet 8FT X 4 FT X 3MM	KG	250	Aluminium Sheet 3 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
11.	A-U4G5	Aluminium Sheet 1.2mm	Nos	10	Aluminium Sheet 1.2 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
12.	G2/PGB/0009/MS	Aluminium Sheet 8FTX4FTX2MM	KG	180	Aluminium Sheet 2 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
13.	P30001621	PAINT PRIMING SPRAYING SILVER GRAY	Ltr	20	Master Paint , Silver Clour		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
14.	AVN-NIV-S-166	SHEET CUTTER 12" (JAPAN)	Nos	15	Material: Plastic & Iron Blade, Lightweight paper cutter with heavy duty blade, coMPNAY: iNGCO / Armstrong		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

15.	5935-99-803-1840	PLUG 3 PIN Lv6 / Mt-3	Nos	48	Weight: 0.5 lbs, Length : 12 inches, 2mm/0.078 inch, 2.0 3-Pin Male Connector plug with Wire		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
16.	45102831	CONNECTOR, 12 - WAY, NO 1	Nos	48	12 pin JST XH, 2.5mm, One side Female with 30cm Wires		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
17.	AVN-NIV-P-3	5 Mint Epoxy	Nos	20	For Joint all materials, 5 Mint Epoxy, Compnay: Permatex		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
18.	C-352	Loctite	Nos	12	Craft, Repair, Woodworking, Furniture, Shoe, Leatherworking, Tile Wall Casting, Company: Henkel		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
19.	UMC-12.P105	EMERGENCY STOP BUTTON	Nos	12	Emergency stop switching off, Harmony XB4, metal, red mushroom, 40mm, 22mm, trigger latching turn to release, 1NO+1NC, Compnay: Schnedier		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
20.	Z37/5945-ZO-213-9697	RELAY 5 AMP 12V DC	Nos	10	Coil Power : 12V DC. Pin Out: 5 Pin – Coil – COM – NC – NO. Nominal Coil Power: 0.36w, 0.45W. Contact Capacity: 10A 250VAC/10A 125VAC 10A 30VDC/10A 28VDC. Company: Omron		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
21.	Y2/PYB/0174/A	Connector Strip	Nos	18	12-22 AWG, 2 Wall (Dual), 10 Pins strip , used for distribution of power, Brand: RS		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
22.	5945-257-0316	Relay	Nos	12	Connector Type Quick Connect, Current Rating 30 Amps, Coil Voltage 12V DC, Company: Omron		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

23.	443-811-443-240	CONNECTOR CASING OF PARALLEL, RUN WATER-PROOF	Nos	36	DB37 male connector with a plastic casing typically features 37 gold-plated copper, Amphenol LTW		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
24.	5935YV2168147	SOCKET FEMALE, 2 PIN, HALF CUT, OEM, REF NO ZLN. 102F.302.CLL, BATTERY CHARGER CASING. NIGHT OBSERVATION DEVICE,CHINA	Nos	36	DB37 male connector with a plastic casing typically features 37 gold-plated copper, Amphenol LTW		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
25.	442-0-7898-001-4	Three Pin Connector	Nos	48	Three-pin JST connector's technical specifications vary by series, Company: Electronation		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
26.	G-2015-358-VERO	Vero	Nos	24	Veroboard Circuit Design and Prototyping, Fiberglass FR4 material with a copper PCB surface		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
27.	TPN-VEH-B-TATRA 813/815-0051	6 PIN CONNECTOR MALE / FEMALE	Nos	50	Heavy-duty, often made of zinc die-cast with 12-24V voltage ratings, Company: Electronation		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
28.	FCS147C	Push Button Red	Nos	18	Baomain 5/8" 16mm Push Button Switch Latching Square Cap LED Lamp Red Yellow Blue Green Light DC 24V SPDT 5 Pin 4 Pack, Compnay: Schnedier		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
29.	Z32/PZ/352211	Push Boutons Green	Nos	18	Baomain 5/8" 16mm Push Button Switch Latching Square Cap LED Lamp Red Yellow Blue Green Light DC 24V SPDT 5 Pin 4 Pack, Compnay: Schnedier		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
30.	11186	COPPER WIRE	KG	50	110/76 Copper Extension Cable Cord Wire Fire Retardant High Fidelity Flexible PVC Shielding, Company: HG		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

31.	Z42/PZZP/1365/A	CONNECTION STRIP	Nos	24	60Amp 12 Way Block Plug In Terminal Strips Wire Connector, Brand: RS		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
32.	6130ZO3530280	POWER SUPPLY, 12 VOLT DC	Nos	12	12Volt 62.5 Amp 750watt Power Supply for Professional use, Industrial use, Compnay: DELL		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
33.	Z32/5939-ZO-215-0808	Connector Strip 15 PIN	Nos	24	Connector strip 100A, Current rating: 100A Interface type: AC/DC both, Brand: RS		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
34.	704A34412038	Flexible Hose	Nos	25	Used in general-purpose air hoses with dia 3" for various industrial uses. Compnay: Hoses Uk		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
35.	5935-74-216-159	CONNECTOR, PLASTIC, MALE/FEMALE, 3-PIN,220V	Nos	12	220V AC connector includes its voltage and current ratings, physical dimensions and shape, the number of pins, and its contact type, Company: Electronation		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
36.	PA-016	Shrink Sleeve Small Size	Mtr	100	1mm heat shrink sleeve is made of polyethylene, has a 2:1 shrink ratio, and operates from approximately -40°C to +125°C, Compnay: RoHS		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
37.	AVN-503456	COPPER WIRE MOUNTING WIRE 0.10MM	KG	20	A 7/38 SWG tinned copper wire consists of seven strands of 38 SWG (Standard Wire Gauge) wire each, with a total cross-sectional area of approximately 0.127 sq. mm, an overall diameter around 1.25mm to 1.35mm, Company: Ziller Electric		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
38.	ANL80	LIMITER VOLTAGE	Nos	24	Limit Switch Specifications · AZ7120 Operating Force : 150g max. Release Force : 40g min · AZ7140		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

							rejected)
39.	GP-SIGTA-05255	Duck Pati Small Size	Nos	20	Duck Pati 40 x 40" refers to a 40mm x 40mm PVC (Poly Vinyl Chloride) slotted cable duct or wiring trunking, typically made of self-extinguishing, high-impact rigid PVC, Company: Stylo		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
40.	Z20/PZT/0808/A	Transistor Silicon BD-139	Nos	48	BD139 is an NPN bipolar junction transistor (BJT) in a TO-126 package, designed for medium-power applications with a continuous collector current (Ic) of 1.5A and a collector-emitter voltage (Vce) of 80V, Compnay: Flipcart		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
41.	JANTX2N3584	Transistor	Nos	48	13001 is a high-voltage NPN Bipolar Junction Transistor (BJT) used in switching applications like SMPS and ballasts.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
42.	CS13BC227K	Capacitor	Nos	48	Capacitor 4.7 uf 400 V, is an aluminum electrolytic capacitor, with key specifications including a tolerance of $\pm 20\%$, an operating temperature range of -40°C to 80°C ,		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
43.	8280-05	Toggle Switch	Nos	48	Two-way toggle switch for operating voltage (e.g., 230-250V), a mechanical life rating (number of cycles), specific terminal capacity (e.g., 1.5 or 2.5 mm ²),		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
44.	SHP20PK5HT10	Female connector 5 Pin	Nos	100	Ugreen: P/N; 20333, Model: NW 111, female Cat Connector Typically refers to an RJ45 connector used with "Cat" Ethernet cables, such as Cat6, which has a female, 8-pin, 8-position (8P8C) interface for mating with a male RJ45 plug.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)


45.	3160S28-13-20-201	Seat Rail	Nos	8	High-strength aluminum alloy (7075-T6), titanium alloy (6Al-4V), or stainless steel (AISI 304L), Company: Rail Sys		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
46.	704A34412272	Flexible hose	Nos	30	1-inch flexible hose's technical specifications vary significantly based on its material (e.g., PVC, rubber, stainless steel) and intended use, Compnay: Hoses Uk		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
47.	GB522-903-000	Flexible hose	Nos	30	2-inch flexible hose's technical specifications vary significantly based on its material (e.g., PVC, rubber, stainless steel) and intended use, Compnay: Hoses Uk		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
48.	0-22-8473-005-C	12 Pin Connecting Male / Female	Nos	48	12-pin JST connector's technical specifications, such as current and voltage ratings, temperature range, and wire gauge, vary significantly depending on the JST series (e.g., XH, PH, GH), Company: Electronation		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
49.	5961-00-617-4448	Diode	Nos	48	LT1336 is a Linear Technology (now Analog Devices) high-frequency, high-voltage power switch, not a diode, and has no relation to the 1N4007 general-purpose rectifier diode. The 1N4007 has a maximum peak repetitive reverse voltage of 1000V, a 1A maximum average forward current		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
50.	5961-00-406-8722	Transistor	Nos	48	2N3904 is a general-purpose NPN bipolar junction transistor used for switching and amplification, with specifications including a maximum collector-emitter voltage (VCEO) of 40V, maximum collector current (IC) of 200mA,		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

51.	601-2738-001	Converter	Nos	24	Input Voltage Range: 3V to 75V or 6V to 36V. Output Voltage: 0.6V to 36V or 1.2V to 5.5V. Output Current: 5A (rated, specific behavior varies, e.g., 5A in buck mode with VIN > 6V). Output Power: 80W or more. Conversion Efficiency: Up to 96% or around 88%.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
52.	4140-74-216-1034	FAN, EXAUST, 12V, DC, 6x6	Nos	16	Fan Roof KZ 14038B012U Dc 12 V 7.2 A 8000 RPM 14 CM		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
53.	4140-74-216-1649	FAN, REVOLVING, 12V, DC, 12	Nos	16	Fan 12 V DC 3.5 Inch (KF9025M 12S)		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
54.	28-22117	AUDIO JACK BOC ASSY	Nos	48	3.5mm stereo (1/8-inch) jack, but other sizes like 6.3mm (1/4-inch) or 2.5mm (Gold Plated)		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
55.	50-9270-000	JACK	Nos	48	Jack plugs and connectors AV-Connection (Gold plated)		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
56.	5133ZO3502959	DRILL BIT CONCRETE 18MM	Nos	24	DRILL BIT CONCRETE 18MM, Brand: Omron		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
57.	566701-802	AUDIO CABLE	Nos	50	Conductor size (measured in AWG or mm²), conductor material (like copper or silver), shielding type (braided, foil), jacket/insulation material, and impedance, Ugreen Company		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

58.	WBJ-239/SL	LED GREEN	Nos	50	5mm Green Diffused led Light Emitting Diode		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
59.	GSM-297	LED GREEN	Nos	50	5mm Green Diffused led Light Emitting Diode		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
60.	X5/PXE/0190/A	LED PILOT LIGHTS, 230VAC, GREEN	Nos	5	A 230VAC LED pilot light specification includes a 230V AC operating voltage, a green LED, and typically a panel-mounted design with a standard cutout, Compnay: Schnieder		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
61.	GP-SIGTA-05257	ELECTRIC LIGHT SMD	Nos	5	A 230VAC LED pilot light specification includes a 230V AC operating voltage, a green LED, and typically a panel-mounted design with a standard cutout, Compnay: Schnieder		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
62.	G-066391	PANEL LIGHT, SMD 18 WATT?8"	Nos	5	A 230VAC LED pilot light specification includes a 230V AC operating voltage, a green LED, and typically a panel-mounted design with a standard cutout, Compnay: Schnieder		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
63.	GP-W11/PWK-5545	GEAR PLASTIC 27-T	Nos	200	Rack And Pinion Gear Set 200-Piece Plastic Gear Set, Company: SC Electricals		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
64.	NVG-17-SI160W	SOLDERING IRON 60 W	Nos	5	60 Watt Soldering Iron 230 Volts, Proskit		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
65.	GP-F1/PFA-1694	Cutter Plier	Nos	12	Pro'sKit or Eclipse PM-737, Grip Type: Ergonomic		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

66.	P30001401	Plier 8 Inch	Nos	6	Pro'sKit 1PK-052DS Combination/Lineman's Plier: A 200mm lineman's plier with a dual handle.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
67.	5930-01-046-7277	SWITCH	Nos	18	3 Position toggle switch with 6 screw terminals, model 12141.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
68.	5930-01-013-2461	Rotary Switch	Nos	18	Switches have different numbers of positions and speeds, such as 4-position, 3-speed. They are designed for use with a variety of voltage systems, such as 120V-250V.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
69.	MS25361-125	CIRCUIT BREAKER	Nos	20	10 Amp/ 15 Amp / 20 Amp Company: Schnieder (original)		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
70.	6130ZO3530289	POWER SUPPLY, 30V, 5 AMPARE, 8103, LODESTAR	Nos	20	Industrial Power Supply, 30V, 5 AMPARE, 8103, Company: LODESTAR		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
71.	B-071231	CONNECTOR; PLUG 26 PIN CABLE MOUNT WITH BACK SHELL	Nos	24	CONNECTOR; PLUG 26 PIN CABLE MOUNT WITH BACK SHELL		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
72.	GP-SIGTA-06797	POWER PLUG 15 AMP CON	Nos	24	POWER PLUG 15 AMP CON		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
73.	Z32/5935-ZO-215-0805	CONNECTOR MALE 20 PIN	Nos	24	CONNECTOR MALE 20 PIN		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

74.	B-000359	CONNECTOR; D-TYPE 09 PIN SOCKET CABLE MOUNT/P/N 205203-3	Nos	24	Bakelite 9pin Vacuum Tube Socket Testing Saver For 6DJ8 12AX7 ECC83 B339 CV492 6L13 12AU7 ECC82 B329 CV491 Hifi Tube AMP DIY 2PC		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
75.	H-3A/32	WHITE GLUE	KG	10	Wooden Glue, Compnay: Evo Stick, Tube: 290ml		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
76.	10777	NAIL WIRE 2X12 SWG	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
77.	5315ZO3502534	NAIL WOOD 1.5"	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
78.	330A25-2152-21	PANNEL, SLIDING RH	Nos	24	12-inch sliding channel's, a ball- bearing mechanism for smooth movement, a load capacity varying from 20-35kg		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
79.	AVN-EXP-43989	Wooden Screw Philip 1/2"	DOZ	40	Stainless Steel, length of 1/2 inch (25mm) and a specified diameter such as #6 or #8 gauge		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
80.	MS24621-7	SCREW SELF TAPING	NOS	500	Black Cross Flat Head Wood Screws pack of 100pcs 1 x 8 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
81.	AVN-UPH-5032294	WOODEN SCREW	Pkt	5	Black Cross Flat Head Wood Screws pack of 100pcs 1 x 6 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
82.	330A65-4036-21	ANGLE BRACKET	Nos	50	Iron. Finish :Zinc Plated. Colour : Silver, 2"		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

							rejected)
83.	MS9592-016	ANGLE BRACKET	Nos	50	Iron. Finish :Zinc Plated. Colour : Silver, 3"		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
84.	FFS-CI-5028	VMD 93 Dry Graphite Lock Lubricant Spray	Nos	20	GRAPHITE LOCK GREASE SPRAY ML.200 "93" Company:VMD		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
85.	4240YV21655511	Environment Control Unit	Nos	2	1 Ton Indoor Inverter portable cooling unit for Simulator Cabin, company: Skywood/ Gree		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
86.	AVN-503883	MASTER MOLTY FOAM SHEET 4?X22?X22?	Nos	5	MASTER MOLTY FOAM SHEET 4 X 22 X 22, Company; Molty Foam		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
87.	AVN-NIV-R-216	RUBBER SHOES	NOS	10	Rubber Long Shoes With Steel Toe, Size 8, 9, 10		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
88.	8415-00268	GLOVES	Prs	50	Cotton Gloves , Built-in warm Lining fleece, nylon & windproof polyester offers enhanced warmth Zipped closure ensures a snug fit.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

