Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	**PIPE CS 8" dia** Supply of CS Pipe, Beveled end, API 5L Gr. B/ ASTM A-53 GR.B ERW as per ANSI B 36.10. Size: 08" dia Sch 40 Reference specifications: PSO-PS1-001	Lahore (LPG)	M	18		
2	**ELBOW CS 8"dia 90deg (B.W)** Supply of Elbow 90 degree, Long Radius, B.W. ASTM A-234 Gr. WPB as per ASME B16.9. Size: 8" Dia Sch 40 Reference specifications: PSO-ELB-014	Lahore (LPG)	EA	4		
3	**FLANGE SORF MS 8"dia Class-150** Supply of Slip-on Flanges 150#, R.F. as per ASME B16.5, ASTM A-105. Size: 08" Dia Reference specifications: PSO-FL-015	Lahore (LPG)	EA	2		
4	**Deformed Steel Bars** Supply of deformed steel reinforcement bars. All wastage, cuttings, overlaps and chairs are included in the cost and no extra payment will be made in this regard. Only actual laid quantities will be considered for payment. Note: Mill test Certificate from the manufacturer will be provided by the contractor. Deformed steel of yield strength 60,000Psi. Destructive testing for steel to be carried out from reputed laboratory at cost of contractor. Reference specifications: PSO-DS-004	Lahore (LPG)	KG	100.000		
5	**Services**	Lahore (LPG)				
5.01	**Removal of Pavers** Safe Removal of pavers from main road, cleaning and Proper stacking at a designated location. Pavers to be removed without any damage to make them available at the time of reinstallation.		FT2	162		
5.02	**Dismantling of Floor** Dismantling of existing 6-inch thick RCC slab complete in all aspects using appropriate tools, including disposal of debris		M2	13.370		

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
5.03	**Excavation Work** Excavation from NGL upto 8 ft depth to expose underground pipeline using appropriate tools/equipment.		**JOB**	1		
5.04	**Cutting/removal of 8" pipeline** Cutting, removal and transportation of existing above ground / underground pipeline / pipings and pipe fittings etc. From site within the PSO Installation and stacking the same in position for safe store-keeping within the Installation premises. The job includes emptying of product from pipeline, disposal of product to a suitable location, cold cutting where required, grinding, beveling, etc., loading at site and unloading the pipeline as per instructions and satisfaction of PSO Engineer / Plant Incharge. Note: The pipeline shall be cut generally in approx. 6 m lengths. However the length maximum be cut in shorter lengths as per requirement.		**M**	18		
5.05	**Fab. of pipe and allied fitting** Fabrication of new 8" dia pipeline and its allied fittings complete in all aspects including all kind of welding joints between pipelines<(> ,<)> elbows and flanges until the preparation of an entire spool which will be replaced with the existing 8" dia pipeline. This job also includes the welding joints on 12" sch. 40 sleeve pipeline		**JOB**	1		
5.06	**Hydrostatic testing of Pipe 8 dia** Hydrostatic testing of new 8" dia pipeline spool as per API. 1110 (recommended practice for the pressure testing of liquid petroleum pipelines) and ASME B31.3. All piping, testing equipment and labour to be arranged by the contractor. Water for hydrostatic testing to be arranged by the PSO.		**M**	18		
5.07	**Mechanical cleaning pipeline** Mechanical Cleaning of the entire outer surface of 8" pipeline and 12" dia sleeve pipeline as per relevant specs & instructions of site engineer / Plant Incharge to bring the non-greasy, rust free and smooth surface of the metal ready to be painted. The job also includes the supply & application of Epoxy Primer		**M2**	18		

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No: GF-20171JG
DATE: 04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date): 17.11.2026 BY (Time):

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	to a DFT of 75 microns of the same manufacturer (compatible to coal tar epoxy) before applying coal tar epoxy as per instructions of PSO engineer All equipment, material labour and tools required to be provided by the contractor.					
5.08	**Epoxy coating with wrap** Supply and application of three coats of coal tar epoxy each of 125 microns (of PSO's approved make) on the underground new 8" dia pipeline and 12" dia sleeve pipeline. as per instructions of PSO engineer. Job should be done according to applicable codes, standards, as per specifications of Paint manufacturer and as per instructions of PSO Engineer. This job also includes the supply and wrapping of Cold Applied Tape Coating on new 8" dia pipeline as per attached specifications (P SO/Spec/CAC Rev.01)		**FT2**	150		
5.09	**Shifting and Placing of Pipes 8 dia** Shifting and placing of 8" dia. pipeline in replacement of existing pipeline and in 12" dia sleeve pipeline complete in all aspects without compromising the polyethylene wrapping. Underground placement of 12" sleeve pipeline is also in scope of this job		**M**	18		
5.10	**Earth filling** Earthfilling/Backfilling of excavation in layers, including watering and compaction complete in all aspects to ensure safe bowser/vehicle movement afterwards without putting stress on newly installed pipeline and its sleeve.		**M3**	91.000		
5.11	**RCC 1:2:4** Providing and laying 6-inch thick RCC concrete slab, including steel fixing, reinforcement, formwork and curing. Providing and laying RCC 1:2:4 of specified strength (Min 2500 PSI cylindrical Strength) approved quality 1/2" max: size graded crushed stone and fine aggregate (hill sand) preferably Plant Mix Concrete (if available) of required		**M3**	4.000		

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	properties including form work installation & removal), mixing<(>,<)> transporting, placing, compacting, finishing and curing, scaffolding complete in all respects as specified. To confirm the desired Cylindrical crushing strength of Min. 2500 PSI (minimum) at 28 days Cylinder tests for 7 & 28 days (3+3 No's) will be carried out by contractor from Company/Institute approved laboratory at his own cost.					
5.12	**Laying of pavers** Reinstallation/Provision of pavers over the RCC slab area including cushioning/leveling. Contractor will arrange the sand required for cushioning.		**FT2**	162		
5.13	**Bolting flanged joints in Pipes 8 dia** Bolting-up flanged joints in pipelines / pipings with gaskets in between flanges , as per sizes below. Gaskets will be provided by the contractor. RATES SHOULD INCLUDE COST OF GASKET RINGS (150 #, 1/16" compressed asbestos flat ring as per ANSI B 16.21) , STUD BOLTS (studs with 2 nuts as per ANSI B 16.5, Stud Material A 193 Gr. B7 & Nuts Material A194 Gr 2H) and of specified standards & ratings. Brief Scope of work: 1. Removal of pavers and dismantling of existing slab 2. Excavation 3. Removal of existing 8" pipeline 4. Preparation and placement of 12" dia sleeve pipeline 5. Preparation and placement of 8" dia new pipeline spool complete in all aspects including polyethylene wrapping 6. Earth filling including compaction 7. RCC work to be done in 2 phases in order to allow vehicle movement operations of the facility. 8. Laying of pavers 9.Site clearance		**EA**	2		

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	NOTE 1- All rates include levies and transportation charges. 2- Sales Tax Invoice shall be provided by contractor for supplied material. 3-All installation shall be done as per satisfaction of Plant Incharge. 4- Contractor shall provide at least 1 year warranty of entire project. 5- Contractor shall restore the site at its original condition after completion of respective jobs. 6-Clearing of debris would also be the responsibility of contractor. 7- Contractor shall rectify any damage caused during construction work to PSO property. 8- Contractor shall strictly adhere and comply with the HSE policy. No compromise would be allowed on HSE during construction works. 9- Contractor shall arrange PPEs (Personal Protective Equipment) and ensure that staff wear the PPEs during execution of work. 10- Prior Approval must be taken for all material to be supplied before commencement of works. Sample to be provided if required / asked by the concerned Engineer. 11- Contractor shall provide a complete schedule for the execution of the Project along with the name, details of the Project team within a week after award of work. 12- Contractor will provide firefighting equipment, PPE's and fulfill all HSE requirement and measure during the execution of works. PSO's Construction Safety Booklet should be referred in this regard. 13- All supplied materials and accessories should be brand new and from fresh stock. 14- Contractor will jointly visit with Site Engineer to ascertain the scope, planning & execution of work. 15-Contractor will plan activities in such a way as to cause no interruption in operations of the facility. 16- Contractor will submit the MTC's of the material wherever required. Further, any testing for verification will be at Contractor Risk and					

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Cost. 17- Contractor will depute Site Engineer BE (Engineering) atleast 5 years minimum work experience for the execution of job & HSE Incharge having appropriate qualification. 18- Contractor will utilize skilled manpower for the execution of complete Project. 19- Providing of all Tools & Equipment#s required to execute the complete Job / Project is the sole responsibility of the Contractor. 20- Contractor / Supplier to provide welder procedure specification and qualification record. 21-Contractor will carry out Welding Qualification Procedure Test, Welder Qualification Test for all welders and all related NDT and mechanical test as per applicable codes / standards at their own cost. 22- Contractor will follow Quality Control Procedure and will comply the all quality standards given by PSO time to time. 23- Quantities of any items can be changed according to requirement of PSO. Contractor has to perform job as per directives of PSO Engineer. 24- For Supply item, Payment to be made according to actual dimensions. 25- Contractor will arrange inspection / testing of all supplies /materials that will be provided / supplied by the Contractor. All cost pertaining to this inspection / testing shall be borne by the Contractor. 26-Contractor should provide activity based schedule after issuance of work order. 27- If required, cranage facility for lifting, shifting and placing activities will be done by contractor. 28- All types of consumables, arrangements, required for complete scope of work shall be provided by Contractor, without any additional cost. 29- Project completion date is 30 days after the issuance of PO. 30- Penalty Clause: "a. Penalty Rate: A penalty at the rate of 0.1% of the total value of the undelivered quantity per day of delay shall be levied, subject to a maximum of 10 % of the value of the work order. b. Calculation: Penalty = (Value of Undelivered Quantity) × (Penalty Rate per day) × Number of					

Pakistan State Oil Company Limited
PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018891

RFQ No	GF-20171JG
DATE	04.11.2026

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	17.11.2026	BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith

EARNEST MONEY % Rs._____ PO/DD NO. _____

Title: Replacement of 8" CS Sch.40 Underground Firewater Pipeline at LPG Plant Lahore

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	days delayed)."					