



POF 1262-A
(INDIGENOUS SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY
(Therapeutic Goods / Pharmaceuticals)

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/HOSP/LP/56/LAB ITEMS

DATED 08-07-2026

You are requested to submit sealed quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in a single stage two envelopes. Fax offer received before opening of Tender is acceptable. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 10:00 hours on 04-08-2026 in Bid Centre adjacent to Rabita Hall POF Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk (otherwise offer will not even be entertained) as well as in hard form (duly sealed in envelopes) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0006/HOSP/LP/56/LAB ITEMS DT. 08-07-2026
Tender to be opened on: 04-08-2026
Address as follows:-
(www.ebidding.pof.gov.pk) BID CENTER
ADJACENT TO RABITA HALL
POFs, WAH CANTT.

1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS (THERAPEUTIC GOODS)

2.1 For LAB ITEMS, the prices should be filled in column 6 and delivery date in relevant column of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

2.2 For LAB ITEMS, the bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the Technical offer and the Commercial offer:-

Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the LAB ITEMS; validity date; delivery schedule;

Cont....P-2

and signed undertaking given on the schedule to be Enquiry. It must not indicate price, costs etc.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

- 2.3 The technical quotation must remain valid for, at least 90 days from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the tenders on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of despatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

Free delivery at POF's hospital at WAH CANTT

In this case Octroi duty if any, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and despatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt., that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of T.E such offer shall be ignored.
- 2.12 The supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/despatch documents.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd...P-3

4. TENDER FEE

The tender must be accompanied with a non-refundable tender fee Rs 500/- by means of a crossed postal order / pay order in favour of: Director Admin POF WAH CANTT.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

Bid Money as per following detail, should accompany the tender in the shape of Deposit at Call Receipt / Pay Order / Banker's Cheque, from a scheduled Bank drawn in favour of:- DY COMMANDANT POF HOSPITAL WAH CANTT.

- 5.1 Registered / indexed firms incl foreign firms - 2% of quoted value subject to max ceiling of Rs. 0.50 M.
- 5.2 Registered / un-indexed firms incl foreign firms - 03% of quoted value subject to max ceiling of Rs. 0.75 M.
- 5.3 Unregistered Firms incl foreign firms - 5% of quoted value subject to max ceiling of Rs. 1.00 M.
- 5.4 Govt. organization/ production units/state owned enterprises/ welfare projects of Svcs HQ - Rs. 0.50 M.
- 5.5 Earnest money will be returned to un successful (less first three lowest quote firms) bidders on opening of commercial offer.
- 5.6 Earnest / bid money will be returned to successful bidder on submission of unconditional BG.

6. ACCEPTANCE OF OFFERS.

6.1 POF Hospital may reject all bids or proposals at any time period to the acceptance of the bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance guarantee which shall not exceed 10% of the contract amount in form of unconditional Bank Guarantee / CDR from a scheduled Bank within 07 working days from issuance of LOI strictly. The performance Bond will be in favour of CMA(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

Contd....p-4

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheques on receipt/ acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc. if any, enclosed herewith - if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/ acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours faithfully

LT COL SALMAN HYAT KHAN
DY. COMMANDANT

for PAKISTAN ORDNANCE FACTORIES

17/6 01c No 16/6 Jmy 6

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-JUL-26

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
Indent No. 0006/LP/HOSP/56 Dated 05-01-2026							
001	AMIKIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMIKIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	12			
002	AMONIA AUOMATIC (AMMONIA SOLUTION 32% EXTRA PURE) (BTL OF 2.5 LTR) Spec: AMONIA AUOMATIC	SHARLAU OR EQUIVALENT	LTR	2.5			
003	AMOXIL SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMOXIL SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
004	AMPICILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMPICILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
005	ANAEROCULT A FOR MICROBIOLOGY REAGENT FOR GENERATION OF AN ANAEROBIC MEDIUM IN A (MICROBIOLOGY)/ANAEROCULT A FOR MICROBIOLOGY REAGENT FOR GENERATION OF AN ANAEROBIC MEDIUM IN A (MICROBIOLOGY) / GAS GENERATING KIT 10 PCS/PKT Spec: ANAEROCULT A FOR MICROBIOLOGY REAGENT FOR GENERATION OF AN ANAEROBIC MEDIUM IN A (MICROBIOLOGY)	MERICK/OXIDE UK OR EQUIVALENT	PKT	5			
006	ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH)/ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH) Spec: ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH)	BIO-RAD LAB/OXIDE UK OR EQUIVALENT	SET	2			
007	ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH)/ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH) Spec: ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH)	OXIDE UK/BIO-RAD LAB OR EQUIVALENT	SET	2			
008	API 10 S WITH REAGENT SET PKT OF 50 BIOMUREX Spec: API IOS WITH REAGENT SET	BIOMUREX OR EQUIVALENT	KIT	12			
009	API 20 E WITH REAGENT SET Spec: LAB ITEMS	BIOMERIEUX OR EQUIVALENT	KIT	8			
010	AUGMENTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: AUGMENTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
011	AUTO CLICK LANCENT PRICKER (PKT OF 200)/AUTO CLICK LANCENT PRICKER (PKT OF 200)/AUTO CLICK LANCENT PRICKER (PKT OF 200) Spec: AUTO CLICK LANCENT PRICKER (PKT OF 200)	BIO TECH/LIFECARE / BIO CARE / SAFETY/MERCK OR EQUIVALENT	PKT	200			
012	AZACTUM SENSITIVITY DISC (PKT 5X50 DISC) Spec: AZACTUM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-JUL-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
013	AZITHROMYCIN SENSITIVITY DISC (PKT OF 5 X 50 DISC) Spec: AZITHROMYCIN	OXIDE UK OR EQUIVALENT	PKT	10			
014	BACTEC PEADS PLUS / F CULTURE VIAL 40 ML WITH BEADS & INDICATOR/BACTEC PEADS PLUS / F CULTURE VIAL 40 ML WITH BEADS & INDICATOR Spec: BACTEC PEADS PLUS / F CULTURE VIAL 40 ML	THERMO SCIENTIFIC/BD USA OR EQUIVALENT	VIAL	3000			
015	BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML WITH BEADS & INDICATOR/BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML WITH BEADS & INDICATOR/BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML WITH BEADS & INDICATOR Spec: BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML	BD USA/THERMO SCIENTIFIC/ZHUHAI MEIHUA, CHINA OR EQUIVALENT	VIAL	4000			
016	BACTER URI STRIPS (200 STRIPS PER BOTT)/BACTER URI STRIPS (200 STRIPS PER BOTT)/BACTER URI STRIPS (200 STRIPS PER BOTT) Spec: BACTER URI STRIPS (200 STRIPS PER BOTT)	MASTER/OXIDE UK/MAST UK OR EQUIVALENT	BOTTLE	50			
017	BACTRACIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: BACTRACIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
018	BILE ASCULINE AGAR 500 GMS Spec: BILE ASCULINE AGAR 500 GMS	OXIDE UK OR EQUIVALENT	KG	1			
019	BLOOD AGAR BASE Spec: BLOOD AGAR	OXIDE UK OR EQUIVALENT	KG	10			
020	BLOOD BAG 500 ML SINGLE WITH GIVING SET/BLOOD BAG 500 ML SINGLE WITH GIVING SET/BLOOD BAG 500 ML SINGLE WITH GIVING SET DEMOTEK Spec: BLOOD BAG 500 ML SINGLE WITH GIVING SET	JMS/TERUMO/WEGO CHINA/DEMOPHORUS CYPRUS OR EQUIVALENT	NO	100			
021	BLOOD BAG 500 ML TRIPPLE WITH GIVING SET/BLOOD BAG 500 ML TRIPPLE WITH GIVING SET/BLOOD BAG 500 ML TRIPPLE WITH GIVING SET Spec: BLOOD BAG 500 ML TRIPPLE WITH GIVING SET	TERUMO/CHINA/WEGO CHINA/JMS OR EQUIVALENT	NO	5400			
022	BLOOD CP TUBE 3 ML FDA APPROVED/VACUTE BLOOD CP 3 ML TUBE K2 EDTA/, LAVENDER CAP/VACUTE EDTA 3ML/VACUTE EDTA 3ML Spec: BLOOD CP 3 ML TUBE K2EDTA/, LAVENDER CAP BRAND V-TUBE	CHINA/KOREA/GRIEN ER/BD OR EQUIVALENT	NO	300000			
023	BLOOD GIVING SET/BLOOD GIVING SET/BLOOD GIVING SET/BLOOD GIVING SET Spec: BLOOD GIVING SET	JMS/CHINA/WEGO CHINA/TERUMO OR EQUIVALENT	NO	4000			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

28-JUL-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
024	BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH/BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH/BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH Spec: BLOOD GROUPING SERA SET	CHEMELAX/IMMUMED/LORNE OR EQUIVALENT	SET	300			
025	BONE MARROW TREPHINE NEEDLE 11 G/BONE MARROW TREPHINE NEEDLE 11 G/BONE MARROW TREPHINE NEEDLE 11 G Spec: BONE MARROW TREPHINE NEEDLE	TSK JAPAN/ITALY/TSUNAMI OR EQUIVALENT	NO	30			
026	CANADA BALSOM (BOTT OF 500 ML)/CANADA BALSOM (BOTT OF 500 ML)/CANADA BALSOM (BOTT OF 500 ML) Spec: CANADA BALSOM (BOTT OF 500 ML)	MERCK/MEDILINES/TECHNOCHEM OR EQUIVALENT	BOTTLE	2			
027	CAPILLIRIES TUBES 1.8 X75 MM(PKT OF 200)/CAPILLIRIES TUBES 1.8 X 75 MM (PKT OF 200)/CAPILLIRIES TUBES 1.8 X 75 MM (PKT OF 200) Spec: CAPILLIRIES TUBES (PKT OF 200)	USA/GERMANY/VIRTEX OR EQUIVALENT	PKT	5			
028	CARBENCILINE SENSITIVITY DISC (PKT 5X50 DISC)/CARBENCILINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: CARBENCILINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK/LIOFILCHEM, ITALY OR EQUIVALENT	PKT	4			
029	CECLOR SENSITIVITY DISC (PKT 5X50 DISC) Spec: CECLOR SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
030	CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML)/CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML)/CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML) Spec: LAB ITEMS	GURR/SIGMA/MERCK/BDH UK OR EQUIVALENT	BTL	2			
031	CEFIXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFIXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
032	CEFIZOX SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFIZOX SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
033	CEFOBID SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFOBID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
034	CEFOTEXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFOTEXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
035	CEFOXITIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFOXITIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
036	CEFTAZIDIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTAZIDIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			

PAKISTAN ORDNANCE FACTORIES

POF 1262-A

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08. JAN - 26

(1) Item No.	(2) Description with Specs. etc.	(3) Manufacturer	(4) Unit	(5) Qty	(6) Quoted Rate (Rs.)	(7) GST (Rs.)	(8) Total Price (Rs.)
037	CEFTIZOXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTIZOXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
038	CEFTRIAXONE SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTRIAXONE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
039	CEFUROXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFUROXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
040	CEPHRADIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEPHRADIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
041	CHLOROPHENOCOL SENSITIVITY DISC (PKT 5X50 DISC) Spec: CHLOROPHENOCOL SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
042	CHROME AGAR WITH SUPPLEMENT/CHROME AGAR WITH SUPPLEMENT Spec: CHROME AGAR	LIOFILCHEM, ITALY/OXIDE UK OR EQUIVALENT	KG	2			
043	CIPROXIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CIPROXIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	12			
044	CLED AGAR (BOTTLE OF 500 G) Spec: CLED AGAR	OXIDE UK OR EQUIVALENT	KG	8			
045	CLINDAMYCINE ACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: CLINDAMYCINE ACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
046	COAGULATION CUP WITH MAGNETIC BALL (PKT OF 800)/COAGULATION CUP WITH MAGNETIC BALL (PKT OF 800) Spec: MEGNATIC BALL (PKT OF 800)	GERMANY/BIOMERUX OR EQUIVALENT	PKT	4			
047	COLISTIN E STRIPS/COLISTIN E STRIPS Spec: COLISTIN E STRIPS	PIOMERIX/OXIDE UK OR EQUIVALENT	STRIP	30			
048	CONGO RED STAIN Spec: CONGO RED STAIN	MERCK OR EQUIVALENT	KIT	1			
049	COOMBS SERA 10 ML/COOMBS SERA 10 ML/COOMBS SERA 10 ML Spec: COOMBS SERA	CHEMELAX/IMMUMED/LORNE OR EQUIVALENT	VIAL	10			
050	COSTUM CUTTI LOOPS E.COLI (25922) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS E.COLI	OXIDE UK OR EQUIVALENT	SET	3			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

98.5.21-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
051	COSTUM CUTTI LOOPS G+IV PANEL STEPH AUREUS (29213) 5 LOOPS EACH/COSTUM CUTTI LOOPS G+IV PANEL STEPH AUREUS (29213) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS G+IV PANEL STEPH AUREE 29213 5 LOOPS EACH	LIOFILCHEM ITALY/OXIDE UK OR EQUIVALENT	SET	3			
052	COSTUM CUTTI LOOPS G-IV PANEL PSEUDOMONAS (27853) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS G-IV PANEL E-LOG 25922 PSEUDOMONAS 5 LOOPS EACH	OXIDE UK OR EQUIVALENT	SET	3			
053	COVER SLIPS 24 X 50 (PKT OF 100)/COVER SLIPS 24 X 50 (PKT OF 100)/COVER SLIPS 24 X 50 (PKT OF 100) Spec: COVER SLIPS 24 X 50 (PKT OF 100)	CHINA/GMBH/USA OR EQUIVALENT	PKT	300			
054	DISPOSABLE PETRI DISHES WITH VENTS (16 X 94)/DISPOSABLE PETRI DISHES WITH VENTS (16 X 94)/DISPOSABLE PETRI DISHES WITH VENTS (16 X 94)/DISPOSABLE PETRI DISHES WITH VENTS (16 X 94) Spec: DISPOSABLE PETRI DISHES DOUBLE COMPARTMENT (16 X 94)	LOCAL/KARTEL/ULTRA/CHINA/GRIENER BIOONE OR EQUIVALENT	PAIR	20000			
055	DISPOSABLE STICK SWAB WITH GEL/DISPOSABLE STICK SWAB WITH GEL CHINA Spec: DISPOSABLE STICK SWAB WITH GEL	LOCAL/CHINA OR EQUIVALENT	NO	6000			
056	DISPOSABLE STICK SWAB/DISPOSABLE STICK SWAB Spec: DISPOSABLE STICK SWAB	CHINA/LOCAL OR EQUIVALENT	NO	8000			
057	DNASE AGAR 500 GM Spec: DNASE AGAR 500 GM	OXIDE UK OR EQUIVALENT	BTL	1			
058	EOSIN YELLOW Spec: EOSIN YELLOW	SHARLU OR EQUIVALENT	GRAM	500			
059	ERYTHROMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: ERYTHROMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
060	ESR DISPOSABLE TUBES (PKT OF 200) Spec: ESR DISPOSABLE TUBES (PKT OF 200)	GRIENER OR EQUIVALENT	PKT	10			
061	ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800)/ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800) Spec: ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800)	VANTAGE ATLAS/SYSMEX OR EQUIVALENT	PACK	15			
062	FECAL ACCULT BLOOD KIT ON SLIDE MONITOR (100 TEST)/STOOL ACCULT BLOOD (100 TEST) Spec: FECAL ACCULT BLOOD KIT ON SLIDE MONITOR	STANBIO/HAEMA COLOUR OR EQUIVALENT	KIT	8			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-Jul-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
063	FILTER PAPER SMALL 70 MM (PKT OF 100)/FILTER PAPER SMALL 70 MM (PKT OF 100) Spec: FILTER PAPER SMALL (PKT OF 100)	USA/WATMAN OR EQUIVALENT	PKT	15			
064	FORMALINE 37%/FORMALINE 37% Spec: FORMALINE	SHARLAU SPAIN/MERCK GERMANY OR EQUIVALENT	LTR	250			
065	FOSFOMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: FOSFOMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
066	FREEZING MICROTOME BLADE PKT OF 10 BLADE (DISPOSABLE MAGNACUT EXTRA 52727) Spec: FREEZING MICRPTOME BLADE	BRIGHT OR EQUIVALENT OR EQUIVALENT	PKT	5			
067	FUSIDIC ACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: FUSIDIC ACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
068	G6 PD TEST (QUANTITATIVE) Spec: LAB ITEMS	HUMASIS, KOREA OR EQUIVALENT	NO	600			
069	GENTACIN SENSITIVITY DISC (PKT OF 5X50) 120 UG Spec: GENTACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	8			
070	GENTAMYCIN SENSITIVITY DISC (PKT 5X50 DISC) 10 UG Spec: GENTAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
071	GLASS SLIDE MICROSCOPE (FROSTED) 25 X 75 MM (PKT OF 72 SLIDES)/GLASS SLIDE MICROSCOPE (FROSTED) 25 X 75 MM (PKT OF 72 SLIDES) Spec: LAB ITEM	USA/CHINA OR EQUIVALENT	PKT	700			
072	GOMERI METHANIN SILVER STAIN/GOMERI METHANIN SILVER STAIN Spec: GOMERI METHANIN SILVER STAIN	WELCOSOL LOCAL/MERCK OR EQUIVALENT	KIT	1			
073	GRAM STAINING READY TO USE 4 X 1 LTR/GRAM STAINING READY TO USE 4 X 1 LTR Spec: GRAM STAINING	MERCK/SIGMA OR EQUIVALENT	KIT	10			
074	HAEMATOGNOST FE/HAEMATOGNOST FE (IRON STAIN) Spec: HAEMATOGNOST FE	MERCK/SIGMA OR EQUIVALENT	KIT	1			
075	HAEMOCOLOUR STAINING (3 X 500 ML)/HAEMOCOLOUR STAINING (3 X 500 ML) Spec: HAEMOCOLOUR STAINING	SIGMA/MERCK OR EQUIVALENT	KIT	2			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-301-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
076	HAEMOTOXILINE POWDER/HAEMOTOXILINE POWDER Spec: HAEMOTOXILINE POWDER	SHARLAU/MERCK OR EQUIVALENT	GRAM	600			
077	HISTOLOGICAL WAX/HISTOLOGICAL WAX Spec: HISTOLOGICAL WAX	SHARLAU/MERCK OR EQUIVALENT	KG	50			
078	ICT MALARIA/ICT MALARIA/MALARIA ICT Spec: ICT MALARIA	SD/ALLERE/BIO CHECK OR EQUIVALENT	NO	12000			
079	IMEPNEM SENSITIVITY DISC (PKT 5X50 DISC) Spec: IMEPNEM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
080	ISO PROPANOL ALCOHOL/ISO PROPANOL ALCOHOL Spec: ISO PROPANOL ALCOHOL	SHARLAU SPAIN/MERCK OR EQUIVALENT	LTR	250			
081	KEFZOLE SENSITIVITY DISC (PKT 5X50 DISC) Spec: KEFZOLE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
082	KLARACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: KLARACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
083	LACTO PHENOL BLUE 100 ML/LACTO PHENOL BLUE 100 ML Spec: LACTO PHENOL BLUE	SIGMA/MERCK OR EQUIVALENT	KIT	1			
084	LEUCOGNOST P&S/LEUCOGNOST P&S 2X500 ML Spec: LEUCOGNOST P&S	MERCK/SIGMA OR EQUIVALENT	KIT	2			
085	LEUCOGNOST SAUDAN BLACK/LEUCOGNOST SAUDAN BLACK/LEUCOGNOST SAUDAN BLACK (3X200) WELCOSOL Spec: LEUCOGNOST SAUDAN BLACK	MERCK/SIGMA/MEDIL INES/LOCAL OR EQUIVALENT	KIT	1			
086	LIESHMAN STAIN POWDER/LIESHMAN STAIN POWDER Spec: LIESHMAN STAIN POWDER	SIGMA/MERCK OR EQUIVALENT	GRAM	200			
087	LINCOCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: LINCOCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
088	LINEZOLID SENSITIVITY DISC (PKT 5X50 DISC) Spec: LINEZOLID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
089	LISS BLOOD BANK PRODUCT (PACK OF 250 ML)/LISS BLOOD BANK PRODUCT (PACK OF 250 ML) Spec: LISS BLOOD BANK PRODUCT	CHEMILEX/LORNE OR EQUIVALENT	VIAL	20			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

03-JUL-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
090	LISS COOMBS CARDS/LISS COOMBS CARDS WITH LISS SOLUTION (8064 TEST) Spec: LAB ITEM	BIO-RAD LAB/GRIFOLS OR EQUIVALENT	PACK	1			
091	MAC CONKEY AGAR Spec: MAC CONKEY AGAR	OXIDE UK OR EQUIVALENT	KG	8			
092	MERCURIC OXIDE RED Spec: MERCURIC OXIDE RED	OXIDE OR EQUIVALENT	GRAM	100			
093	MEROPENEN SENSITIVITY DISC (PKT 5X50 DISC) Spec: MEROPENEN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
094	METHANOL (ABSOLUTE ALCOHOL)/METHANOL (ABSOLUTE ALCOHOL) 1000 ML Spec: METHANOL (ABSOLUTE ALCOHOL)	MERCK/SIGMA OR EQUIVALENT	LTR	60			
095	METRONIDAZOLE SENSITIVITY DISC (PKT 5X50 DISC) Spec: METRONIDAZOLE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
096	MICROBACT GNB 24 E 40 TEST KIT Spec: MICROBACT GNB 24 E 40 TEST KIT	OXIDE UK OR EQUIVALENT	KIT	12			
097	MICROBACT MINERAL OIL (50 ML BOTT) Spec: MICROBACT MINERAL OIL (50 ML BOTT)	OXIDE UK OR EQUIVALENT	BOTTLE	8			
098	MICROBACT REAGENT SET D (6 VIAL SET) COD MM 1093/MICROBACT REAGENT SET D (6 VIAL SET) COD MM 1093 Spec: MICROBACT REAGENT SET D (6 SET) COD MM 1093	BIOMERIUX FRANCE/OXIDE UK OR EQUIVALENT	PKT	5			
099	MICROTIP YELLOW (5-200 UL) (PKT OF 1000)/MICROTIP YELLOW (5-200 UL) (PKT OF 1000) Spec: MICROTIP YELLOW (5-200) (PKT OF 1000)	CHINA/LOCAL OR EQUIVALENT	PKT	120			
100	MICROTOME BLADE (PKT OF 50) Spec: MICROTOME BLADE (PKT OF 50) DISPOSABLE	FEATHER OR EQUIVALENT	PKT	40			
101	MILLIPORE FILTER PAPER FOR WATER TESTING (100 EACH) 0.2UM, WHITE GRIDED 47 MM/MILLIPORE FILTER PAPER FOR WATER TESTING (100 EACH) 0.2UM, WHITE GRIDED 47 MM Spec: LAB ITEM	CHM SPAIN/MILLIPORE OR EQUIVALENT	PKT	8			
102	MINOCYCLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: MINOCYCLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
103	MOXIFLOXACIN SENSITIVITY DISC (PKT OF 5X50) Spec: MOXIFLOXACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	10			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

D. 8. JUL-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
104	N-ACETYLE-L CYSTEIN, 98+% 25 GM /BOTTLE/N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409/N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409 Spec: N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409	SIGMA USA/OXIDE UK/ALFA AESAR OR EQUIVALENT	GRAM	50			
105	NEGRAM SENSITIVITY DISC (PKT 5X50 DISC) Spec: NEGRAM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
106	NITROFURANTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NITROFURANTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
107	NNN OXIDASE REAGENT Spec: NNN OXIDASE REAGENT	SHARLAU OR EQUIVALENT	GRAM	100			
108	NOROXIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NOROXIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
109	NOVOBIOCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NOVOBIOCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
110	OCT COMPOUND 118 ML/OCT COMPOUND 118 ML/OCT COMPOUND 118 ML Spec: OCT COMPOUND	SAKURA/USA/JAPAN OR EQUIVALENT	BOTTLE	6			
111	OPTOCHIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: OPTOCHIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
112	OXACILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: OXACILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
113	P&S STAIN (2 X 500 ML)/P&S STAIN (2 X 500 ML)/P&S STAIN (2 X 500 ML) Spec: P&S STAIN	MERCK/SIGMA/SHARLAU OR EQUIVALENT	KIT	2			
114	PAP STAIN (PAPANICOLAOUS OG6EA 50)/PAP STAIN (PAPANICOLAOUS OG6EA 50) Spec: PAP STAIN (PAPANICOLAOUS OG6EA 50)	SHARLAU SPAIN/MERCK OR EQUIVALENT	KIT	1			
115	PAPTONE WATER (POWDER) Spec: PAPTONE WATER	OXIDE UK OR EQUIVALENT	KG	2			
116	PBS TABLETS/PBS TABLETS Spec: PBS TABLETS	BIOWORLD USA/OXIDE UK OR EQUIVALENT	NO	100			
117	PENCILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: PENCILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
118	PETRI DISHES FOR AIR SAMPLER (65 MM WITH GRAPH) PACK OF 20 DISHES/PETRI DISHES FOR AIR SAMPLER (65 MM WITH GRAPH) PACK OF 20 DISHES Spec: PETRI DISHES FOR AIR SAMPLER	CHINA/ITALY OR EQUIVALENT	PKT	30			
119	PHENOL RED INDICATOR/PHENOL RED INDICATOR Spec: PHENOL RED INDICATOR	OXIDE UK/SIGMA USA OR EQUIVALENT	GRAM	500			
120	POLYMXIN B SENSITIVITY DISC (PKT 5X50 DISC) Spec: POLYMXIN B SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
121	POTASSIUM ALUM/POTASSIUM ALUM/POTASSIUM ALUM Spec: LAB ITEM	OXIDE UK/DAEJUNG KOREA/SIGMA OR EQUIVALENT	KG	2			
122	PT TUBE 2.0 ML FDA APPROVED/VACUTE PT TUBE 2.7 ML/BUE CAP/VACUTE TRI SODIUM CITRATE 2 ML/VACUTE TRI SODIUM CITRATE 2 ML Spec:	CHINA/AB MEDICAL KOREA/BD/GRIEER OR EQUIVALENT	NO	35000			
123	QUINOPRISTIN DALFOPRISTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: QUINOPRISTIN DALFOPRISTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	1			
124	REACTIFIED SPIRIT Spec: REACTIFIED SPIRIT	SHARLAU SPAIN OR EQUIVALENT	LTR	240			
125	REACTION TUBE CA 550 COAGULATION PACK OF 1000/REACTION TUBE CA 550 COAGULATION PACK OF 1000 Spec: REACTION TUBE	CHINA/LOCAL OR EQUIVALENT	PKT	12			
126	RETICULINE SILVER PLATING KIT (LOT# 100251)/RETICULINE SILVER PLATING KIT (LOT# 100251) Spec: RETICULINE SILVER PLATING KIT (LOT# 100251)	WELCOSOL LOCAL/MERCK OR EQUIVALENT	KIT	2			
127	SABOURAD AGAR/SABOURAD AGAR Spec: SABOURAD AGAR	MERCK/OXIDE UK OR EQUIVALENT	KG	2			
128	SCREENING CELL I,II,III BLOOD PRODUCTS 10 ML EACH VIAL/SCREENING CELL I,II,III BLOOD PRODUCTS 10 ML EACH VIAL Spec: SCREENING CELL	BIO-RAD/LORNE OR EQUIVALENT	SET	8			
129	SENSITIVITY MULLER HINTON AGAR Spec: LAB ITEMS	OXIDE, UK OR EQUIVALENT	KG	8			
130	SEPTRAN SENSITIVITY DISC (PKT 5X50 DISC) Spec: SEPTRAN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-JUL-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
131	SERUM STORAGE CUP 1500 UL (PKT OF 1000)/SERUM STORAGE CUP 1500 UL (PKT OF 1000) Spec: SERUM STORAGE CUP PKT OF 1000	LOCAL/KARTEL OR EQUIVALENT	PKT	120			
132	SINGLE BLOOD CULTURE PKT OF 20 WITH INDICATOR Spec: SINGLE BLOOD CULTURE PKT OF 20 WITH INDICATOR	OXIDE UK OR EQUIVALENT	PACK	20			
133	SODIUM CITRATE DIHYDRATE 99% 1000 GM / BOTTLE/SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400/SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400 Spec: SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400	VWR UK/OXIDE UK/DAEJUNG KOREA OR EQUIVALENT	KG	1			
134	STEEL WIRE LOOP BACTERIAL Spec: LAB ITEM	LOCAL OR EQUIVALENT	NO	100			
135	STOOL STERILIZE CONTAINER WITH PLASTIC COVER Spec: STOOL STERILIZE CONTAINER WITH PLASTIC COVER	LOCAL OR EQUIVALENT	NO	50000			
136	SULZONE SENSITIVITY DISC (PKT 5X50 DISC) Spec: SULZONE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
137	T B COLOUR (Z N STAIN) 3 X 250 ML/T B COLOUR (Z. N STAIN) 3 X 250 ML/T B COLOUR (Z. N STAIN) 4 X 1000 ML/T B COLOUR FOR INVESTIGATION OF MYCOBACTERIA (AFB COLOR STAINING COLD METHOD) 4 X 500 ML Spec: T B COLOUR	WELCOSOL, LOCAL/LIEOFILCHEM ITALY/SIGMA/MERCK OR EQUIVALENT	KIT	10			
138	TARIVID SENSITIVITY DISC (PKT 5X50 DISC)/TARIVID SENSITIVITY DISC (PKT 5X50 DISC) LIOFILCHEM Spec: TARIVID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK/ITALY OR EQUIVALENT	PKT	8			
139	TAZOBACTUM SENSITIVITY DISC (PKT OF 5 X 50 DISC) Spec: TAZOBACTUM SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	8			
140	TAZOCIN SENSITIVITY DISC (5X50 DISC)/TAZOCIN SENSITIVITY DISC (5X50 DISC) LIOFILCHEM Spec: TAZOCIN SENSITIVITY DISC (5X50 DISC)	OXIDE UK/ITALY OR EQUIVALENT	PKT	10			
141	TEICOPLANIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: TEICOPLANIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
142	TETRACYCLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: TETRACYCLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

28-MAY-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
143	THERMAL PAPER ROLL Spec: THERMAL PAPER ROLL	LOCAL OR EQUIVALENT	NO	350			
144	TICKET ROLL BLACK TP 2000/TICKET ROLL BLACK TP 2000 Spec: TICKET ROLL	LOCAL/S.TECH OR EQUIVALENT	ROLL	70			
145	TIGECYCLINE SENSITIVITY DISC (PKT OF 5X50) Spec: MOXIFLOXACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	NO	10			
146	TISSUE TEK UNI CASSETTE WITH INTERNAL LIDS EC 02-0116 45° SLANTED WRITING SURFACE Spec: TISSUE TEK UNI CASSETTE	KARTEL OR EQUIVALENT	NO	8000			
147	TOBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: TOBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
148	TUBE WELDING WEEFER Spec: LAB ITEMS	TERUMO OR EQUIVALENT	PACK	15			
149	TUBER CULINE DILUTED PPD VIAL (50 TEST) Spec: TUBER CULINE DILUTED PPD VIAL (50 TEST)	BELGIUM OR EQUIVALENT	VIAL	12			
150	URINE FDP/URINE FDP/URINE FDP (D-DIMER) 100 TEST/KIT ATLAS Spec: URINE FDP	BIOPOOL/SIGMA/UK OR EQUIVALENT	KIT	5			
151	URINE STERILIZE CONTAINER 120 ML WITH PLASTIC COVER Spec: URINE STERILIZE CONTAINER 120 ML WITH PLASTIC COVER	LOCAL OR EQUIVALENT	NO	130000			
152	URIXIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: URIXINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
153	VACUTE PLAN TUBE 4 ML 100/PACK RED CAP/VACUTE PLANE 4 ML/VACUTE PLANE 4 ML/VACUTE PLANE 4 ML/VACUTE PLANE TUBE 4 ML 100/PACK RED CAP Spec: PLAN TUBE 4 ML 100/PACK RED CAP BRAND V-TUBE	KOREA/BD/GRIENER/KIMA-S.R.L VACUTEST ITALY/BQ PHARMA, PAKISTAN OR EQUIVALENT	NO	200000			
154	VACUTE TUBE PLANE WITH GEL 3.5 ML/VACUTE TUBE PLANE WITH GEL 4 ML/VACUTE TUBE PLANE WITH GEL 4 ML/VACUTE TUBE PLANE WITH GEL 4 ML Spec: VACUTE TUBE PLANE WITH GEL 4 ML	KOREA/BQ PHARMA & MEDICAL PAKISTAN/BD/GRIENER OR EQUIVALENT	NO	250000			
155	VACUTE TUBE SODIUM FLOURIDE 3 ML/VACUTE TUBE SODIUM FLOURIDE 3 ML/VACUTE TUBE SODIUM FLOURIDE 3 ML BQ PHARMA Spec: VACUTE TUBE SODIUM FLOURIDE 3 ML	KOREA/GRIENER/BD/LOCAL OR EQUIVALENT	NO	2000			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08-10-26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
156	VANCOMYCIN E STRIPS Spec: VANCOMYCIN E STRIPS	OXIDE UK OR EQUIVALENT	STRIP	50			
157	VANCOMYCIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: VANCOMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	10			
158	VIBRAMYCIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: VIBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
159	XYLENE PURE/XYLENE PURE Spec: XYLENE PURE	SHARLAU/SIGMA OR EQUIVALENT	LTR	510			
160	ZINACEF SENSITIVITY DISC (PKT 5X50 DISC) Spec: ZINACEF SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
161	BD ABG A LINE SYRINGE WITH SMD/BM NEEDLE (PKT OF 100) Spec:	BD USA OR EQUIVALENT	NO	20000			

GRAND TOTAL (Rs):

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions

- 01 Only one rate should be quoted in local currency i.e, Rs / Unit.
- 02 The delivered medicines/store which are subsequently found un-registered or nearing the expiry date at any stage during the currency of the contract, shall have to be replaced by the supplier at its own expense.
- 03 Quotation must remain valid for 90 days from commercial opening.
- 04 Sample are mandatory on FOC basis for alternate brands alongwith tech. quotation otherwise offer will not be considered.
- 05 Each delivery challan must bear batch No, Date of manufacture and date of expiry of delivered Store alongwith mandatory information to Purchase Section.
- 06 The supplier will make sure that the medicines/Store are not sub-standard and have prescribed life printed on packing. The medicines shall be delivered in original sealed packing/containers from the manufacturers.
- 07 Brand name must clearly be Mentioned against which the rate is quoted.
- 08 The supplier will be bound to supply the store within Delivery Period.
- 09 Supplier must ensure the quality of items supplied. In case of any complaint from end user, the supplier will replace the item on his own expense.
- 10 Only registered suppliers (with sales tax & income tax deptt) who are on active taxpayer list (ATL) of FBR are eligible to supply goods/services to government departments. If any registered suppliers is not ACTIVE on ATL, his payment will be stopped till the mandatory returns and appearance on ATL of FBR.
- 11 Tender Received Without Bid Money Will Be Rejected.
- 12 Firm should be registered with SECP (Securities & Exchange Commission of Pakistan) registration certificate be enclosed with T.E documents.
- 13 Supplier will ensure / provide documentary evidence at the time of payment that stamp duty @ 0.25% of total value of contract have been paid.

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/56/

08- JUL-26

- 14 Firm will indicate 'short shelf life' of store, where applicable, in Tech Bid. Any plea to this effect at later stage will not be considered.
- 15 Firms will be bound to supply full tendered quantity of store, irrespective to packing size they have quoted in tender.
- 16 An Analyzer for item no. 61 (ESR Sedrate Austria Automated System) is required to be placed in Pathalogy Department on FOC basis till last test.
- 17 Items at Sr. No. 20 , 21 and 23 are Exempted from GST.
- 18 PPRA Criteria for Technical Evaluation of Bids is attached as Annex-"A".

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond in the shape of unconditional Bank Guarantee / CDR within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____

Date _____

Signature of the Tenderer

Name _____


Position _____

Address _____

Income Tax G.I.R. No _____

Official Stamp _____

SECTION VI- EVALUATION AND QUALIFICATION CRITERIA
(SAMPLE)



Sample Qualification and Technical Evaluation criteria

	Parameters	Detail	Total marks	Remarks																		
1	Market experience in quoted items	<table><tr><td>i.</td><td>Above 5 years</td><td>5</td></tr><tr><td>ii.</td><td>3-5 yrs</td><td>3</td></tr><tr><td>iii.</td><td>1-2 yrs</td><td>1</td></tr></table>	i.	Above 5 years	5	ii.	3-5 yrs	3	iii.	1-2 yrs	1	5	In case of authorize supplier, original manufacturer experience shall be attached. Experience less than 1 year are not eligible									
i.	Above 5 years	5																				
ii.	3-5 yrs	3																				
iii.	1-2 yrs	1																				
2	Past performance	Major institution served <table><tr><td>i.</td><td>Above 10</td><td>10</td></tr><tr><td>ii.</td><td>8 to 10</td><td>8</td></tr><tr><td>iii.</td><td>5 to 7</td><td>6</td></tr><tr><td>iv.</td><td>2 to 4</td><td>4</td></tr><tr><td>v.</td><td>1</td><td>2</td></tr><tr><td>vi.</td><td>No institution served</td><td>0</td></tr></table>	i.	Above 10	10	ii.	8 to 10	8	iii.	5 to 7	6	iv.	2 to 4	4	v.	1	2	vi.	No institution served	0	10	Institution include Government department, hospitals and private hospitals
i.	Above 10	10																				
ii.	8 to 10	8																				
iii.	5 to 7	6																				
iv.	2 to 4	4																				
v.	1	2																				
vi.	No institution served	0																				
3	Credibility and certification	<table><tr><td>i.</td><td>Valid certificate GMP</td><td>5</td></tr><tr><td>ii.</td><td>Valid certification ISO</td><td>3</td></tr><tr><td>iii.</td><td>Any other relevant certification</td><td>2</td></tr></table>	i.	Valid certificate GMP	5	ii.	Valid certification ISO	3	iii.	Any other relevant certification	2	10	GMP issued by Drug Regulator Authority of Pakistan is required. Therapeutic goods which are not Registered with DRAP are not eligible.									
i.	Valid certificate GMP	5																				
ii.	Valid certification ISO	3																				
iii.	Any other relevant certification	2																				
4	Financial Status	<table><tr><td>i.</td><td>Last year audited balance sheet</td><td>5</td></tr><tr><td>ii.</td><td>Tax returns last 3 years</td><td>3</td></tr><tr><td>iii.</td><td>Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted</td><td>2</td></tr></table>	i.	Last year audited balance sheet	5	ii.	Tax returns last 3 years	3	iii.	Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted	2	10	Bidder can provide more than one certificate which indicates about bidder's financial wealth, liquidity status, reputation that they have never defaulted in financial transactions and letter									
i.	Last year audited balance sheet	5																				
ii.	Tax returns last 3 years	3																				
iii.	Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted	2																				

					of credits.																								
5	Production capacity	Per day production capacity against the quoted items against total advertised quantity <table><tr><td>i</td><td>1.6-2%</td><td>5</td></tr><tr><td>ii</td><td>1.1-1.5%</td><td>3</td></tr><tr><td>iii</td><td>1%</td><td>2</td></tr><tr><td>iv</td><td>Less</td><td>0</td></tr></table>	i	1.6-2%	5	ii	1.1-1.5%	3	iii	1%	2	iv	Less	0	5														
i	1.6-2%	5																											
ii	1.1-1.5%	3																											
iii	1%	2																											
iv	Less	0																											
6	Product sample	Sample will be examine per following parameters a) Labeling and packing rule 1986 b) Outer packing c) Inner packing d) Physical appearance <table><tr><td>i</td><td>Excellent</td><td>5</td></tr><tr><td>ii</td><td>Good</td><td>3</td></tr><tr><td>iii</td><td>Satisfactory</td><td>2</td></tr><tr><td>iv</td><td>Unsatisfactory</td><td>0</td></tr></table>	i	Excellent	5	ii	Good	3	iii	Satisfactory	2	iv	Unsatisfactory	0	5		Products that 100% comply with the advertised specification shall be considered for evaluation												
i	Excellent	5																											
ii	Good	3																											
iii	Satisfactory	2																											
iv	Unsatisfactory	0																											
7	Technical staff	<table><tr><td>i</td><td>Plant manager</td><td>PHD/ IPHIL</td><td>2</td></tr><tr><td></td><td></td><td>Pharm</td><td>1</td></tr><tr><td>i</td><td>Production manger</td><td>PHD/ IPHIL</td><td>2</td></tr><tr><td></td><td></td><td>2</td><td>1</td></tr><tr><td>i</td><td>Quality assurance manger</td><td>Pharm / MSc chemistry</td><td>1</td></tr><tr><td>i</td><td>Quality control manager</td><td>Pharm / MSc chemistry</td><td>1</td></tr></table>	i	Plant manager	PHD/ IPHIL	2			Pharm	1	i	Production manger	PHD/ IPHIL	2			2	1	i	Quality assurance manger	Pharm / MSc chemistry	1	i	Quality control manager	Pharm / MSc chemistry	1	6		Bidder is required to attach relevant attested degree and appointment letter of the concerned staff
i	Plant manager	PHD/ IPHIL	2																										
		Pharm	1																										
i	Production manger	PHD/ IPHIL	2																										
		2	1																										
i	Quality assurance manger	Pharm / MSc chemistry	1																										
i	Quality control manager	Pharm / MSc chemistry	1																										

8	Bioequivalence study of the quoted products	Availability of bioequivalence study	3																	
9	Ranking of firm	Current ranking according to Sales (pharmaceutical sales index) <table><tr><td>i</td><td>Above 100</td><td>1</td></tr><tr><td>ii</td><td>60-99</td><td>3</td></tr><tr><td>iii</td><td>30-59</td><td>5</td></tr><tr><td>iv</td><td>1-29</td><td>6</td></tr></table>	i	Above 100	1	ii	60-99	3	iii	30-59	5	iv	1-29	6	6	Attach certificate of current ranking				
i	Above 100	1																		
ii	60-99	3																		
iii	30-59	5																		
iv	1-29	6																		
10	Source of Raw Material	<table><tr><td>i</td><td>Active ingredient</td><td>Original Manufacture/research molecule /FDA approved</td><td>5</td></tr><tr><td></td><td></td><td>Others</td><td>3</td></tr><tr><td>ii</td><td>Excipient</td><td>Original Manufacture/research molecule /FDA approved</td><td>5</td></tr><tr><td></td><td></td><td>Others</td><td>3</td></tr></table>	i	Active ingredient	Original Manufacture/research molecule /FDA approved	5			Others	3	ii	Excipient	Original Manufacture/research molecule /FDA approved	5			Others	3	10	Attach certificate
i	Active ingredient	Original Manufacture/research molecule /FDA approved	5																	
		Others	3																	
ii	Excipient	Original Manufacture/research molecule /FDA approved	5																	
		Others	3																	
11		Obtained marks=	Total = 70																	