

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 27-02-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT" (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP810 90		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/N UMBER						<p><u>TECHNICAL SPECIFICATION</u> - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets</p> <p><u>GENERAL SPECIFICATION</u> - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets</p>	
2	DGP980 36	NIL	753070519707 0 / ENVELOPES SMALL SPECIAL (AS PER SAMPLE)	NIL	875 / EACH/N UMBER		NIL	LOCAL MARKET		LOCAL	<p><u>TECHNICAL SPECIFICATION</u> - <u>GENERAL ITEM</u> <u>GENERAL SPECIFICATION</u> - <u>GENERAL ITEM</u></p>	
3	DGP980 38	NO DATA AVAILABL E	061170000006 7 / PENCIL- CHINA- GRAPH- YELLOW LG 7 (777) SHAHNOOR	(0611)	36 / EACH/N UMBER	NO DATA AVAILAB LE					<p><u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILAB <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE</p>	
4	DGP980	NO DATA	061170000006		46 /	NO DATA					<u>TECHNICAL SPECIFICATION</u> - NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	40	AVAILABLE	2 / PENCIL-CHINA-GRAPH-BLUE LG 7 (777) SHAHNOOR		EACH/NUMBER	AVAILABLE					DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
5	DGP98030	NO DATA AVAILABLE	061170000006 3 / PENCIL-CHINA-GRAPH-BROWN LG 7"		96 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
6	DGP98031	NO DATA AVAILABLE	061170000006 1 / PENCIL-CHINA-GRAPH-BLACK LG 7"	(0610)	98 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
7	DGP98032		005054600071 2 / ENVELOPES SE-6A SIZE C-4 229MMX324MM BROWN		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
8	DGP98007	NO DATA AVAILABLE	005050000022 5 / ROUGH PAD (100 PAGE) SIZE A-5 148MM 210MM PAPER GSM 50+-5%		370 / PAD	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
9	DGP98000	NO DATA AVAILABLE	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		479 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
10	DGP98063	NO DATA AVAILABLE	005050000022 3 / PAPER DUPLICATING COLOUR		410 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WHITE								500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
11	DGP98050	NO DATA AVAILAB LE	005050000022 1 / PAPER PRINTING WHITE 5PLY FAN FOLD52GSM NCR 11X15 (SEE CMD8)		504 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB GENERAL SPECIFICATION - NO DATA AVAILABLE	
12	DGP98049	NO DATA AVAILAB LE	005050000021 9 / PAPER PRINTING COMPUTER WHITE NCRPAPER3P LY(F8)		1000 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX	
13	DGP98014	NO DATA AVAILAB LE	005050000006 0 / DUPLICATING INK BLACK 400ML TUBE FOR REX ROTARY DUPLICATOR		17 / BOTTLE	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB GENERAL SPECIFICATION - NO DATA AVAILABLE	
14	DGP98024	NO DATA AVAILAB LE	005050000005 8 / DUPLICATING INK"TYPE- RITE"BRAND BLACK 400ML TUBE		35 / TUBE	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB GENERAL SPECIFICATION - NO DATA AVAILABLE	
15	DGP98033	NO DATA AVAILAB LE	005050000019 6 / PAPER- TAPE 2.54 CM WIDE BLUE		35 / ROLL	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB GENERAL SPECIFICATION - NO DATA AVAILABLE	
16	DGP98034	NO DATA AVAILAB LE	005050000016 7 / SEALING		739 / EACH/N	NO DATA AVAILAB					TECHNICAL SPECIFICATION - NO DATA AVAILAB GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E	WAX RED LG 5" WD 3/8" SQUARE		UMBER	LE					SPECIFICATION - NO DATA AVAILABLE	
17	DGP98044	NO DATA AVAILAB E	0050500000117 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		89 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
18	DGP98011	NO DATA AVAILAB E	0050500000114 / PAPER, TYPING, LARGE, GSM40±5%, WHITE, REAMOF500S HEEt,SIZEA-04 210X297MM.		117 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABEGENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DGP98043	NO DATA AVAILAB E	0050500000102 / PAPER GRAPH TRANSPAREN T 50.8CMX101.6CM GSM 65 5% 1*=10SQR		118 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABEGENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGP98062	NO DATA AVAILAB E	00505000000097 / PAPER DUPLICATING OFF WHITE COLOUR		452 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
21	DGP98020	260 GSM- +5% 22X28	5895715202228 / MULTI COLOUR CARD SHEET SEPARATERS	FOR PRINTING STY ITEM	3 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			260GSM 22X28								e. 100 sheets per packet SEPARATERS 260 GSM+5% 22X28" GENERAL SPECIFICATION -b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM+5% 22X28"	
22	DGP980 06		04615000845 3 / TARGETS PAPER BROWN SIZE 660 MM X1270 MM		470 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
23	DGP980 04		057559002492 2 / TP ROLL 2 PLY COMPLETE WITH ONE TIME CARBON PAPER COMPLETE	TELEPRINTER T1000 S/V	534 / ROLL						TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p> <p><u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1.</u> PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
24	DGP98061		057559002492 2 / TP ROLL 2 PLY COMPLETE WITH ONE TIME CARBON PAPER COMPLETE	TELEPRINTER T1000 S/V	450 / ROLL						<p><u>TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER</u></p> <p>SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.<u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p>	
25	DGP98002	NO DATA AVAILAB L E	057559002492 3 / TP ROLL 3- PLY WHITE P- P COMPLETE WITH TWO TIME CARBON PAPER	TELEPRINTER	310 / ROLL						<p><u>TECHNICAL SPECIFICATION -</u> TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER ± 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p> <p><u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY</u></p> <p>1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER ± 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
26	DGP980 03		057559901339 2 / TP-ROLL 01 PLY	TP ROLL	213 / ROLL						TECHNICAL SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4-width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outER CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>BOARD. GENERAL SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD.</p>	
27	DGP980 42		046259000464 5 / PAPER- BROWN- SHEET GSM 50+5% SIZE 750MM X 1110MM		130 / SHEET						<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>	
28	DGP980 41		046259943239 5 / PAPER WRAPING WATER PROOF WD. 36"LG.100YD PER ROL 2PLY INTO 1		80 / METER						<p>TECHNICAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown GENERAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown</p>	
29	DGP980 27		753070500718 3 / WHITE ENVELOPES PRINCE BOND SIZE5"X75"		100 / EACH/N UMBER						<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>	
30	DGP980	NO DATA	046250000002		516 /	NO DATA					<p>TECHNICAL SPECIFICATION -</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	05	AVAILABLE	5 / PAPER WRAPPING KRAFT BROWN SIZE: 30X45X0.005		SHEET	AVAILABLE					SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX	
31	DGP98018	NO DATA AVAILABLE	753070503735 2 / Paper roll for fax machine	FAX MACHINE	100 / ROLL						<u>TECHNICAL SPECIFICATION</u> - Panasonic Thermal Paper Roll THM 311 C Colour of Paper: Off White Size: 210mm x 100m <u>GENERAL SPECIFICATION</u> - Panasonic Thermal Paper Roll THM 311 C Colour of Paper: Off White Size: 210mm x 100m	
32	DGP98037		753070504576 7 / TRACING PAPER SIZE A-4 GSM 85+-5% (250 SHEETS PER PACKET)		2 / PACKET						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
33	DGP98017		804070500716 7 / GLUE LIQUED TIP TOP (400 GRAMS) FOR PASTING WOOD/FARMI CA.		61 / BOTTLE						<u>TECHNICAL SPECIFICATION</u> - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable <u>GENERAL SPECIFICATION</u> - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable	
34	DGP98051		753070500717 2 / PAPER WHITE PRINTING GSM 56+5% REAM OF 500 SHEETS 500X707MM, B-02		5 / REAM						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
35	DGP98023		7510595025418 / MARKER RED S-90		566 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
36	DGP98035		7510595025419 / MARKER BLACK S_90		524 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
37	DGP98022	NO DATA AVAILABLE	7510595025420 / MARKER GREEN S-90		508 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
38	DGP98025	NO DATA AVAILABLE	0050500000066 / INK-RED-FOR-RUBBER-STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
39	DGP98001	NO DATA AVAILABLE	0050500000097 / PAPER DUPLICATING OFF WHITE COLOUR		477 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
40	DGP98210	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</u>	
41	DGP982 74	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		1 / EACH/N UMBER	T-3028P					<u>TECHNICAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449</u> <u>GENERAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
42	DGP979 81	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		5 / EACH/N UMBER						<p>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p> <p>GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p>	
43	DGP981 71	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
44	DGP97964		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
45	DGP982 65		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
46	DGP979 35	NIL	773070529296 8 / LED TV 43 INCH		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
47	DGP982 67		743570512702 9 / ODF(12-PORT)WITH COUPLER ALONGWITH ACCESSORIE S AND INSTALLATIO N	STANDALONG COMPONENT	2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
48	DGP982 70	SONY/SAMSUNG/LG/TCL 20, 21,18, 32 INCH	773070505918 2 / LED 32 INCH		4 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
49	DGP979	CORE I5	702570524609		2 / SET	CORE I5					TECHNICAL SPECIFICATION - 1.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	61		1 / PERSONAL COMPUTER (CORE: i5)			12 GEN					<p>CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
50	DGP979 63	E2722H/M 27FW	743570521488 5 / LCD	Instructor Console	4 / EACH/N	E2417H (24")	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel:	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
			MONITOR 27 inch		UMBER	/e2722h/F 22P MCR Simulator		+92921)32571111-2 Fax: +92(21)32553111			THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED) <u>GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)</u>	
51	DGP94704	KLV40X450	773070514117 1 / TV SONY BRAVIA X SERIES KLV40INCHX450	TV SONY BRAVIA X-SERIES	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	LOCAL MARKET		<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
52	DGP98273	KLV32R302E/ P-0114000	773078516676 7 / LED TV SONY 32 INCH	PSS VIGIL SYSYTEM	1 / EACH/NUMBER	SONY KLV32R302E		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD		<u>TECHNICAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivelent GENERAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivelent</u>	
53	DGP98276	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp	COMPUTER	2 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTA N		<u>TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages,</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			laser jetm402N/HP LASER JET PRO M402DNE								Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
54	DGP979 74	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
55	DGP960 64	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
56	DGP979 80	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/N UMBER	PANASO NIC PT-VW360 (4000 LUMENS PROJECT OR) OR ABOVE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
57	DGP979 65	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441		HP	<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
58	DGP979 62		753570513302	COMPUTER	1 / EACH/N	NIL		PK		VIDE NHQ	<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			1 / LAPTOP COMPUTER		NUMBER				LETTER ST- S/3200/81 98 DT 23/07/08		HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
59	DGP983 20		773070513330 1 / LED TV 40 INCH	SAMSUNG	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION -</u> NIL <u>GENERAL SPECIFICATION -</u> NIL	
60	DGP984 14	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
61	DGP983 00	LP-E-17	666570520757 6 / LAPTOP CORE I5	G-3 SIMULATOR 2017 PAKISTAN	1 / EACH/N UMBER	2017	NA	M/S SOFT INOVATIVE SYSTEM 34-A/2, 1ST FLOOR,OPP LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI TEL: +922135610429 +9221385610277	M/S SOFT INNOVAT IVE SYSTEM S		TECHNICAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"GENERAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"	
62	DGP983 18		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	1 / EACH/N UMBER			SAMSUNG	SAMSUN G		TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china GENERAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
63	DGP983 67		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		30 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
64	DGP983 16		749070504130 8 / PLAIN PAPER COPIER	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			STANDARIZED MEDIUM DUTY								Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
65	DGP984 31		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
66	DGP983 68		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		30 / REAM						TECHNICAL SPECIFICATION - GM 80 (+-) 10 gmGENERAL SPECIFICATION - GM 80 (+-) 10 gm	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
67	DGP983 66		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		30 / REAM						<u>TECHNICAL SPECIFICATION -</u> LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET <u>GENERAL</u> <u>SPECIFICATION - LENGTH 19.5"</u> WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
68	DGP980 59	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL</u> <u>SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
69	DGP983 69	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		1 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
70	DGP98297	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
71	DGP984 40	2KE231 150	702571533285 3 / HARD DRIVE DELL 8TB SATA 7.2K 6GBPS 3.5"		1 / EACH/NUMBER	ULTRASTAR DC HC320					TECHNICAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL GENERAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL	
72	DGP984 42	hdepw11g ea51	702571533288 9 / HARD DRIVE TOSHIBA 12TB MG SERIES SATA -3.3 / 512E		1 / EACH/NUMBER	MG07ACA12TE					TECHNICAL SPECIFICATION - TOSHIBA HARD DRIVE capacity: 12TB MG SERIES Model Number: MG07ACA12TE SATA -3.3 / 512E buffer size: 7200 rpm GENERAL SPECIFICATION - TOSHIBA HARD DRIVE capacity: 12TB MG SERIES Model Number: MG07ACA12TE SATA -3.3 / 512E buffer size: 7200 rpm	
73	DGP985 58	NO DATA AVAILABLE	674073517176 4 / EPSON STYLUS PHOTO INKJET COLOUR PRINTER	EPSON PRINTER	1 / EACH/NUMBER	PHOTO T60		EPSON SINGAPORE PTE LTD 1 Harbour Front Place # 03-02 Harbour Front Tower One Singapore 098633 Tel: (65)6586-5500 Fax: (65)6271-9755 Epson Helpdesk; (65) 6586-3111 www.epson.com.sg	EPSON SINGAPORE PTE LTD		TECHNICAL SPECIFICATION - MAX RESOLUTION 5760 X 1440 DPI MAX INK DROPLET VOLUME 1.5pl Colour Matching ICM Profiles (Windows), AdobeRGB(Windows and Mac), Color Sync2.0 Compatible (Mac) Noise Level 34.7db(A) Rated Voltage AC 100-120V/220 V Rated Frequency 50-60 hz Power Consumption Approx 13W GENERAL SPECIFICATION - MAX RESOLUTION 5760 X 1440 DPI MAX INK DROPLET VOLUME 1.5pl Colour Matching ICM Profiles (Windows), AdobeRGB(Windows and Mac), Color Sync2.0 Compatible (Mac) Noise Level 34.7db(A) Rated Voltage AC 100-120V/220 V Rated	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Frequency 50-60 hz Power Consumption Approx 13W	
74	DGP799 12	KATANA GF66/ GF661161 7	599879528474 2 / LAPTOP; Core i7, 2.4 To 4.6GHZ, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)		2 / EACH/N UMBER	KATANA GF66 11UE-617					TECHNICAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE- 617 CORE I7-11800H 8 CORE GENERAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE- 617 CORE I7-11800H 8 CORE	
75	DGP985 69	M454DW.	743570516998 2 / HP LASER PRO 400 COLOR PRINTER M451NW/M454 DW		1 / EACH/N UMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA		USA	TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET GENERAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
76	DGP98557	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
77	DGP98570	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
78	DGP95187	M9Z94AA#ABA	599973522793 0 / HP PRO DESK 400 G5 WORKSTATION	UFFAQ M9Z94AA#ABA	1 / EACH/NUMBER	HP Pro Desk 400 G5		HP Inc., 1 Depot Close, Singapore ? 109841 Phone: +65 67 407 838	HP, Singapore		TECHNICAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA Drive AVAILABLE GENERAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA DriveTA AVAILABLE	
79	DGP96990	NO DATA AVAILABLE	0051PK5061187 / BINDER SMALL SIZE 8	FOR STATIONERY.	200 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip ; Size 10.30 x 8 inches ; Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample.</p> <p>GENERAL SPECIFICATION -Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip ; Size 10.30 x 8 inches ; Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample.	
80	DGP96989	NO DATA AVAILAB LE	04615000002 6 / BUTTER- PAPER		160 / SHEET	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
81	DGP81563	NO DATA AVAILAB LE	743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHQ APPROVED SPEC)	SELF	2 / SET						<u>TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel @ Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above), 11. Graphics: Intel @ HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD)</u> <u>GENERAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel @ Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD)	
82	DGP80781	NO DATA AVAILAB LE	743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHQ APPROVED SPEC)	SELF	2 / SET						<p>TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD)</p> <p>GENERAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard:</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD)	
83	DGP93901	NO DATA AVAILAB LE	0050500000374 / PAPER CONTINOUS COMPUTER 11 PART SIZE 9 1/2"		2850 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
84	DGP98545	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System.Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
85	DGP984 86	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED=</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
86	DGP98484	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
87	DGP846 41		743573527485 1 / dell desktop pc CORE i7		1 / PCS						TECHNICAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE I7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB GENERAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE I7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB	
88	DGP985 66		702570527485 2 / LED TV 65 INCH		1 / PCS						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
89	DGP985 68		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	