



POF 1262
(FOREIGN SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0016/FP/WPN/56

DATED 17-DEC-25

You are requested to submit quotations for the item(s) noted in the schedule to the tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at 10:00 hours on 01-APR-26 at Bidding Centre adjacent to Rabita Hall, Pof Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0016/FP/WPN/56
Tender to be opened on: 01-APR-26
Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)i.e Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).

- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-

Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.
- 2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals / manufacturers.
- 2.9 Country of origin and port of shipment to be stated.
- 2.10 Suppliers will render/attach necessary information regarding hazardous effects on environment, of the materials/products supplied by them, with their quotations and shipping/despatch documents.
- 2.11 If the requisite information is not furnished along with the quotation or offer received is not in conformity with the requirement of the T.E, such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Purchase officer may require a tender sample, and the same must be provided within two weeks of receipt of intimation to this effect. Tender sample must be according to the description given in Tender Enquiry. Firm that fail to provide tender sample within stipulated time will not be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

- 4.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposals. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

4.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

4.1.3 Notice of the rejection of bids or proposals shall be given promptly to the concerned suppliers or contractors that submitted bids or proposals.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate up to 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).

OR

- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier:

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-PPC-WPNS

5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:

- a. Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
- b. Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
- c. Un-Registered firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
- d. Gov. organization/Production Units/State owned enterprises/welfare projects of Svcs HQ - Rs 0.5 Mn can be waived off on request by DG(C).
- e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
- f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
- g. Bids will be conditionally accepted if Bid Money deposited by firms is less than the given amount. However, the firms will be required to deposit additional amount within 10 x days of opening of Bids.
- h. Offers received without Bid Security will not be entertained.
- i. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

WARNING

In case the firm abstain from making offers or fail to acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(ABDUL SATTAR BALOCH)

GM-PPC(W)

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9055-22138

Fax 0519271400,0596-2995

Telex mdwpm@pof.gov.net

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0016/FP/WPN/56DATED 17-DEC-25**(1) FOR MATERIALS**

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
1	HEAT TREATABLE STEEL G3A3 DIA 10 MM, DIN-671 32 Ni Cr Mo 145 G,(1.6746) ACCORDING TO KEY TO STEEL 1977 P#375 OR (BS-970-EN 27) Drawing No 1013-02.04 (Length. 3-3.5 Mtr) Or 30Cr Ni Mo8 DIN.17200 CHEMICAL COMPOSITION IN % age. C=0.25-0.35, Si=0.5 Max. Mn=0.8 Max.Ni=3.2 to 3.7 Cr=1-1.5.Mo=0.3 to 0.6 P= 0.030 . S=0.025 P+S=0.055 Max OR 1.6746 SAMPLE ANALYSIS. P= 0.02, S = 0.015, P+S=0.03 Mechanical Properties. Best Machineability without superficial decarburization, Inspection for cracks	KG	941			
2	STEEL BRIGHT DRAWN (MG-3) DIA 18 MM, 17 Cr Ni 6 - 6 + AC + C (1.5918) DIN - EN -10263 - 3 Drawing No 01-0301.02 (LENGTH=3-4 MTR)	KG	211			
3	COLD WORK STEEL BRIGHT ANNEALED. DIA 10 MM DIN. 668. LENGTH 3-3.5 MTR Cq 35 K+G (1.1172) DIN.1654	KG	1177.5			
4	HEAT TREATABLE STEEL BRIGHT DRAWN DIA 9 MM, DIN- 668 C 45 K DIN-1652 OR C 45 E+AC EN-10083-1 (LENGTH= 4-4.5 MTR) OR BS 970 PT-1 (1983) 060 A 47 080 M46 Inspected for cracks.	KG	1759			
5	HEAT TREATABLE STEEL COLD DRAWN DIA 19-0.052MM DIN 671 C 45 K (1.0503) DIN-17200 OR C 45 Pb (LIMIT=0.15 TO 0.30%) VK 17200 (1.0504) Length=3-3.5 Mtr. OR BS 970 Pt-I 080 M 46	KG	661.3			IMMEDIATE
6	COLD WORK/ HEAT TREATABLE STEEL COLD DRAWN & ANNEALED. DIA 11.5 MM DIN.668. LENGTH: 3-3.5 MTR	KG	301.8			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0016/FP/WPN/56DATED 17-DEC-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	Cq 35 K+G(1.1172)DIN 1654 OR C35 K+G DIN-17200 OR C35+A (1.0501) EN-10083-2 Oct 1996					
7	HEAT TREATABLE STEEL COLD DRWAN & ANNEALED, DIA 14.5MM, DIN-668 C 35 K+G DIN-17200(1.0501) Drawing No 1013-04.51 (LENGTH.3-3.5 mtr) OR C 22 +A(1.0402) EN-10083-2 OCT-1996 OR BS-970 PT-1 055 M15	KG	833.75			IMMEDIATE
8	STEEL BRIGHT DRAWN AND NORMALISED DIA 12 MM DIN.671. CK 45 K+N (1.1191)DIN.1652 OR BS-970 PT-I 060 A47 SAE-1045,AISI-1045, UNS G-10450 Length= 3-4 Meter.	KG	152			
9	STEEL STRIP COLD ROLLED, (MG-3) SIZE IFX355 GK DIN 1544 St bl 42 tz ACC TO TTL,	KG	668			
10	STEEL STRIP COLD ROLLED (MG-3) 1.5F X 65GK, LENGTH : 3-4MTR. ST BL 42 TZ ACC TO TTD, DIN 1544	KG	99			
11	STEEL STRIP COLD ROLLED, 2F X 329 GK, STRIP LENTGH.3-4 MTR DIN-1544 Stbl 42 tz ACC. TO TTD., ACC TO TTD	KG	1560			
12	STEEL STRIP COLD ROLLED (MG-3) 2.5 X 96GK, DIN 1544, LENGTH : 3-4MTR. ST BL 42 TZ, *Acc. to TTL SAE1034 AISI C1034 UNS G 10340	KG	402			
13	HEAT TREATABLE STEEL STRIP COLD ROLLED 2.5 - 0.1 X 135MM, LENGTH 3 MTR CK 45 GBK GK (1.1191) DIN - 17200, DIN.1544 OR C45 GBK GK (1.0503) DIN-17200 OR C45 E , EN-10083-1	KG	3493.38			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0016/FP/WPN/56

DATED

17-DEC-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	OR C45, EN-10083-2					
14	CASE HARDENING STEEL STRIP (G3A3) 5.5X25MM STEEL 045 M10 TO BS-970 PT-I OR C 15G BS- 1449 PT-I 17 HS,CS, SAE M-1015,UNS G-10150 DIN-17210 (LENGTH= 3-3.5 MTR)	KG	301.88			
15	CASE HARDENING STEEL BRIGHT DRAWN (G3A3) 11 X 6.3 MM 15 Ni Cr 13+A (1.5752) EN-10084	KG	416.88			
16	CASE HARDENING STEEL BRIGHT ANNEALED (MP5A2) DIA 26 MM 14 Ni Cr 14 K+G, CLASS B (1.5752) Drawing No 25-220.011 H & K TL- 9007.	KG	1146			
17	FREE CUTTING STEEL COLD DRAWN DIA 17 MM DIN 668 9 S Mn 28 K DIN 1651 (1.0715) (LENGTH 3-3.5 MTR) OR 11 S Mn 30 - NO.1.0715 EN-10087- JAN 1999	KG	2893			
18	FREE CUTTING STEEL COLD DRAWN Size. DIA 23MM DIN 671 35 S 20 K (1.0726)DIN.1651. OR 35 S 20 (1.0726) EN-10087 - Sep 1998 LENGTH 3-3.5 Mtr. OR ASTM- A29 1140	KG	1506			IMMEDIATE
19	FREE CUTTING ROUND STEEL BAR, DIA 26 MM, DIN 668 STEEL 080 M15 TO BS-970 PT-I OR 10S 20K, DIN-1651 (1.0721) OR BS 970 PT-I 045 M10	KG	2230.75			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0016/FP/WPN/56

DATED

17-DEC-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	Length= 3 -3.5 Mtr.					
20	COLD ROLLED STEEL STRIP Size. 20 SWG (0.036") X 2" WIDE STEEL TO BS-1449 PT-I CRA4(GP) IN COILS TUBING TO BS-6323 PT-4 CFS3 ANNEALED OR CFS3A ANNEALED OR BS-6323 PT-6 CEW2 ANNEALED OR Mu St 2 LG BK DIN 1624 (1.0330)	KG	51			
21	MILD STEEL BRIGHT DRAWN AND ANNEALED (MG-3) DIA 8.8 MM ST 37-2 K+G Cq 35 K+G DIN 1654 BS-970 PT-I 060 A12 ASTM-A29 1013 DIN-1652 (LENGTH= 3-4 MTR)	KG	330			
22	MILD STEEL HOT ROLLED AND ANNEALED DIA 65 MM CK 15 DIN. 17210 (1.1141) DIN-17210 (Length= 3-4 Mtr) OR. BS-970 PT-1 030 M15 OR. AISI 1015,SAE 1015 UNSG 10150 C 15E EN-10132-2	KG	5380			
23	COLD ROLLED STEEL STRIP, SIZE= 1.5 +_ 0.04 X 96, DIN-1544 DCO4 + LC+MA EN-10139 (STRIP LENGTH=2.5 MTR) OR BS 1449 PT-1, 2 HR HS CR CS	KG	144			
24	COLD ROLLED STEEL STRIP, SIZE= 1.2 X 202 MM DIN-1544F DCO4+LC+MA EN-10139 (LENGTH =3050 MM) BS 1449 PT-1, 2 HR, HS, CR,CS,	KG	8474.5			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0016/FP/WPN/56DATED 17-DEC-25

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
25	COLD ROLLED STEEL STRIP, SIZE = 2.5 X 13.4+ 0.6 MM, DIN-1544 DC 04+LC+MA(1.0338) EN-10139 Lenght; 2.5 to 3 MTR. BS 1449 PT-1 2 HR, HS,CR, CS	KG	85			
26	CASE HARDENING STEEL STRIP LENGTH: IN COIL(G3A3) 1.42 -0.04 X 38 DIN.1544 C 10 RP DIN. 17210 (1.0301) OR BS 1449 PT-I HR/HS 40/30	KG	734			
27	COLD ROLLED STEEL STRIP (G3A3) 1.5 X 6 GK DIN 1544, LENGHT = 2-2.5 MTR, Cq15 K+G(1.1132) DIN- 1654 OR DC-01 ,C 290 DIN -EN-10139 OR BS-1449 PT-1 CRA4 Bright drawn hard.	KG	95.03			
28	COLD ROLLED STEEL STRIP 1.5 X 70, DIN 1544 F+GK ST 4 LG BK DIN-1624 (1.0338) LENGTH:-2.5 MTR BS 1449 PT-1 2HR, HS, CR, CS	KG	821.8			
29	COLD ROLLED STEEL STRIP SIZE=1.5 +-0.04 X 335 MM DIN.1544 DC 04+LC+MB EN-10139 (1.0338) OR BS 1449-PT-1 . 2 HR. HS CR CS. UNS SL NO. 52. LENGTH; 2 MTR	KG	25431			
30	COLD ROLLED STEEL STRIP ANNEALED (G3A3) Size.1.6 X 63.5 MM, 16SWG (0.064")X2 1/2" STEEL TO BS-1449 PT-I CRA4 (GP) OR IN COILS TUBING TO BS-6323 PT-4 CFS 3 ANNEALED OR CFS3A ANNEALED OR ST2 ,(1.0330) DIN 1624 OR BS-1449 PT-I CR A4	KG	450			
31	COLD ROLLED STEEL STRIP Size. 2.5 X 48MM St 3 K 32 GBK GKDIN 1624 (1.0333) OR LENGTH: 2.5 MTR, BS-1449 PT-I 3HR,HS, CR,CS OR SAE-1008 AISI 1008	KG	690			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0016/FP/WPN/56DATED 17-DEC-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	UNSG 10080 Fine blanking quality 95-100% OF SPHEROIAL CEMENTITE, RIGIDITY MAX =340N/MM2					
32	COLD ROLLED STEEL STRIP, Size.2.5 X 80mm, DIN 1544F+GK ST 3 LG GBK (1.0333)DIN 1624 LENGTH: 3 Mtr OR BS 1449 PT-1 3 HR, HS, CR, CS	KG	2698.3			
33	SEAMLESS PRECISION STEEL TUBE DIA 9 X1.5 MM DIN.2391 Pt-1 St 35 BK DIN.2391 Pt-2(1.0308) Drawing No 1013-111.75 Outer Dia 9+-0.1mm Inner Dia 6.07+0.048 mm (Length.3-3.5 Mtr.) (1981) OR BS 3602 PT-1 360 Deviation in wall thickness +_ 7.5%, BRIGHT DRAWN HARD	METER	312.5			
34	HEAT TREATABLE STEEL COLD DRAWN DIA 10 MM DIN.668. C 45 E+AC (1.1191) DIN-EN-10083-1 length: 4-4.5 MTR. C45 PbK (1.0503) DIN 17200 OR C 45 K (1.0503) DIN 17200 OR BS-970 PT-1 080 M 46 CHEMICAL COMPOSITION LIKE C 45 WITH ADDITION OF 0.15 TO 0.30 % Pb INSPECTION OF CRACKS	KG	1035			
35	SPRING STEEL STRIP 1.0 X 16-0.4 DIN.1544 C 75 S (1.1248) DIN EN.10132-4 (Length in Coil) OR BS-1449 PT-1 HS, CS, 80	KG	115.63			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO. 0016/FP/WPN/56

DATED 17-DEC-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
36	SPRING STEEL STRIP COLD ROLLED AND ANNEALED Size-0.7 X 82 MM, DIN 1544 GK CK75 K+G DIN-17222 (1.1248) OR BS 1449-PT-1 HS CS 80 OR C75 S + CR + LC (1.1248) (In Coile) EN-10132-4 Feb 2000 C 75 S + A OR LC to DIN - EN - 10132 - 4	KG	4014.5			
37	COLD ROLLED SPRING STEEL STRIP ANNEALED (G3A3) 28 X (0.6+ -0.03)MM. P-A/W/513/3(1005-ZO-100-6076)BS 1449 EN42G OR C-75 G DIN17222 ASTM A-682 1074 OR BS 1449PT-1 HSCS 80	KG	160.75			
38	COLD ROLLED STEEL SPRING STRIP Size. 20 SWG (0.036")X3.08" WIDE . STEEL BS 1449 EN 42 G OR C 75 G DIN.17222(1.0605) IN COIL. OR BS-1449 PT-I HS,CS 80	KG	809.75			
39	SPRING STEEL STRIP Size. 1 X 14-0.4MM, DIN 1544 CK 75, DIN-17222 (1.1248) OR IN COILS OR BS 1449 PT-1 HSCS 80,	KG	165.75			
40	TAPE IN STRIP Size.0.6 + - 0.02 X 78.5 + 0.2 MM, DIN 1783 ALLOY DESIGNATION EN AW-5754(AL Mg3)DIN EN-573-3,TEMPER O/H III TO ALLOY (LENGTH= 2150MM) EN-AW-5754 (AL Mg3) TO DIN EN-485-2	KG	603.8			

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions 01 Only Registered suppliers (with sales tax and income tax department) who are on Active Tax Payers List (ATL) on FBR are eligible to supply goods or

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO.

0016/FP/WPN/56

DATED

17-DEC-25

- services to Govt. Department, (ATL with Business Name must be attached with offer of suppliers).
- 02 The provision of ATL, PTC and NTN is mandatory along with offers by the local supplier.
 - 03 Foreign firms not willing to provide bid money may attach formal request for waiver of bid money with their commercial offers
 - 04 Shelf life of all items be mentioned in technical offer, which will be essentially considered for evaluation of technical bid
 - 05 Recovery of Stamp Duty amounting to 0.25% of total contract value is liable to be recovered from the contractors.
 - 06 Delivery period will be 90 x days after issuance of contract.
 - 07 Local firm can also participate as per POF procedures on FOR basis.
 - 08 Qoutations accepted with less bid money will be accepted on provisional basis for 10 x days after opening of bid. However, firms are bound to provide/furnish balance bid money within 10 x days after opening of bid, otherwise offers could be rejected.
 - 09 Procurements exceeding Rs.10.00 Million shall be subject to an integrity pact, between the Purchase Officer and the suppliers or contractors being part of contract on the format duly approved by Federal Government vide Ministry of Finance (Finance Division) D.O.No.687/MD(PPRA)05, September 14,2005 Islamabad.
 - 10 Inspection Authority: QA Wah

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1282, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____