LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 20-03-2026

1.   ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT" (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)

2.   IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.

3.   FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.

4.   TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5.   STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6.   LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7.   FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO.   92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP980 14	NO DATA AVAILABLE	0050500000060 / DUPLICATING INK BLACK 400ML TUBE FOR REX ROTARY DUPLICATOR		17 / BOTTLE	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
2	DGP980 41		0462599432395 / PAPER WRAPING WATER PROOF WD. 36"LG.100YD PER ROL 2PLY INTO 1		80 / METER						TECHNICAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: BrownGENERAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown	
3	DGP984 40	2KE231 150	7025715332853 / HARD DRIVE DELL 8TB SATA 7.2K 6GBPS 3.5"		1 / EACH/N UMBER	ULTRAST AR DC HC320					TECHNICAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELLGENERAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL	
4	DGP799 12	KATANA GF66/ GF6611617	5998795284742 / LAPTOP; Core i7, 2.4 To 4.6GHZ,		2 / EACH/N UMBER	KATANA GF66 11UE-617					TECHNICAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)								16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 COREGENERAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 CORE	
5	DGP864 88		361070500723 7 / PAGE CORD TWIN COMPOSING		20 / KILOGR AMME						TECHNICAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspectionGENERAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection	
6	DGP980 24	NO DATA AVAILABL E	005050000005 8 / DUPLICATING INK"TYPE-RITE"BRAND BLACK 400ML		35 / TUBE	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			TUBE -									
7	DGP96989	NO DATA AVAILABLE	0461500000026 / BUTTER-PAPER		160 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
8	DGP97448	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
9	DGP97310	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
10	DGP98049	NO DATA AVAILABLE	0050500000219 / PAPER PRINTING COMPUTER WHITE NCRPAPER3PLY(F8)		1000 / SET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX	
11	DGP97624	NO DATA AVAILABLE	0050500000220 / PAPER PRINTING COMPUTER WHITE NCRPAPER4PLY(F8)		10100 / SET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: GSM 52 + 5% FAN FOLDED SPORCKSTON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: GSM 52 + 5% FAN FOLDED SPORCKSTON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
12	DGP980	NO DATA	005050000022		504 /	NO DATA					TECHNICAL SPECIFICATION - NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension.
	50	AVAILABLE	1 / PAPER PRINTING WHITE 5PLY FAN FOLD52GSM NCR 11X15 (SEE CMD8)		SET	AVAILABLE					DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
13	DGP980 33	NO DATA AVAILABLE	0050500000196 / PAPER- TAPE 2.54 CM WIDE BLUE		35 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
14	DGP985 69	M454DW.	7435705169982 / HP LASER PRO 400 COLOR PRINTER M451NW/M454DW	.	1 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA	USA		TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET GENERAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	
15	DGP980 36	NIL	7530705197070 / ENVELOPES SMALL SPECIAL (AS PER SAMPLE)	NIL	875 / EACH/NUMBER		NIL	LOCAL MARKET	LOCAL		TECHNICAL SPECIFICATION - GERNAL ITEMGENERAL SPECIFICATION - GERNAL ITEM	
16	DGP983 00	LP-E-17	6665705207576 / LAPTOP CORE I5	G-3 SIMULATOR 2017 PAKISTAN	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATIVE SYSTEM 34-A/2, 1ST FLOOR,OPP LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI TEL: +922135610429 +9221385610277	M/S SOFT INNOVATIVE SYSTEMS		TECHNICAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY=	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											15.6"GENERAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"	
17	DGP951 87	M9Z94AA# ABA	5999735227930 / HP PRO DESK 400 G5 WORKSTATION	UFFAQ M9Z94AA#ABA	1 / EACH/N UMBER	HP Pro Desk 400 G5		HP Inc., 1 Depot Close, Singapore ? 109841 Phone: +65 67 407 838	HP, Singapore		TECHNICAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA DriveTA AVAILABLEGENERAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA DriveTA AVAILABLE	
18	DGP971 33		3610705045303 / POSITIVE PLATE ROLAND OFFSET size: 925X740X0. 3MM(BRND FUJI)		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - SIZE: 925X740X0.3MM(BRND FUJI) GENERAL SPECIFICATION - SIZE: 925X740X0.3MM(BRND FUJI)	
19	DGP979 81	G2102560 EU	3610705091304 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
20	DGP98027		7530705007183 / WHITE ENVELOPES PRINCE BOND SIZE5"X75"		100 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGP81090		7510705068415 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/NUMBER						TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheetsGENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
22	DGP98034	NO DATA AVAILABLE	0050500000167 / SEALING WAX RED LG 5" WD 3/8"		739 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SQUARE									
23	DGP980 32		005054600071 2 / ENVELOPES SE-6A SIZE C-4 229MMX324M M BROWN		120 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
24	DGP980 31	NO DATA AVAILABL E	061170000006 1 / PENCIL-CHINA-GRAPH-BLACK LG 7"	(0610)	98 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
25	DGP980 30	NO DATA AVAILABL E	061170000006 3 / PENCIL-CHINA-GRAPH-BROWN LG 7"		96 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
26	DGP980 40	NO DATA AVAILABL E	061170000006 2 / PENCIL-CHINA-GRAPH-BLUE LG 7 (777) SHAHNOOR		46 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
27	DGP980 38	NO DATA AVAILABL E	061170000006 7 / PENCIL-CHINA-GRAPH-YELLOW LG 7 (777) SHAHNOOR	(0611)	36 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
28	DGP998 60	GC420-100520-000	678014589959 7 / GC420 BaRCODE TENDER LABEL PRINTER / PRINTER, AUTOMATIC DATA PROCESSINg		4 / EACH/N UMBER	gc420t					TECHNICAL SPECIFICATION - ZEBRA GC420T to print barcode stikersGENERAL SPECIFICATION - ZEBRA GC420T to print barcode stikers	
29	DGP997 38	CORE I5	702570524609 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: i5)								Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
30	DGP997 20	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
31	DGP998 82	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
32	DGP99783	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
33	DGP998 00	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
34	DGP998 40	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
35	DGP997 01	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	4 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
36	DGP998 84	HP4000/cl 11h	702571513340 9 / BIO METRIC TIME AND ATTANDANCE MACHINE HP-4000	TIME AND ATTANDANCE MACHINE	1 / EACH/N UMBER	HP4000/C L11H		US	RSI(IR) USA		TECHNICAL SPECIFICATION - Technical Spec: i. User capacity 2000 ii. Fingerprint Capacity 2000 iii. ID card capacity (optional) iv. Record capacity Minimum 150,000 v. Display Minimum 2" color screen vi. Standerd Functions: Fingerprint, Pin Code, TCP/IP, USB connectivity vii. Operating Temp 0 C-45C viii. Operating Humidity 90% RH ix. Language English x. Communication: TCP/IP, USB-host Data should be able to be transferred on MS Excel sheet with data fields: Name & Time of Thumb impression GENERAL SPECIFICATION - Technical Spec: i. User capacity 2000 ii. Fingerprint Capacity 2000 iii. ID card capacity (optional) iv. Record capacity Minimum 150,000 v. Display	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension*
											Minimum 2" color screen vi. Standerd Functions: Fingerprint, Pin Code, TCP/IP, USB connectivity vii. Operating Temp 0 C-45C viii. Operating Humidity 90% RH ix. Language English x. Communication: TCP/IP, USB-host Data should be able to be transferred on MS Excel sheet with data fields: Name & Time of Thumb impression	
37	DGP99885	NIL	7435705137719 / PRINTER COLOUR LASER JET 2605DN/ HP 3525.	COMPUTER	1 / EACH/NUMBER	JET2605 DN/HP35 25.		PK	PAKISTAN		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
38	DGP99702	NIL	7435705137719 / PRINTER COLOUR LASER JET 2605DN/ HP 3525.	COMPUTER	1 / EACH/NUMBER	JET2605 DN/HP35 25.		PK	PAKISTAN		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
39	DGP99706	NIL	7435705140006 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASO NIC PT-VW360 (4000 LUMENS PROJECT OR) OR ABOVE		PK	PAKISTAN		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
40	DGP99881	GC420-100520-000	6780145899597 / GC420 BaRCODE TENDER LABEL PRINTER / PRINTER, AUTOMATIC DATA PROCESSINg		4 / EACH/NUMBER	gc420t					TECHNICAL SPECIFICATION - ZEBRA GC420T to print barcode stikersGENERAL SPECIFICATION - ZEBRA GC420T to print barcode stikers	
41	DGP99883	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET	COMPUTER	4 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
42	DGP997 04		743570512646 2 / LAMINATION MACHINE	LAMINATION MACHINE	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DGP997 05		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
44	DGP997 03		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
45	DGP81294	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING COMPUTER WHITE 9X12		33000 / SHEET	NO DATA AVAILABLE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
46	DGP81246	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING COMPUTER WHITE 9X12		33000 / SHEET	NO DATA AVAILABLE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
47	DGP81423	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING		33000 / SHEET	NO DATA AVAILABLE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER WHITE 9X12								PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
48	DGP980 05	NO DATA AVAILABL E	046250000002 5 / PAPER WRAPPING KRAFT BROWN SIZE: 30X45X0.005		516 / SHEET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX GENERAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX	
49	DGP814 30	NO DATA AVAILABL E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	41250 / SET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
50	DGP795 34	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		60500 / SET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
51	DGP812 90	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		44950 / SET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SHEETS IN EACH CARTON	
52	DGP81426	NO DATA AVAILABLE	0050500000214 / Paper Printing Computer NCR Paper 2 PLY		43755 / SET	NO DATA AVAILABLE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	