

SUI NORTHERN GAS PIPELINES LIMITED

Tender Enquiry

Ref: FST/TE/019/2026

Dated: 14.04.26

Bidders,

1.	6.
2.	7.
3.	8.
4.	9.
5.	10.

Dear Sirs,

- Please submit your lowest and firm quotation with best delivery for the items given on the attached sheet (*Annexure*) and return one copy of the sheet(s) duly completed and signed by you latest by 3:00 Am positively on or before 05.05.26
- Please Include:
 - Our item numbers.
 - Discounts, if any.
 - Full details of any deviation from our Specifications.
 - Lump-sum price in addition to unit price, carriage paid to our address given in
- The envelope containing your quotation should be sealed and addressed to the Exec. *Officer Procurement* at the following address.

SNGPL Office, HQ-T, Main Sargodha Road, Faisalabad

- The envelope should be headed "CONFIDENTIAL" and marked;

Tender Enquiry No. FST/TE/019/26

Closing on 05.05.26

Your quotation is liable to be cancelled if you fail to adhere to the this clause.

- Your quotation should remain open for at least a period of **60** days from the date of closing of this enquiry.
- QUOTATIONS AGAINST THIS ENQUIRY WILL BE OPENED IN PUBLIC **30 Minutes** AFTER THE CLOSING TIME OF THIS ENQUIRY.
- In the event of your quotation being approved and our confirmed order placed on you, you will be expected to complete the delivery by the date mentioned in our order conformable to your quotation. In case delivery is not completed by due date, we reserve the right to meet our demand at your cost.
- In case an order is placed on you on the basis of this Enquiry, material will be required by us latest by **30 days**.
- We reserve the right either to increase/decrease 15% of ordered quantities or cancel **any /all** items of this Enquiry without any reasons.
- Relevant leaflets/brochures should accompany your quotation, if possible.
- Instead of writing the word 'IMPORTED' Please give the exact **Brand/Make and Country of Origin** of each item quoted by you.
- Delivery of material will be required at our Main Stores Faisalabad HQ-T**

GENERAL CONDITIONS

- All deliveries are to be consigned carriage paid to the address given under 2 (d) above.
- Delivery Challan (*in Triplicate*) for each consignment should accompany the material.
- Consignments will be received upto **12:30 PM** during Summer on all working days and upto 3:30 PM during Winter on all days of the week except Fridays and Saturdays, when these will be received upto 12:30 PM.
- All goods purchased are subject to our **Inspection and Approval** and if rejected will be returned at Supplier's risk and cost.

Yours Faithfully,
SUI NORTHERN GAS PIPELINES LIMITED

(M. Asim Qureshi)
Dy. Chief Officer (Procurement)
for Managing Director

Item No	Description	Brand/Make Country of Origin	UNIT	Qty.	Rate	Bid Security of Estimated Cost of Each Item	Delivery Period
1	Pipe Wrench 48" (Technical Specifications attached as annexure-A)		NO	3		Bid Security declaration (Annex I, II, III) duly signed/ stamped is also required alongwith bid on your Letter Head/ Stamp Paper, failing which your bid will be considered non-responsive	
2	Pipe Wrench 36" (Technical Specifications attached as annexure-A)		NO	3			
3	Pipe Wrench 24" (Technical Specifications attached as annexure-A)		NO	4			
4	Pipe Wrench 18" (Technical Specifications attached as annexure-A)		NO	6			
5	Pipe Wrench 12" (Technical Specifications attached as annexure-A)		NO	6			
6	Pipe Wrench 8" (Technical Specifications attached as annexure-A)		NO	6			
7	Pipe Wrench 6" (Technical Specifications attached as annexure-A)		NO	6			
8	Adjustable Wrench 24" (Technical Specifications attached as annexure-A)		NO	4			
9	Adjustable Wrench 18" (Technical Specifications attached as annexure-A)		NO	6			
10	Adjustable Wrench 12" (Technical Specifications attached as annexure-A)		NO	6			
11	Adjustable Wrench 8" (Technical Specifications attached as annexure-A)		NO	6			
12	Adjustable Wrench 6" (Technical Specifications attached as annexure-A)		NO	6			
13	Combination Wrench Set (23 PCS) (Technical Specifications attached as annexure-A)		NO	1			
14	Hex Key Set (10 PCS) (Technical Specifications attached as annexure-A)		NO	6			
15	Torx Key Set (9 PCS) (Technical Specifications attached as annexure-A)		NO	4			
16	Screw Driver Champion Set (8 PCS) (Technical Specifications attached as annexure-A)		NO	3			
17	Screw Driver Set (10 PCS) (Technical Specifications attached as annexure-A)		NO	1			
18	Screw Driver Precision Watch Maker Set (6 PCS) (Technical Specifications attached as annexure-A)		NO	6			
19	Insulated Screw Driver Set (6 PCS) (Technical Specifications attached as annexure-A)		NO	1			
20	Electrical Plier 8" (Technical Specifications attached as annexure-A)		NO	1			
21	Electrical Nose Plier 8" (Technical Specifications attached as annexure-A)		NO	1			
22	Electrical Diagonal Plier 8" (Technical Specifications attached as annexure-A)		NO	1			
23	Combination Plier 8" (Technical Specifications attached as annexure-A)		NO	4			
24	Nose Plier 8" (Technical Specifications attached as annexure-A)		NO	4			
25	Diagonal Cutting Plier Heavy Duty 6" (Technical Specifications attached as annexure-A)		NO	4			
26	Lock Jaw Plier 9" (Technical Specifications attached as annexure-A)		NO	4			

Note : Specifications attached as annexure-A

It is to be noted that the original copy of Bid as per the bid invited on EPADS alongwith Bid Security Declaration and tender documents fee for Rs 500/- in shape of BOC/DR/PO (in original) must be submitted at the following address on or before the closing time / date of tender enquiry:

Procurement Department
SNGPI Transmission Headquarters
Sarpedha Road, Faisalabad.

The tender enquiry number and tender closing / opening time must be mentioned clearly on the tender envelope.

SPECIFICATIONS OF LOOSE TOOLS

Annexure -

P-1/6

PIPE WRENCH

Heavy Duty, Cr-Mo or better forged steel Jaws straight pipe wrenches with Cast iron body.

Sr. No.	Size	Quantity	Jaw Opening	Jaw Width	Jaw Thickness	Handle Width
1.1	Size 48"	03 Nos.	135-140 mm	177-180 mm	57-60 mm	60-65 mm
1.2	Size 36"	03 Nos.	100-105 mm	157-160 mm	50-53 mm	45-50 mm
1.3	Size 24"	04 Nos.	75-80 mm	117-120 mm	45-48 mm	40-45 mm
1.4	Size 18"	06 Nos.	57-60 mm	97-100 mm	37-40 mm	30-35 mm
1.5	Size 12"	06 Nos.	42-45 mm	75-78 mm	32-35 mm	20-25 mm
1.6	Size 8"	06 Nos.	25-28mm	47-50 mm	22-25 mm	15-20 mm
1.7	Size 6"	06 Nos.	20-23 mm	40-43 mm	20-23 mm	15-18 mm

Relevant Clauses

The tool shall conform to the following where applicable:

- ISO 6787 / ISO 6780 series (where applicable)
- ASME B107 (hand tools standards)
- Body: Drop-forged alloy steel (e.g., chromium-vanadium or equivalent) heat-treated for toughness.
- Jaws: Case-hardened and precision ground; jaw faces with serrations for positive grip.
- Handle: Integral with body (one-piece forged) or securely riveted assembly; non-slip finish or coating preferred.
- Fasteners & pivot: Stainless or high-grade steel to resist corrosion and wear.
- Each wrench must be permanently marked with: Manufacturer name or model/part number and Size

2. ADJUSTABLE WRENCH OF HIGH GRADE ALLOY STEEL

High polished Nickel/Chrome plated finish, Chrome-Vanadium/Silver forged or better high hardened constructed Adjustable wrenches with hardened and tempered jaws for positive gripping. Stainless Steel spring for adding tensile to knurl for smooth and firm operation.

Sr. No.	Size	Quantity	Jaw Capacity
2.1	Size 24"	04 Nos.	60-65 mm
2.2	Size 18"	06 Nos.	50-55 mm
2.3	Size 12"	06 Nos.	35-40 mm
2.4	Size 8"	06 Nos.	20-25 mm
2.5	Size 6"	06 Nos.	15-20 mm

Relevant Clauses

The product shall conform to the following standards:

- ASME or ANSI (Hand tools) standard compliance.
- ISO 6787 / ISO 6780 (Adjustable wrench standards)
- Body: Drop-forged one-piece constructed chrome-vanadium or equivalent tempered alloy steel.
- Jaws: Hardened and tempered steel with serrated gripping faces.
- Handle: Ergonomic handle design with anti-slip coating or Cover.
- Adjustment screw: Precision-threaded, rust-resistant metal.
- Each wrench must be permanently marked with: Manufacturer name or model/part number and Size

Executive Engineer (T)

Senior Engineer (T)

2/6

3. COMBINATION WRENCH SET

Combination drive wrench made of hardened steel/carbon steel alloy or Chrome-Vanadium alloy with matt finished coating, minimum 15° offset and 12 point construction for better job grip and non-slip design for better handling.

Sr. No.	Size	Quantity	Sr. No.	Size	Quantity	Sr. No.	Size	Quantity
1	06 mm	01 No.	9	14 mm	01 No.	17	22 mm	01 No.
2	07 mm	01 No.	10	15 mm	01 No.	18	23 mm	01 No.
3	08 mm	01 No.	11	16 mm	01 No.	19	24 mm	01 No.
4	09 mm	01 No.	12	17 mm	01 No.	20	25 mm	01 No.
5	10 mm	01 No.	13	18 mm	01 No.	21	27 mm	01 No.
6	11 mm	01 No.	14	19 mm	01 No.	22	30 mm	01 No.
7	12 mm	01 No.	15	20 mm	01 No.	23	32 mm	01 No.
8	13 mm	01 No.	16	21 mm	01 No.			

Quantity: 01 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: Durable Alloy Steel (Chrome-Vanadium or better)
- High Polished Chrome finish for easy cleaning and rust prevention
- ASME (Hand Tools) or ANSI Standards compliance.
- Body: Drop-forged chrome-vanadium or equivalent alloy steel.
- Jaws: Hardened and tempered steel with serrated gripping faces.
- Handle: Ergonomic handle design with anti-slip coating.
- Each wrench must be permanently marked with: Manufacturer name or model/part number and size

4. HEX KEY SET (ALLEN KEY SET)

Fully Hardened Alloy Steel/Chrome-Vanadium or high tensile steel with galvanized finish
Type: Hex-Key 10 pieces in each Set (along with carrying case) as detailed below:

Sr. No.	Size	Quantity	Sr. No.	Size	Quantity
1	1.5 mm	01 No.	6	5.0 mm	01 No.
2	2.0 mm	01 No.	7	5.5 mm	01 No.
3	2.5 mm	01 No.	8	6.0 mm	01 No.
4	3.0 mm	01 No.	9	8.0 mm	01 No.
5	4.0 mm	01 No.	10	10.0 mm	01 No.

Quantity: 06 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: Chrome-Vanadium/ High Tensile Steel or better
- ANSI (Hand Tools)
- Body: Drop-forged chrome-vanadium or equivalent alloy steel.
- Handle: Ergonomic handle design with anti-slip coating.
- Finish: Black Phosphate or mat steel finish
- Packaging: Folding case, ring, hang able packaging.
- Each key must be permanently marked with: Manufacturer name or model/part number and size.

Executive Engineer (T)

Senior Engineer (T)

5. TORX KEY SET (STAR KEY SET)

Fully Hardened Alloy Steel/Chrome-Vanadium or high tensile S2 steel with galvanized finish

Type: Torx-Key 09 pieces in each Set (along with carrying case) as detailed below:

Sr. No.	Size	Quantity	Sr. No.	Size	Quantity
1	T 10	01 No.	6	T 30	01 No.
2	T 15	01 No.	7	T 40	01 No.
3	T 20	01 No.	8	T 45	01 No.
4	T 25	01 No.	9	T 50	01 No.
5	T 27	01 No.			

Quantity: 04 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: Chrome-Vanadium/ High Tensile Steel or better
- ASME or ANSI (Hand Tools) Standard compliance.
- Body: Drop-forged chrome-vanadium or equivalent alloy steel.
- Handle: Ergonomic handle design with anti-slip coating.
- Finish: Mat steel finish
- Packaging: Folding case, ring, hang able packaging.
- Each key must be permanently marked with: Manufacturer name or model/part number and size.

6. CHAMPION (SCREW DRIVER) SET

Screwdriver (Champion Set) made of high quality steel alloy 08 pieces in each Set as detailed below:

Sr. No.	Size	Quantity
1	3 mm x 75 mm	01 No.
2	5 mm x 100 mm	01 No.
3	6.5 mm x 150 mm	01 No.
4	6.5 mm x 45 mm	01 No.
5	Philips 0 x 60 mm	01 No.
6	Philips 1 x 100 mm	01 No.
7	Philips 2 x 45 mm	01 No.
8	Philips 2 x 100 mm	01 No.

Quantity: 04 Sets


Relevant Clauses

The product shall conform to the following standards:

- Material: Chrome-Vanadium/ High Tensile Steel or better
- ANSI (Hand Tools)
- Body: Drop-forged chrome-vanadium or equivalent alloy steel.
- Handle: Ergonomic Bi-Material soft handle for better grip and reduced fatigue & insulation.
- Finish: Nickle plated or hardened magnetic tips
- Each Screwdriver must be permanently marked with: Manufacturer name or model/part number and size.



Executive Engineer (T)



Senior Engineer (T)

7. SCREW DRIVER SET

Screwdriver Set made of high quality steel alloy 10 pieces in each Set as detailed below:

4/6

Sr. No.	Size	Quantity
1	Flat 3 mm x 75 mm	01 No.
2	Flat 5 mm x 100 mm	01 No.
3	Flat 6.5 mm x 45 mm	01 No.
4	Flat 6.5 mm x 150 mm	01 No.
5	Flat 8 mm x 150 mm	01 No.
6	Philips 0 x 60 mm	01 No.
7	Philips 1 x 100 mm	01 No.
8	Philips 2 x 45 mm	01 No.
9	Philips 2 x 100 mm	01 No.
10	Philips 3 x 150 mm	01 No.

Quantity: 01 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: Chrome-Vanadium/ High Tensile Steel or better
- ANSI (Hand Tools)
- Body: Drop-forged chrome-vanadium or equivalent alloy steel.
- Handle: Plastic with soft cover for easy grip
- Finish: Nickle plated or hardened magnetic tips
- Packaging: Folding case, hard case.
- Each Screwdriver must be permanently marked with: Manufacturer name or model/part number and size.

8. PRECISION SCREW DRIVER SET

Precision high quality Screwdriver Set suitable to use with small/ screws and precise work 06 pieces in each Set as detailed below:

Sr. No.	Size	Quantity
1	Flat 1.4 mm x 100 mm	01 No.
2	Flat 2 mm x 100 mm	01 No.
3	Flat 2.4 mm x 100 mm	01 No.
4	Flat 3 mm x 100 mm	01 No.
5	Philips 0 x 100 mm	01 No.
6	Philips 1 x 100 mm	01 No.


Quantity: 03 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: Hardened/ Tempered Steel or better
- Handle: Ergonomic long insulated Bi-Material soft handle for better grip & insulation.
- Finish: Nickle plated/Black oxide or hardened magnetic tips
- Each Screwdriver must be permanently marked with: Manufacturer name or model/part number and size.


Executive Engineer (T)


Senior Engineer (T)

9. INSULATED ELECTRICAL SCREW DRIVER SET

Insulated High quality Screwdriver set suitable for working with On-grid electrical equipment, 06 pieces in each Set as detailed below:

Sr. No.	Size	Quantity
1	Flat 2.5 mm x 50 mm	01 No.

2	Flat 3.5 mm x 75 mm	01 No.
3	Flat 5.5 mm x 150 mm	01 No.
4	Pozidriv 1 x 100 mm	01 No.
5	Pozidriv 2 x 100 mm	01 No.
6	Voltage Tester	01 No.

Quantity: 01 Sets

Relevant Clauses

The product shall conform to the following standards:

- Material: High Quality Hardened/ Tempered Steel or better
- ANSI or DIN (Hand Tools) standard compliance.
- IEC, VDE or GS standard for electrical hand tool compliance.
- Voltage rating: 1000 V
- Handle: Ergonomic insulated Bi-Material soft handle for better grip & insulation.
- Finish: Nickle plated/Black oxide or hardened magnetic tips
- Each Screwdriver must be permanently marked with: Manufacturer name or model/part number and size.

10. BASIC PLIERS & CUTTERS

Pliers made of steel alloys. Handles should have insulated grips to ensure better handling and prevent electrical conductivity. Following types of pliers are required:

Sr. No.	Specifications	Quantity
10.1	Lineman Pliers 8" Long	04 Nos.
10.2	Long Nose Pliers 8" Long	04 Nos.
10.3	Diagonal Cutting Pliers 7" Long	04 Nos.
10.4	Lock Jaws Pliers 10" Long	04 Nos.

Relevant Clauses

The product shall conform to the following standards:

- Material: High Quality Hardened/ Tempered Steel or better
- ASME or ANSI (Hand Tools) standard compliance.
- Handle: Ergonomic insulated Bi-Material soft handle for better grip & insulation.
- Finish: Nickle plated/Black oxide or hardened and rust resistant Jaws
- Each Plier must be permanently marked with: Manufacturer name or model/part number and size.



Executive Engineer (T)



Senior Engineer (T)

11. ELECTRICAL PLIERS & CUTTERS

Pliers made of steel alloys. Handles should have insulated grips to ensure better handling and prevent electrical conductivity. Following types of pliers are required:

Sr. No.	Specifications	Quantity
11.1	Electrical Pliers 8" Long	01 Nos.
11.2	Electrical Long Nose Pliers 8" Long	01 Nos.
11.3	Electrical Diagonal Cutting Pliers 7" Long	01 Nos.

6/6

Relevant Clauses

The product shall conform to the following standards:

- Material: High Quality Hardened/ Tempered Steel or better
- ANSI, DIN or ASO (Hand Tools) standard compliance.
- IEC, VDE or EN standard for electrical hand tool compliance.
- Voltage rating: 1000 V
- Handle: Ergonomic insulated Bi-Material soft handle for better grip & insulation.
- Finish: Nickel plated/Black oxide or hardened magnetic tips
- Each Plier must be permanently marked with: Manufacturer name or model/part number and size.

BID EVALUATION CRITERIA

- Offers of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
- Relevant data/Literature must be provided with the bid for each item.

Executive Engineer (T)

Senior Engineer (T)

BID SECURING DECLARATION
TENDER ENQUIRY #FST/TE/019 /26

M/s. Sui Northern Gas Pipelines Limited,

Dear Sirs,

We, M/s _____, hereby confirm that our bid against subject tender enquiry is firm & irrevocable.

We, M/s _____, also confirm & undertake that our said Bid Securing Declaration shall serve as guarantee that we shall not either withdraw, unilaterally modify, vary or alter our Bid after opening of the tenders and before expiry of bid validity period or extended bid validity period, and we shall accept purchase order placed on us within validity period of bid in case our bid turns out to be the most advantageous bid as per terms of the tender enquiry.

Authorized Signatories of the Bidder

Name: _____

Date: _____

E-mail address:- _____

Company Seal: _____

Place: _____