

INSTRUMENTATION FOR ORIFICE METER RUNS WITH ALL ACCESSORIES

(On Package Basis)

FOB/C&F & FOR (Only for Local Manufacturers SRO 827(1)/2001)

*Bids are to be invited on Under Single Stage Two Envelope Bidding Procedure
Under PPRA Rules 2004, Rule# 36 (b)*

**TENDER ENQUIRY NO:
SSGC / FP / PT / 14331**

Bid Closing date & time: 15-06-2026 at 1030 Hrs.

Bid Opening date & time: 15-06-2026 at 1100 Hrs.


Fixed Bid Security; USD=1,100,000 OR PKR=315,000.

Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website.

It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarification/Amendments/Extensions issued to be notified to only those bidders who have purchased Tender documents.

Venue:

Tender Room, CRD Building, Ground Floor
SSGC Head office complex Karachi -75300
Ph.99021024 – 99021173 - 99021116.



Sui Southern Gas Company Limited

Procurement Department, 2nd Floor, ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal,
Karachi-Pakistan. Phone: 99021231, 99021223, Fax: 99231583 www.ssgc.com.pk/ssgc

Checklist for Bidders

Enquiry No. _____ Opening Date _____ Time _____
 M/s. _____ Phone No. _____

Please ensure before submitting the bid, that following information / documents have been submitted / provided along your bid. Check () appropriate box.

S. No.	Details of required information / documents	Yes	No
1.	Each & Every Page of the bidding documents shall be signed and stamped by the bidder.		
2.	Technical Compliance sheet (if applicable) has been filled		
3.	Fixed Bid Bond as specified in the tender document.		
4.	Bid validity as specified is mentioned		
5.	Delivery period has been specified		
6.	Country of Origin		
7.	Standard Warranty Guarantee (if applicable)		
8.	Original Performance Invoice of Principal		
9.	Original Technical Literature		
10.	Original Authorization Letter of Principal		
11.	Original Authorization Letter of Manufacturer		
12.	Estimated item wise weight including gross weight & volume of consignments		
13.	Port of Shipment (specific name of port/Sea Port is required) In case the city mentioned by the bidder does not have any port, the FOB charges to the port of shipment will be borne by the supplier.		
14.	L/C confirmation charges (if desired by bidder) shall be borne by the supplier.		
15.	L/C charges at supplier's end shall be borne by the supplier.		
16.	Both FOB & C&F rates are quoted (C&F rates should be based on PNSC freight)		
17.	Sample (if necessary) is enclosed		
18.	Alternative offer (if any) submitted should be on as per Section 3 Schedule of Requirement & Bid Form format. For each alternative offer separate fixed bid bond is required.		
19.	Deviations from tender terms (if any) have been stated in Section 3 Schedule of Requirement & Bid Form format. At any stage of process and after acceptance of Tender terms will prevail.		
20.	Firm name of Beneficiary & Bank details with complete address of beneficiary.		
21.	Original Bid + One Copy is Submitted		
22.	Form-X and bid securing declaration Duly Signed & Stamped.		

NOTE :

Non-availability of the above information/documents, or incomplete/incorrect statement on this checklist may result in rejection of the bid at / after the bid opening.

As per SRO206(I)/2023 dated 08th March 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak Acquisition and Disposal System (EPADS).

 Bidders Authorized Representative



Sui Southern Gas Company Limited (SSGCL)

Contents

Part – A

Section – 1	General Terms & Conditions	Included
Section – 1A	Additional Terms & Conditions for FOB/C&F	Included
Annexure–A	Format of Bid Bond Bank Guarantee	Included
Annexure–B	Format of Performance Bank Guarantee	Included
Annexure–C	Declaration by Supplier	Included
Section – 2	Special Conditions of Tender Document	Included /Not required

Part – B

Section – 3	Bid Form (Schedule of requirement)	Included
Section – 4	Specifications/Drawing (if applicable)	Included/Not required
Section – 5	Affidavit of Compliance with Integrated Management System (IMS) Manual	Included

SUI SOUTHERN GAS COMPANY LIMITED
Procurement Department

M/s. _____

Tender Enquiry No. _____

INVITATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:


1. Bids are to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its opening date and time on the face of the envelope.
2. Bid Bond @ 2% of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and returned to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is expiring.
3. In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date, it will be opened on next working day at the same time and at the same venue.
4. The bidder shall bear all expenses associated with the preparation and delivery of its bid/sample and the Company will in no case be liable in this respect.
5. Prospective bidder requiring any information or clarification of the tender may notify the same by fax or at the mailing address. The Company will respond to any request for explanation or clarification, if received within reasonable time prior to submission of bids.
6. The Company reserves the right to amend, add, delete or amend tendered items/quantities/any part of the tender during the bidding period without assigning any reason. However, bidders shall be informed about it prior to bid opening/process.
7. The Company reserves the right to accept or reject any bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award of contract/purchase order without thereby incurring any liability to the affected bidder(s).
8. In case of Single stage two (02) envelope bidding procedure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" and "Financial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intimated date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in section-1A will also apply.
10. The Company will appreciate confirmation by fax No 92-21-99231583 or email mmte@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in submission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
11. Bids are required to be submitted at:


Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk

Hope and look forward for your valued participation.

Thanking you

Yours sincerely


General Manager (Procurement)



General Terms & Conditions

1. Submission of bids:


- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.
- 1.2. Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which bids will not be entertained. In case bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening time.
- 1.3. The Company may at its discretion extend the closing date for the submission of bids, in which case all rights and obligations of the purchaser and bidders previously subject to the closing date will thereafter be subject to the date extended. However, any request for extension received from prospective bidders less than one week prior to bid opening date may not be entertained. In case of extension in bid opening date, the same will be advertised in press and simultaneously shall be intimated to prospective bidder who had purchased the tender documents.
- 1.4. The bid shall contain no interlineations, erasures or overwriting except as necessary to correct the errors made by the bidder, in case of any correction etc. it shall be signed and stamped by the person signing the bid.
- 1.5. The quoted price shall be inclusive of all duties/taxes except GST, which is to be mentioned separately. The supplier shall declare (if applicable) regarding non-applicability of GST for which documentary evidence shall be enclosed or could be produced upon demand.
- 1.6. Rates shall be item-wise, as given in price schedule/schedule of requirement/Bid Form unless otherwise specified.
- 1.7. Bidder is responsible for timely delivery of bids at location specified 1.2 above. Company will not be responsible for misplacement/ tampering or non-attendance/delay or any other incident in case the bid is not delivered at the designated place & time.
- 1.8. Any bid received late after the closing date and time, will be rejected and returned unopened.
- 1.9. The quotation shall only be acceptable on/as per Bid Form. In case for foreign tender when Local Agent submits bid on behalf of different bidders, a separate Bid Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a separate bid bond for each bid is required or else bid will be liable for rejection.
- 1.10. Deviation from tender terms and conditions is not allowed. However, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3 Bid Form" deviation on any other page will not be entertained.
- 1.11. Discount offered (if any) shall be mentioned on the "bid form" only.
- 1.12. The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- 1.13. The bid is to be completed and returned to the Company in accordance with General terms & conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

3. Qualification/Disqualification of Suppliers:

The Company, at any stage of the procurement proceedings, having credible reasons for or prima facie evidence of any defect in supplier's or contractor's capacities, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial competency,



whether already pre-qualified or not. The Company shall disqualify a supplier or contractor if it finds, at any time that the information regarding their qualification as supplier or contractor was false and materially inaccurate or incomplete. **Black Listing Mechanism**

4. **Joint Ventures:**

In the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. **Clarification of tender documents:**

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents, if received five working days prior to closing date for the submission of bids prescribed by the Company. The Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference will not be acceptable.

6. **Modification and withdrawal of bid:**

- 6.1 The bidder may modify or withdraw its bid after the bid submission, provided the written notice of the modification or withdrawal is received by the Company prior to the deadline prescribed for submission of bid. After the bids/quotations are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or withdrawal notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax followed by a signed copy.
- 6.3 Bids once opened cannot be withdrawn during validity period.

7. **Bid validity:**

All offers shall remain valid up to 90 days (120 days in case of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. A bidder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be any query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their bid validity period.

8. **Rate Escalation:**

8.1 **All items except line-pipe:**

Quoted prices shall remain valid, firm, irrevocable and fixed till the fulfillment of obligations by the bidder and will not be subject to escalation / change on any account.

8.2 **Line-pipe only:**

8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:

- a) HR Coil.
b) All other charges (including wastage, transportation, conversion cost etc).

8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.

8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.



8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)

8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond (if applicable). Bids without bid bond will not be considered. In case the order value is less than Rs. 500,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligation by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with the order. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond may be forfeited if a bidder withdraws the bid during validity period specified by the bidder or if successful bidder fails to:

- > Accept purchase order.
- > Furnish performance guarantee in accordance with clause 16 of Section 1,
- > Supply material as per requirement and delivery schedule.

9.1 In the event of bid bond validity falling short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, then in such an event it shall be mandatory on the bidder to extend the bid bond validity upto 120/150 days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.


9.2 In the event of the bid security amount deposited / furnished by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 10% amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that all other terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (attendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- 11.1 The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- 11.2 Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- 11.3 Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 11.4 Bid determined as not substantially responsive will be rejected by the Company and cannot subsequently be made responsive by the bidder through correction of the non-conformity.



12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples:

The Bidder(s) shall submit the following:

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline elsewhere under tropical climatic conditions.

13.6 Specification Compliance Sheet:

Company requires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the specifications, if so required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand names or catalogue numbers, designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and catalogue numbers in its bid provided which demonstrates to the Company's satisfaction that the substitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical data/documents/certifications as required under the tender specifications. Evaluation shall be carried on the basis of data/ documents/certifications submitted with the bid. No clarification, additional information may be sought / accepted after bid opening.

13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and mention offered specifications along with reference to its technical brochure/literature (page/clause No.) Statement such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and technical specification is not acceptable. However, if bidder feels to mention minor deviation, the same shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or documents, the Company is not liable to seek clarification and the bid may be determined non-compliant on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer-facility to witness the manufacturing / inspection process.



8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)

8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. **Bid bond (earnest money):**

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond (if applicable). Bids without bid bond will not be considered. In case the order value is less than Rs. 500,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligation by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with the order. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond may be forfeited if a bidder withdraws the bid during validity period specified by the bidder or if successful bidder fails to:

- Accept purchase order
- Furnish performance guarantee in accordance with clause 16 of Section 1,
- Supply material as per requirement and delivery schedule.

9.1 In the event of bid bond validity falling short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, then in such an event it shall be mandatory on the bidder to extend the bid bond validity upto 120/150 days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.

9.2 In the event of the bid security amount deposited / furnished by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 10% amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that all other terms & conditions have been fully complied with.

10. **Opening of bids:**

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (attendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. **Preliminary Examination of bids:**

- 11.1 The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- 11.2 Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- 11.3 Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 11.4 Bid determined as not substantially responsive will be rejected by the Company and cannot subsequently be made responsive by the bidder through correction of the non-conformity.



12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples:

The Bidder(s) shall submit the following:

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/ manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline elsewhere under tropical climatic conditions.

13.6 Specification Compliance Sheet:

Company requires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the specifications, if so required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand names or catalogue numbers, designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and catalogue numbers in its bid provided which demonstrates to the Company's satisfaction that the substitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.


- 13.7 The offer shall be accompanied with all technical data/documents/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional information may be sought / accepted after bid opening.

13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and mention offered specifications along with reference to its technical brochure/literature (page/clause No.etc). Statement such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and technical specification is not acceptable. However, if bidder feels to mention minor deviation, same shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet, stating reference of its technical data sheet/brochure. In case of insufficient information, data or documents, the Company is not liable to seek clarification and the bid may be determined non-compliant on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.



- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.
- 14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder. Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

- 15.1 The cost of compensation / loading amount for that item shall be derived from the bid itself.
- 15.2 If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming to technical specification, shall form the basis for cost compensation/loading.
- 15.3 The company will encourage participation by local bidders who will be given price preference. The cost factor shall be determined as per prevailing Government policy / SRO. However they will submit details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

16. Performance Bond:

- 16.1 In case purchase order value is above Rs:500,000, the successful bidders shall submit performance bond guarantee which is to be submitted within ten days from receipt of LOI or order along with integrity pact. The successful bidders shall submit a performance bank guarantee (PBG) in the form of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance bond unless specified otherwise; shall remain valid till;
- 16.1.1 Completion of final satisfactory delivery in case of consumable items.
- 16.1.2 12-18 months from the date of satisfactory delivery of the equipment/machinery.
- 16.1.3 Satisfactory delivery/installation of system in case the installation responsibility is on supplier's part.
- 16.1.4 120 days in case of chemicals.
- 16.1.5 In case of locally manufacturing item the PBG equivalent to 3 months delivery schedule will be required after placement of purchase order which should remain valid till completion of final satisfactory delivery of the ordered quantity.
- 16.1.6 In case of small diameter line pipe (MS/MDPE) the PBG shall remain valid up to 3 months after completion of satisfactory final delivery.
- 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in lieu of PBG.
- 16.2 The guarantee will be released after completion of this period, subject to satisfactory performance of the supplied equipment/machinery/system as mentioned at 16.1 above. The supplier shall keep the guarantee valid at their cost until fulfillment of the obligations.
- 16.3 In case the bidder does not submit the performance bond as specified, the delivery time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/ contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- 16.4 The performance bond will be discharged / returned by the Company not later than thirty (30) days following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance.
- 16.5 The Company shall promptly notify the supplier in writing for any claim arising under this guarantee. Upon receipt of such notice, the supplier shall promptly repair or replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination.

14.



- 16.6 If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- 16.7 Nothing herein contained shall be construed to limit supplier's obligation of performance of the order/contract to the value of the performance bond.
- 16.8 **Guarantee/Warranty:** In case where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the contract/purchase order are new, unused, of the most recent or current models and incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.
17. **Purchase Order/Contract:**
Purchase order of quoted material may be placed on fulfillment of conditions mentioned at 14 & 16 above which is through formal confirmation for proceedings with the suppliers.
18. **Assurance:**
The successful bidder will be required to give satisfactory assurance of its ability and intention to deliver the goods, pursuant to the tender enquiry and contract within the time set forth therein:
19. **Force Majeure:**
- 19.1 In the event of either party hereto being rendered unable, wholly or partially, by force majeure circumstances to carry out its obligations under the purchase order/contract documents, such party shall give notice and full particulars and other satisfactory evidence of such force majeure circumstance(s) in writing to the other party within 7 days after the occurrence of the cause(s). Relied upon the obligations of the party giving such notice so far as they are affected by such force majeure shall be suspended for the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable dispatch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, civil insurrection, fires, floods, earthquakes or other physical disasters, order or request of governments, blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's side shall not be included in the term 'force majeure'.
- 19.2 In case the force majeure contingencies last continuously for more than one month, both parties will agree on the necessary arrangements for the further implementation of the purchase order/contract. In case further implementation is unforeseeable and impossible, both parties shall arrange for the termination of the purchase order/contract, but without prejudice to their rights and obligations prior to such termination it being understood that each party shall fulfill its contractual obligations so far as they have fallen due before the operation of force majeure.
20. **Amendment in purchase order/contract:**
- 20.1 The Company may at any time by a written notice to the supplier make changes within the general scope of the purchase order/contract in any one or more of the following:-
- 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
- 20.1.2 The method of shipment or packing.
- 20.1.3 The place of delivery.
- 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
- 20.2 Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason.
- 20.3 Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the execution of the modification, if applicable.



- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate provided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension in delivery period:

- 21.1 Delivery of the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in the schedule of requirements and delivery period in case of
- 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
- 21.1.2 Delay in provision of any services which are to be provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract).
- 21.1.3 Delay in performance of work caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to the Company's satisfaction that it has used its best endeavors to avoid or overcome such causes for delay and the parties will mutually agree upon remedies to mitigate or overcome such causes for delay.
- 21.3 Notwithstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of such circumstances arising, immediately has notified the Company in writing of any delay that it may claim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company, the supplier shall substantiate that the delay occurred is due to the circumstances referred to by the supplier.

22. Packing:

- 22.1 The material shall be in original/sealed packing to ensure delivery without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the supplier shall be responsible for replacement of those goods free of any charge and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation:
The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- 23.1 Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of delivery end at the goods final destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
- 24.1.1 R & D Section, Stores Department Abul Hasan Ispahani Road, Karachi.
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- 24.2 Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of intent or from the date of purchase order/contract whichever is earlier, unless otherwise specified.
- 24.3 The supplier shall replace defective material at their risk & cost including transportation, duty, tax, etc.
- 24.4 GST Invoice if applicable be submitted at R&D section Stores Department along with material & delivery challan.
- 24.5 Unloading and stacking through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material like Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be made strictly in accordance with "delivery schedule" as specified by the Company.
- 24.7 The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation to the Company. Beyond specified period, the Company shall not be responsible for storage/safety of the uncollected material.

25. Delivery Failure:

- 25.1 In case the supplier fails to supply/ship the material within the stipulated period, the Company have the right to make an alternative arrangement for the purchase of the goods on such terms as may be offered. In such event all losses, costs and charges sustained/incurred by the Company on stated purchase shall be recovered from the supplier without prejudice to any other right or remedy available to the Company which includes recovery of losses sustained by the Company from any due payment of the said supplier.
- 25.2 In the event Company remains unable to make such alternative arrangements, the Company has the right to recover from the supplier any or all losses sustained as a result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- 25.3 In the event Company being forced to purchase any quantity or any other alternative not specified in this document as a result of any failure to supply/ship the material, the Company shall have the right to terminate the contract/purchase order without prejudice to any other rights or remedies available to the Company.

26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
- (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

- 26.2 Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "T" (whichever applicable), in which Sales Tax (of relevant Sales Tax invoice) is paid.




- 26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- 27.2 Whenever liquidated damages become payable, in the event that delivery of all goods and equipment is not made within the time period specified except on account of force majeure, the Company shall quantify the same and shall serve notice to the supplier requiring payment thereof. If the supplier fails to remit payment within 15 days of receipt of such notice, the Company shall forthwith become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance bond.
- 27.3 The payment of liquidated damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or reduced in any manner.
- 27.4 In case of order placed on FOB/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, delayed submission of PBG period in excess of time limit will be deducted from the delivery period for the purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be the sum equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed services for each day of delay, until actual delivery or performance, up to a maximum deduction of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider termination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remedy, by written "notice of default" sent to the supplier, cancel the purchase order whole or in part, if:
- 28.1.1 The supplier fails to deliver any or all of the ordered quantity as per specified delivery schedule or any extension thereof granted by the Company.
- 28.1.2 The supplier fails to perform any other obligation(s) under the "purchase order".
- 28.1.3 The Company during the delivery period has reasons to believe that the supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
- 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
- 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment.
- 28.2.3 The supplier becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
- 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
- 28.2.5 Rejection of manufacturing items as a result of observation by inspection team



28.2.6 Penalty on higher rejection rate of supplied goods.

28.3 The supplier shall have the right to terminate the contract/purchase order if:-

- 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
- 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
- 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. **Resolution of dispute:**

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. **Applicable law:**

The purchase order/contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

31. **Declaration/Integrity Pact/Certification:**


- 31.1 Successful supplier shall furnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of LOI/order /contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&A Purchase order/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required under this clause.
- 31.3 Bidders to submit a certificate of Rs:100/- non-judicial stamp paper certifying that they are not black listed by the Government Autonomous bodies and declared as defaulted supplier.

32. **Arbitration/resolution of disputes:**

- 32.1 Any difference or dispute arising out of or in connection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the matter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire shall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate the disputes in accordance with the Arbitration Act, 1993 as amended from time to time.
- 32.2 Prior to exercising any right by the Company or supplier to terminate the purchase order/ contract under the conditions stipulated above, a return notice shall be required to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous, the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his responsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.

33. **Redressal of grievances by the procuring agency:-**

- 33.1 Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
- 33.2 Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
- 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email



address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.

33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint

33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

34. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in corrupt and fraudulent practices as defined below:

34.1 Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything of value to influence the action of an official/Company.

34.2 If the supplier/contractor found responsible for the detriment of the Company during proceedings of procurement/contract, process or its execution.

34.3 Misrepresentation of facts in order to influence the procurement process or the execution of the contract/order/contract.

34.4 Collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Company of the benefits of free and open competition.

35. Supplier's Guarantee and Responsibilities:


The Bidder/Supplier shall guarantee that the materials supplied against this tender enquiry is new and is of acceptable quality and has been tried and approved on similar jobs. The validity and scope of such guarantee will be in accordance with conditions stated in this document. In case the opinion of the Company the Goods fail to perform the services in accordance with the specifications specified in Section IV due to manufacturing defects, defective material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at his own cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such conditions that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier's cost so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this effect served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the Goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement from the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any printed literature furnished by the bidder may be written in another language provided that this literature is accompanied by an English translation in which case for purpose of interpretation of the bid, English translation shall govern.

37. Vehicle Applied by Authorized dealer of local manufacturer :

In case of vehicle supplied by authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Additional Terms for Tenders on F.O.B.JC&F basis:

1. Submission of bids:

- 1.1 Bid bond (Earnest money) @ 2% of the total F.O.B value as per clause 9, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.
- 1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.
- 1.3 In case of Bidder offering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be duly authorized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf.
- 1.4 Bids shall be submitted (preferably through local agents) in two copies, (original + copy).
- 1.5 The price on unit (OF and C&F basis is to be quoted separately. Following are to be essentially indicated in the bid form:
- 1.5.1 Country of origin.
 - 1.5.2 Port of shipment.
 - 1.5.3 Estimated gross/net weight, dimension & volume of offered item and estimated weight of each item.
 - 1.5.4 Delivery period or schedule in case of bulk quantities.
 - 1.5.5 Original technical literature.
 - 1.5.6 Beneficiary's complete address.

1.6 Foreign bank charges and L/C confirmation charges will be borne by the supplier.

1.7 Bid Currency:

The rates shall be quoted in bidder's home country or in United States Dollars. A bidder expecting to incur a portion of its expenditures in the performance of the contract in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However, bidder from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:


2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value, in favor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelopes bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance Bond. Bids without bid bond will not be considered. In case the order value is less than US\$25,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.

2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelopes Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.



4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost, Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent, "on freight to collect basis".

(Clause No. 14.3 to 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bid:

Freight charges from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive increase in price of material.

(Clause 15 of General Terms & Conditions is also applicable).

6. Performance bond:

- 6.1 In case purchase order value is Rs 25,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for submission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O. The successful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless specified otherwise, shall remain valid till:

- 6.1.1 Completion of final satisfactory delivery in case of consumable items.
- 6.1.2 12-18 months from the date of satisfactory delivery of the equipment/machinery.
- 6.1.3 Satisfactory delivery/installation of system in case the installation liabilities will be on supplier's part.
- 6.1.4 120 days in case of chemicals.

- 6.2 The Letter of Credit shall be operative upon receipt of Performance Bond (as specified in para 6.1) and integrity pact, any delay due to late submission of Performance Bond will be on supplier's account. Late submission of PBG should not affect the delivery schedule.

- 6.3 The performance bond shall be denominated in foreign currency or in currency of the contract/purchase order or in a freely convertible currency acceptable to the Company and can be in the form of a bank guarantee.

- 6.4 In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G, supplier shall deposit short fall amount due to Pak Rupee exchange rate.


6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:

- 7.1 In case of "FOB" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is



not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:

7.2.1 To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.

7.2.2 The goods/material will be shipped/dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.

7.2.3 To provide as part of its work all services and functions related to handling, loading, unloading, lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:

7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.

7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise by the supplier. The supplier shall also reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of incorrect invoicing by the supplier.

7.5 Shipment shall be deemed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such documentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company.

7.6 The supplier shall ensure that all above mentioned acts and other incidental and ancillary functions are conducted in accordance with sound and acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to correct such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the supplier shall be responsible for replacement free of all charges and costs to the Company within the delivery period specified in the purchase order/contract.

8. Insurance:

8.1 All goods supplied under the purchase order/contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture, acquisition, transportation, storage and delivery in the manner specified in delivery clause 7.

8.2 Marine Insurance shall be the responsibility of the Company unless otherwise specified.

8.3 The supplier shall advise the Company by fax at least seven (7) days prior to the expected date of shipment, the following particulars:-

8.3.1 Name of the vessel and of the shipping company.

8.3.2 Age of the vessel (which should be less than 20 years).

8.3.3 Lloyds 100A1 or equivalent classification of the vessel.

8.3.4 ETD from Port of dispatch and ETA at Karachi

8.3.5 FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters M/s. National Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/M/KJOP/002/73.

9. Payment:


9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.

9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:

9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.

9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consignment:



- | | | | |
|--------|---|-------|--------------------------------|
| 9.3.1- | Invoice | ---- | 4 copies |
| 9.3.2- | Packing list | ----- | 4 copies |
| 9.3.3- | Bill of lading "freight to be paid by consignee at destination" evidencing shipment in terms of the purchase order to Karachi-Pakistan made copies. out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd., | ----- | 3 originals & 6 non-negotiable |
| 9.3.4- | Certificate of Origin (Verified/ Endorsed by Chamber of Commerce) | ---- | 2 copies |
| 9.3.5- | Manufacturers test certificate/ | ----- | 2copies Inspection report. |

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karachi port.

- | | | | |
|-------|--|-------|--------------------------------|
| 9.4.1 | -Invoice | ----- | 6 copies |
| 9.4.2 | -Bill of Lading | ----- | 6 copies |
| 9.4.3 | -Packing List | ----- | 6 copies |
| 9.4.4 | -Certificate of Origin (Verified /Endorsed by Chamber of Commerce) | ----- | 2 copies |
| 9.4.5 | -Manufacturers Test Certificate/ | ----- | 2 copies
Inspection Report. |

9.4.6 The invoice to be exactly as per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.

9.5 No payment hereunder shall be deemed to be accepted by the Company of the goods covered by such payment nor release the supplier from responsibility thereof under the terms of the purchase order/contract.

9.6 If the Company is compelled to pay demurrage or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discretion to recover the same amount from supplier.

10 Termination of purchases order by supplier:

10.1 The supplier shall have the right to terminate the contract/purchase order if-

10.1.1 The Company fails to establish the letter of credit within the stipulated period as required under clause 9.1 hereof after the supplier has made compliance with the provisions of clause 6.

10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.

10.1.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.


11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupee and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.

12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable i.e (fuel/oil & lubricant/ spares) are easily available in Pakistan.



On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000
Format of Bid Bond Guarantee

BANK GUARANTEE NO.....
DATE OF ISSUE.....
DATE OF EXPIRY.....
AMOUNT.....

TE # SSGC/FP/_____

Sui Southern Gas Company Limited,
ST. 4/B, Block-14,
Fulshan-e-Iqbal,
Sir Shah Suleman Road,
Karachi.

Dear Sir,

Bid Bond Bank Guarantee

In consideration of M/s..... hereinafter called the Bidder
having submitted the accompanying bid & in consideration of value received from Bidder we hereby agree and
undertake as follows:

To make unconditional payment of Rs..... upon your written demand without further
recourse, question or reference to the Bidder or any other person in the event of withdrawal of the aforesaid
bid by the Bidder before the end of the period specified in the bid after the opening of the
same for the validity thereof or if no such period to be specified within 90 days (150 days in case of Single Stage Two
Envelope bidding procedure) after said opening and or in the event that the Bidder shall within the period
specified, therefore or if no period specified within 15 days after the prescribed forms are presented to the
Bidder for signature the Bidder shall fail to execute such further contractual documents if any, as may be
required by the terms of the bid as accepted or on the Bidder failure to provide the requisite Performance Bond as
may be required for the fulfillment of resulting contract.


To accept written intimation (s) from you as conclusive and sufficient evidence of the existence of a default
of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within 03 days of the
receipt of the written intimation.

No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect of the
aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, howsoever affect this
Guarantee and our liabilities & commitments hereunder.

This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Ours faithfully,

(Stamp and signature of the issuing bank)



On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000
Format of Performance Bond Guarantee

BANK GUARANTEE NO.....
DATE OF ISSUE.....
DATE OF EXPIRY.....
AMOUNT.....

Sui Southern Gas Company Limited,
ST. 4/B, Block-1,
Gulshan-e-Iqbal,
Sir Shah Sulaiman Road,
Karachi.

TE # SSGC/FP/_____

Dear Sirs,


in the sum of Rs..... Account.....
to You in Karachi under the Purchase

In consideration of your having placed Purchase Order No.....
dated..... On M/s..... called Supplier and in
consideration for value, received from Supplier we hereby agree and undertake as under:

1. To make unconditional payments to you from time to time as called upon or make an unconditional payments Rs..... Being Ten Percent (10%), of the value of the Purchase Order price mentioned in the said Purchase Order, on your written demand(s) without further resource, question or reference to Supplier or any other person, in the event of default or non-performance and / or non-fulfillment by Supplier of his obligations liabilities & responsibilities under and in pursuance of the said Purchase Order of which you shall be the sole judge.
2. To accept written intimation from you as conclusive and sufficient evidence of the existence of a default or breach as aforesaid on the part of Supplier and to make payment accordingly within 3 (three) days of receipt thereof.
3. To keep this guarantee in full force from the date hereof as specified in General or Special terms & conditions.
4. That on grant of time or other indulgence to amendment in the terms of the purchase order by agreement with Supplier in respect of the Performance of his obligations under and in pursuance of the said Purchase Order with or without notice to us, shall in any manner discharge or otherwise, however, affect this Guarantee and our liabilities and commitments there under.
5. This Guarantee shall be binding on us and our successors in interest and shall be irrecoverable.
6. This Guarantee shall not be affected by any change in the constitution of the Guarantor Bank or the constitution of M/s the Supplier.

Yours faithfully,

(stamp and signature of the issuing bank)



(Format of Declaration)

General Manager (Procurement)
Sui Southern Gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-Iqbal,
Sir Shah Suleman Road, Karachi.

Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any contract, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) through any corrupt business practice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission fees etc. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGC, except that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation or warranty.

(The Seller/Supplier) accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or proctred as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.


Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Seller/Supplier) agrees to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)

Note:

1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
2. Please note that submitting the declaration is a mandatory requirement.



Tender Enquiry No. SSGC/FP/_____

Special Conditions of Tender Document

Note: In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

- i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per pre-shipment / post shipment inspection report, than in such as event the Supplier / Bidder hereby warrants and undertake to replace the same on Duty Delivery Paid (DDP) basis (INCOTERMS 2010) i.e. free of all cost including but not limited to transportation, taxes and levies. In case successful bidder / supplier failure to replace the defective item /remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.
- ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 Months after the goods have been successfully delivered or commissioned.
- iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annexure-II, duly filled, signed & stamped.
- iv) In case where performance bank guarantee is not applicable, the supplier shall confirm that all supplied goods under the contract / purchase order are new, unused, of most recent or current models and incorporate all recent improvements in design and goods unless and otherwise provided in the contract / purchase order.
- v) The Warranty Undertaking being provided by the local agent of the successful bidder (Principal) is required to be submitted at least on Rs.200/- Non-judicial Stamp paper and should be duly notarized / attested. In the event when this Warranty Undertaking is being submitted by the principal who is overseas resident in that case the same would required to be notarized by the notary public and duly attested by the Pakistan Embassy or High Commission in that particular jurisdiction. Needless, to mention that in both cases the Warranty Undertaking will be executed by the duly authorized representative of the local agent or the principal as the case may be.

2. Bid Security:

- a) Bid bond submission (2%) of the bid amount as mentioned in the clause 1.1 & 2 of Additional Terms for tender on F.O.B/C&F basis & 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 1.1 & 2 of Additional Terms for tender on F.O.B/C&F basis & 9 of General Terms & Conditions will remain unchanged. The submission of fixed amount of bid security is appearing in the Price Schedule/BoQ.
- b) All the bidders are advised to furnish fixed bid security (Original Instrument) as per amount in Pak Rs. Or US\$ appearing in price schedule/BOQ failing which their bid will be rejected.
- c) In case the bidder submit bid in the currency other than Pak Rs. Or US\$ their bid bond shall be equivalent after the conversion to the amount of fixed bid bond given in Pak Rs. Or US\$ as mentioned in Price Schedule/BOQ. The exchange rate (issued by the Treasury Management Group of the National Bank of Pakistan or the State Bank of Pakistan selling rate) prevailing at the time of bid opening date will be applicable.
- d) The submission of fixed amount of bid security is also mandatory for all the bids valuing Rs.500,000/- or less.
- e) The word lowest bidder or the lowest evaluated bid has been substituted to read as most advantageous bid.
- e) Sub-clause 9.2 of the General Terms & Conditions to be treated as null & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond(Under Single Stage Two Envelope Bidding Procedure):

In case of Single Stage Two Envelope Tenders the fixed bid bond as per clause#09 of General Terms & Conditions and Clause# 02 of Additional Terms for tenders on FOB/ C&F basis to be placed in the Technical Proposal. However, if the bid bond is placed in the Financial proposal will also be considered. Without submission of bid bond(either in Technical proposal or Financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.

5. Evaluation Criteria and Comparison of Bids

In accordance with SRO 827 (1) / 2001 bidders tendering for Engineering goods produced in Pakistan and those Engineering goods specified in CGO-11 and amendments thereof by the Central Board of Revenue or Engineering Development Board. The successful bidder shall be accorded a Price preference in rupees up to a specific percentage (in proportion to the value addition) of the lowest quoted landed cost of an item of foreign origin with similar specifications as mentioned in the tenders



- i) Provided that:-
- The saving in foreign exchange is not less than the amount of price preference;
 - It is ensured that, in each case of such preference, the total import requirements for producing the supplies tendered for locally manufactured items has been duly indicated by the bidders.
- ii) Price preference shall be allowed as under:-
- Having minimum of twenty percent value addition through indigenous manufacturing, price preference shall be fifteen percent;
 - Having over twenty percent and up to thirty percent value addition through indigenous manufacturing, price preference shall be twenty percent, and
 - Having over thirty percent value addition through indigenous manufacturing, price preference shall be twenty five percent.
- iii) For the above purpose, we will require a complete breakdown of ex-factory price for goods manufactured in Pakistan. Any offer not accompanied with this cost breakdown will not be allowed to receive the above price preference.
- iv) Benefit of SRO 827 (1)/2001 shall be accorded to only those local manufacturers who are engaged in the manufacturing of goods specified in CGO - 11 of 2007 or its latest version or as certified by the EDB. However in case of offer on FOB basis, the landed cost to be determined in accordance with the following criteria be taken for evaluation in case of International bidders, and shall be taken for the purpose of comparison with the price quoted by local manufacturers, who shall also be accorded the price preference in terms of SRO 827 (1)/2001. The landed cost determined in accordance with the afore said criteria shall be taken for bid evaluation in case of international bidders and shall be taken for the purpose of comparison with the price quoted by the local manufacturers. Example of landed cost for evaluation of the international bidders is given here under:

EXAMPLE

S. No.	Cost Components for computing landing cost of imported Engineering goods in terms of S.R.O 827 (1)/2001 in Pak Rupees.
i.	FOB Value.
ii.	Sea Freight (Actual quoted by the bidder on the basis of PNSC rates, which shall be announced by the bidder at the time of opening of the bid).
iii.	C&F value (i + ii). (CFR value).
iv.	Insurance @ 1% of C&F Value given at iii above.
v.	ClF value (iii + iv).
vi.	Handling Charges @ 1 % of ClF Value given at v above.
vii.	Import Value (v + vi) for the purposes of levying Customs Duty.
viii.	Customs Duty at applicable rate, which shall be calculated on the import value given at vii above.
ix.	Duty Paid Value.
x.	Sales Tax at applicable rate, which shall be calculated on the duty paid value given at ix above.
xi.	Duty & Sales Tax paid value (ix + x).
xii.	Withholding Tax at applicable rate, which shall be calculated on duty and sales tax paid value given at xi above.
xiii.	LC Charge @ 0.25% of FOB Value given at i above.
xiv.	Clearing Charges @ 0.25% of C&F Value given at iii above.
xv.	SED at applicable rate, Which shall be calculated on the import value given at vii above to be taken as nil as it stands withdrawn.
xvi.	Provincial Infrastructure Cess (at applicable rate) on %age of import value given at vii
xvii.	KPT Wharfage @ Rs.140 per cubic meter or the prevailing rate.
xviii.	Cranage Loading & Other Charges @ 0.25% of C&F Value given at iii above.
xix.	Inland Transportation Charges from Port to Coating Factory (From Port of final destination in case of products other than pipes, where coating is not required).
xx.	Cost of imported engineering goods (xi to xix).
xxi.	LESS: Handling Charges taken at Sr. No. vi (Notional Value taken for calculating assessed value for purpose of calculating custom duty, sales tax and withholding tax by the customs authority).
xxii.	LESS: Sales tax taken at x above. (Adjustable as output tax).
xxiii.	LESS: With Holding Tax. (Adjustable against final assessed tax).
xxiv.	Total deductions (xxi + xxii + xxiii)
xxv.	Net cost of imported engineering goods (xx minus xxiv)

- v) Foreign bidders are essentially required to submit letter of PNSC for ocean freight transportation rate for break bulk/hedges from their local agent.
- vi) Please indicate approximate shipping specification, i.e. weight and measurements of the packages/bundles and also total gross weight (in terms of metric tons), and total gross volume (in terms of cubic meters) of each consignment separately.
- vii) For evaluation of bids customs duty, taxes and all other charges prevailing on the date of public opening of bids will be used, where applicable.
- viii) For the purpose of price comparison and evaluation of bids, financial charges will also be added to arrive at a landed cost, which will inter-alia include, mark up and L/C opening charges etc.



- ix) If the local manufacturer becomes the lowest evaluated bidder after Price Preference, order will be placed at the price (landed Cost) quoted by the lowest evaluated international bidder. In case the local bidder does not accede to the request of SSGCL for best negotiated rates at par with those received from International bidder for particular item(s) then, the order will be placed on the lowest evaluated international bidder.
- x) "Price Preference" shall not be in "Value Terms" it should only be for the sake of reference for comparison purposes (local & foreign bids).
- xi) Bank details shall be mentioned by the bidders for the purpose of opening LC/ Payment.
6. **Declaration / Integrity Pact / Certification:**
it is required to be submitted by the Successful Bidder on their letter heads after issuance of Purchase Order (PO) or Letter of intent (LOI) for the value of Rs.10,000,000/- (Ten Million) or above in case of local bidder and US\$ 100,000 & above in case of foreign bidder.
Submission the declaration as at ANNEXURE-C is a mandatory requirement for successful bidder.
7. **Third Party Pre-Shipment Inspection Criteria / Scope of Work as given in the Tender Documents will be followed at the time of Third Party Inspection, which will be carried out by SSGC nominated Third Party Inspection Firm in case the order value exceeds US\$100,000 except screwed pipe fitting tenders.**
8. *"The successful Bidder shall provide the revenue stamps and copy of challan, of value at the rate of twenty Five (25) paisa per every Hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SW/102/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.*
9. *Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.*
10. *"Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission."*
11. **Cancellation of Purchase Order**
In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents.
12. **Correct Postal Address**
Bidders are essentially required to provide correct and latest postal, e-mail & web addresses, phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information / communication the procuring agency will be considered as non-responsive.
13. In case the local agent requires to offer bid from more than one principal / Manufacturer, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected.
14. **Blacklisting Mechanism of Suppliers and Contractors and their Local Agents**
Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & spirit and supersede the Black listing terms as mentioned in the General Terms & Conditions.
15. *The Successful Contractor(s) / Supplier(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their Invoices / Bills failing which the payment will not be released.*
16. **Authentications of Performa Invoice / Authority Letter and other documents by the Principal / Manufacturer:**
The Authentication of Authority Letter and Performa Invoice will be obtained from the Principal / Manufacturer as and when required. If the authentication not received within the stipulated time frame the bid will be liable for rejection and the Bid Bond / Earnest Money will be encashed.
17. **Bid Bond & PBG (Performance Bank Guarantee) for Proprietary Tenders**
In case of proprietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / Applicable.
18. *Any Bidder who change / amend the BOQ / Price Schedule (description / Bid Form, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.*
19. *Delivery Schedule will commence after the opening of Letter of Credit (LC). In case the bidder does not submit the performance bond as specified, the delivery time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent / purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order / contract.*



20. In the event of release of Performance Bank Gurante (PBG) after its encashment, the amount of the PBG to be released will be converted in Pak Rupees at the exchange rate prevailing at the time of encashment. The amount so converted will be released in Pak Rupee (PKR) to the foreign bidder or to their local agent duly authorized by the foreign principal.
21. SSGC will not pay invoices if they are turned in after 6 months of work completion / material delivered.
22. As per FBR Regulations Ref# C.No.4 (24) IT- Budget/2021-142150-R, Dated: 23rd September, 2021 to make the payment online. Therefore, all the local manufacturers are required to provide their only one Bank Account number (IBAN number) on the 'FORM-X' attached duly signed & stamped as one time information, which shall be firm (not changeable) for all the future payment transactions.
23. It is mandatory for the bidders to follow all the terms and conditions given in the tender documents without any addition / deletion / amendment and submit the bid accordingly. Therefore, in this context, the bidders are requested not to give their own terms and conditions as it tantamount towards the conditional bid. Otherwise their terms and conditions will not be considered and the Purchase Order / Contract will be awarded based on only as per SSGC tender terms and conditions.

24. **Payment:**

The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e:

(a) Purchase Order No. & date	(b) Items	(c) Quantity	(d) Price	(e) Invoice value
(f) Point of delivery	(g) Delivery challan indicating delivery date, etc.			
(h) Suppliers are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.				

Payment will be made within 30 days of completion of stated requirements.

25. **Joint Ventures:**

In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BSM as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.

26. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.

In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.

27. Bidders can quote their rates on both i.e. Price Schedule as well as Bill of Quantity (BoQ).

28. Company reserve the right to award the Purchase Order / LOI to the most advantageous bidder.

29. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).


30. In case quoted item(s) falls under SRO No. 604 (see attachment) i.e. Solar Power System PV Module/Cells and allied accessories/parts/spares etc. - then in that case supplier is responsible to fully comply stated SRO and to arrange, provide and bear all associated costs for all necessary test reports, certificates, pre-shipment inspection reports, other documents etc. (as mentioned in SRO). Further, Pre-shipment Inspection should be from approved companies as mentioned in Appendix H of Import Policy Order (see attachment).

31. **Fixed Bid Security – Alternative Bid**

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for each make/brand/model.


32. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fraudulent practices, if in breach of obligation(s) under the Bid conditions:

a) The bidder have withdrawn or modified their bid during the period of bid validity as specified in the tender terms.



- b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
33. Wherever the "Rate Only" is mentioned (either on BOQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
34. **Lots:** In case when the tender is floated on LOT basis, following clauses to be applied:
- a) The bidder(s) are essentially / mandatorily required to submit fixed bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
- b) Evaluation for each LOT will be carried out separately. Each LOT will be awarded separately.
35. For open competitive bidding if the most advantageous bidder is new local manufacturer, 10% trial order will be placed and remaining 90% order will be awarded to the next most advantageous bidder at their own quoted rates.
36. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 10% Performance Bank Guarantee of the Purchase Order/LOI value unless & until specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
37. Where the Pre-shipment inspection is applicable and incase of partial shipment is required by the bidder the cost of the 1st Pre-shipment inspection will be borne by SSGC, whereas, cost of the 3rd Party inspection for the remaining shipment(s) will be borne by the bidder/manufacturer.
38. Purchase order value mentioned in clause # 6 of sub-clause # 6.1 (Performance Bond) of Additional Terms for Tenders on FOB/C&F basis (Section-1A) to be read as US \$ 10,000 instead of US \$ 25000. However, other contents of clause & sub-clauses of 6 (Performance Bond) of Additional Terms for tender on F.O.B/C&F basis will remain unchanged.
39. Redressal of Grievances And Settlement of Disputes:
- Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances within seven days of announcement of the technical evaluation report and five days after issuance of final evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.
 - In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage single envelope bidding procedure is adopted.
40. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.
41. All the bidders are allowed to participate in the subject procurement without regard to nationality/origin, except bidders of some nationality/origin, prohibited in accordance with policy of the Federal Government. Following countries are ineligible to participate in the procurement process:
- India
 - Israel
42. In Open Competitive Bidding Procedure where the quoted price is less than Rs. 500,000/- the Bid Bond will be retained in lieu of PBG.
43. In case the Bid Bond is not required, the bidder must submit the Form of Bid-Securing Declaration attached with the Tender Document else the Bid will be liable for rejection.
44. All Tenders floated through EPADS are to be governed by S.R.O. 296(I)/2023 dated: March 8, 2023 "E-Pak-Procurement Regulations 2023". In case of any conflict between SSGC Tender Terms / Instructions to Bidders and the PPRA EPADS Rules, the S.R.O. 296(I)/2023 will prevail.

45. **Samples:**



When sample submission is required. Suppliers/bidders must submit samples:

- a) Along with the bid, if stated in the tender documents.
- b) Within the time specified in the tender.
- c) Upon request from the User Department for technical evaluation through official email/ letters.

SAMPLE SUBMISSION LOCATION/ DEPARTMENT:

All samples must be submitted to the Procurement Department - Tender Room, SSGC Head Office with Duly filled in form "Y" attached in the tender document. Samples submitted other than the Procurement Department - Tender Room, SSGC Head Office will not be considered/accepted.

The supplier/bidder must:

- Fill in all required details (e.g., Tender No., Bidder Name, and Sample Description).
- Attach supporting documents (if required).
- Submit the completed Form-Y along with the sample.

In absence of any of the above stated requirements the Samples will not be considered/accepted.



NOT FOR BIDDING PURPOSE


ANNEXURE: I

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

1. Name
2. Father's Name/Spouse's Name
3. CNIC / NICOP/Passport No.
4. Nationality
5. Residential address
6. Email address
7. Date on which shareholding, control or interest acquired in the business.
8. In case of indirect shareholding, control or interest being exercised through intermediary companies, entities or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided:

1	2	3	4	5	6	7	8	9	10
Name	Legal form (Company/Limited Liability Partnership /Association of Persons/Single Member Company/Partnership Firm/Trusted/Any other Individual, Body Corporate (to be Specified))	Date of Incorporation / Registration	Name of Registering Authority	Business Address	Country	Email Address	Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Interest of Legal Person or Legal Arrangement in the Company	Identity of Natural Person who Ultimately owns or Controls the Legal Person or Arrangement

9. Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).



ANNEXURE - II

WARRANTY UNDERTAKING

M/s. Sui Southern Gas Co. Ltd.
SSGC House, Sir Shah Wali Khan Road,
Gulshan-E-Iqbal, Karachi


From _____ (FIRM NAME)

Tender Enquiry No. _____ Date _____

1. In case we stand as the lowest bidder and an order is placed on us against the cited tender enquiry, we hereby guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria on pre-shipment / post shipment inspection report, than in such as event the Supplier hereby warrants and undertake to replace the same on DDP basis (INCOTERMS 2010) i.e. free of all cost including but not limited to transportation, taxes and levies.
2. In case of our failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, we will refund the relevant cost including all other expenses incurred by the purchaser in this regard.
3. This warranty will remain valid for 18 months after the goods have been successfully delivered or commissioned.

Signature _____

Company Stamp _____



Supplier code: _____

FORM-X

Bank account details form for all Beneficiaries

(Mandatory requirement for Digital Online Banking)

As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R dated 23rd Sept 2021 to make the payment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the below details, which is mandatory:

Name of Firm: _____

Address of Firm: _____

CNIC #: _____

NTN #: _____

Bank Name: _____

Bank A/C Title name: _____

Branch code: _____

Bank A/c #: _____

(16 Digits)

Bank IBAN #: _____

(24 Digits)

Information already submitted.

Note: Please be attached copy of Cheque / Account Maintenance Certificate. (Mandatory)



Authorized Sign & Stamp

Date: _____

Note: All payments transactions will be made on above mentioned Account details. This is only a one time information to be provided by the all beneficiaries. Incase if the above detail has already submitted, please tick the box above "Information already submitted" and also ensure Form-X is duly signed & stamped.




FORM "Y"
(SSGC – sample submission form)

SECTION A: BIDDER INFORMATION	
FIELD	DETAILS
Bidder Name / Firm Name	
NTN / GST No.	
Address	
Contact Person	
Contact Number	
Email Address	
Declaration by Bidder	
I/We hereby declare that the sample(s) submitted are in accordance with the tender specifications and terms. I/We understand that failure to submit correct and complete samples may lead to disqualification.	
Signature of Bidder:	

SECTION B: TENDER DETAILS	
FIELD	DETAILS
Tender No.	
Tender Opening Date	
Item(s) for which sample is submitted	
Quantity of Sample Submitted	
Specification/Description of Sample	
Make:	
Brand:	
Serial No:	
Generics: size, height, weight, width:	
Other description:	

SECTION C: FOR OFFICE USE ONLY (TO BE FILLED BY TENDER ROOM)	
FIELD	DETAILS
Date & Time of Submission	
Received By (Tender Room Staff Name & Sign)	
Tender Room Stamp	
Remarks (if any)	



JR

Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)]

No.: [number of Bidding process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [complete name of Procuring Agency]

We, the undersigned, declare that

We understand that, according to your conditions, Bids must be supported by a Bid-Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we

(a) have withdrawn our Bid during the period of Bid validity specified in the Letter of Bid; or

(b) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid validity; (i) fail or refuse to sign the Contract; or (ii) fail or refuse to furnish the Performance Security (or guarantee), if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder _____

Name of the person duly authorized to sign the Bid on behalf of the Bidder _____

Title of the person signing the Bid _____


Signature of the person named above _____

Date signed _____

*: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

** Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the Bid.]



PRICE SCHEDULE FOR GOODS TO BE OFFERED OUTSIDE PAKISTAN

TENDER ENQUIRY NO : SSGC/FP/ 14331


Section-3

* Only for local manufacturer

Sr. No	Description	Country of Origin / Make / Brand	Qty	Unit	Unit FOB price Port of Loading	Total FOB Cost / Item (COL 4x6)	Unit Price C&F (Port of Entry Karachi)	Total C&F Port of Entry (COL 4x8)	Unit FOR Price	Total FOR Price (COL 4x10)	
1	2	3	4	5	6	7	8	9	10	11	
	<u>FLOW COMPUTERS</u>										
1	[1] 44041873 FLOW COMPUTER FOR ORIFICE METERING METER RUNS C/W. SENSORS FOR 4 METER RUNS AND ACCESSORIES (AS PER SPECS. ATTACHED)		1	Set							
	<u>CHROMATOGRAPH</u>										
2	[2] 04726413 GAS CHROMATOGRAPH ONLINE SINGLE STREAM C6+ TYPE FOR THE DETERMINATION OF NATURAL GAS COMPOSITION (AS PER SPECS. ATTACHED)		1	Each							
	<u>ORIFICE FITTINGS</u>										
3	[3] 53272103 ORIFICE FITTING DUAL CHAMBER TYPE COMPLETE WITH METER TUBES AND ACCESSORIES, WITH METER TUBE 8" x 0.500" WT. (METER TUBE ID=7.625") CLASS 600, AND IN MATERIAL API 5L GRADE B, (AS PER SPECIFICATIONS ATTACHED)		3	Set							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
4	[4] 53272113 PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, FLOW RANGE 35 TO 45 MMCFD, BORE SIZE OF OP SHALL BE SPECIFIED BY THE BIDDER WITH CALCULATION DATA SHEET (AS PER SPECIFICATION)		3	Each							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
5	[5] 53272123 PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, FLOW RANGE 25 TO 35 MMCFD, BORE SIZE OF OP SHALL BE SPECIFIED BY THE BIDDER WITH CALCULATION DATA SHEET (AS PER SPECIFICATION)		3	Each							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
6	[6] 53272133 PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, FLOW RANGE 20 TO 25 MMCFD, BORE SIZE OF OP SHALL BE SPECIFIED BY THE BIDDER WITH CALCULATION DATA SHEET (AS PER SPECIFICATION)		3	Each							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
7	[7] 53272143 PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, FLOW RANGE 15 TO 20 MMCFD, BORE SIZE OF OP SHALL BE SPECIFIED BY THE BIDDER WITH CALCULATION DATA SHEET (AS PER SPECIFICATION)		3	Each							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
8	[8] 53272153 PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, FLOW RANGE 10 TO 15 MMCFD, BORE SIZE OF OP SHALL BE SPECIFIED BY THE BIDDER WITH CALCULATION DATA SHEET (AS PER SPECIFICATION)		3	Each							
	<u>ORIFICE PLATE FOR 8" x CLASS 600</u>										
9	[9] 53272163 BLIND ORIFICE PLATE THICKNESS 0.500", FOR DUAL CHAMBERED ORIFICE FITTINGS, MAT: 316 SS, (AS PER SPECIFICATION)		2	Each							

Delivery Schedule: Delivery schedule as per attached list.
FIXED BID SECURITY USD 1,100 OR PKR 315,000

NOTE TO SUPPLIER: * According to SRO827(1)2001, "engineering goods" means good specified in CGO11/2007, as per SRO the bidder will be considered as local manufacturer for the engineering goods if their names are appearing in the CGO list.





SUI SOUTHERN GAS COMPANY LIMITED STATEMENT OF REQUIREMENTS

REF. NO:	
DATE	06 03 2026

DEPARTMENT: Planning & Development

DESCRIPTION OF JOB / PROJECT: 08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO POD

NUR BAGLA FOR PATEJI X-1 GAS FIELD

JOB / PROJECT EXPECTED DATE OF COMMENCEMENT: July 2027

JOB NUMBER: _____

SCHEDULE & PLACE OF DELIVERY: Khadiji Store


TYPE OF STCOK: Foreign Tendering

SR. NO:	DESCRIPTION OF MATERIAL REQUIRED	INDEX NO:	UOM	QUANTITY
ORIFICE METERS (Package#1)				
01	Orifice fitting dual chamber type complete with Meter Tube and accessories and as per specification under Clause 6 with meter tube 8" N.B x 0.500" W.T. (Meter Tube ID= 7.625"), Class 600 in material API 5L Grade B. Outer End Connections: Weld Neck Flange at Upstream & Down Stream Meter Tube shell be for Welding (as per Spec)	To be issued 53272113	Nos	03
ORIFICE PLATES				
Orifice plates with thickness 0.500" Thick, to be used in the above Dual chambered orifice fittings. Material shall be 316 stainless steel. The maximum differential shall be 100" W.C - 200" W.C.				
1.1	Flow range from 35 to 45 MMCFD. Bore size of OP shell be specified by the bidder with (calculation data sheet)	53272113 To be issued	Nos	03
1.2	Flow range from 25 to 35 MMCFD. Bore size of OP shell be specified by the bidder with (calculation data sheet)	53272123 To be issued	Nos	03
1.3	Flow range from 20 to 25 MMCFD. Bore size of OP shell be specified by the bidder with (calculation data sheet)	53272133 To be issued	Nos	03


NOT FOR BIDDING PURPOSE



				(STRS/F/O)	
1.4	Flow range from 15 to 20 MMCFD. Bore size of OP shell be specified by the bidder with (calculation data sheet) ✓	5327243 To be issued	✓	Nos	03
1.5	Flow range from 10 to 15 MMCFD. Bore size of OP shell be specified by the bidder with (calculation data sheet) ✓	53272153 To be issued	✓	Nos	03
1.6	Blind Orifice Plate for 8" ✓	53272163 53270453	✓	Nos	02
Flow Computers (Package # 2)					
2.	Flow Computer For Orifice Meter Run / Sensors For 4 Meter Run With Accessories (As per Specifications Attached) ✓	44041873	✓	Nos	01
Gas Chromatograph (GC) (Package # 3)					
3.	On-line single stream Gas Chromatograph C6+ type for the determination of Natural Gas composition with accuracy of +/- 0.05 % of Gross Btu/scf. as per specification under Clause 9. ✓	04726413	✓	No	01
DELIVERY SCHEDULE :					
The above quantities of Equipment's / Instrumentation are to be shipped in accordance with the following delivery schedule:					
Shipment	Good	Arrival Date at Karachi Port (for Cash contracts)		Delivery (for FOB) Ex-work contracts	
1	As per schedule of Requirement (Annexure - I)	28 weeks from the date of opening of Letter of Credit		24 weeks from the date of opening of Letter of Credit	


 06/03/26
 INDEPENDENT
 Engr. AAMIR SALMAN
 By: General Manager
 P & D - Transmission
 Sui Southern Gas Co. Ltd.




 HEAD OF DEPARTMENT
 (P&D)
 SHAUKAT ALI
 Act. General Manager
 Sui Southern Gas Co. Ltd.



NOT FOR BIDDING PURPOSES



08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil

Annexure: II

SSGC

SUI SOUTHERN GAS COMPANY

PROJECT: 08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO POD NUR
BAGLA FOR PATEJI X-1 GAS FIELD


Name of Bidder: _____

Date of Bid opening: _____

Document No: _____

RE V	DATE	DESCRIPTION	ORIGINAL OR	REVIEWE D	APPROV ED

Handwritten signature





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil


Annexure: II

REVISION RECORD

Revision	Date	Description of Change

NOT FOR BIDDING PURPOSE

delm





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:


SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil

Annexure: II

Contents

1. PROJECT INTRODUCTION	4
2. PURPOSE OF DOCUMENT	4
3. DEFINITIONS & ABBREVIATIONS	4
3.1. DEFINITIONS	4
3.2. ABBREVIATIONS:	4
4. CODES, REGULATIONS, STANDARDS	7
5. SCOPE OF SUPPLY:	9
6. SPECIFICATION FOR ORIFICE METER	10
7. DESIGNING PARAMETERS:	12
8. PROOF OF CERTIFICATION:	13
9. DESIGN CALCULATION & DOCUMENTS:	13
10. PERFORMANCE GUARANTEE:	13
11. INSPECTION AND TESTING:	14
12. PAINTING & COATINGS:	15
13. NAME PLATE STAMPING/MARKING:	15
14. PREPARATION OF SHIPMENT:	15
15. FINAL DOSSIER:	16
16. SPARE PARTS	17
17. RESERVATION	17
Specification of Flow Computer	Annexure-III
Specification of Gas Chromatograph	Annexure-IV



dalvi



08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil

Annexure: II

1. PROJECT INTRODUCTION

In order to cater upto 75 MMscfd gas volumes from POD Sujawal to SSGC transmission network at MVA Golarchi, 8" dia. about 9Km Pipeline to be laid from POD Sujawal to Ayesha Gas Field.

2. PURPOSE OF DOCUMENT

The purpose of this specification and other referenced project documents is to describe the minimum functional and technical requirements for Orifice Meter Run with all accessories to be installed at POD Sujawal.

3. DEFINITIONS & ABBREVIATIONS


3.1. DEFINITIONS

For the purpose of this document, the words and expressions listed below shall have the meanings assigned to them as follows:

Company Sui Southern Gas Company (SSGC).

3.2. ABBREVIATIONS:

ABBREVIATION	NAME
ANSI	American National Standard Institute
API	American Petroleum Institute
ASME	American Society of Mechanical Engineers
ASTM	American Society of Testing and Materials
ATM	Atmosphere
BB	Bolted Bonnet
BC	Bolted Cover
BE	Beveled End
BW	Butt Welding
CA	Corrosion Allowance
CONC	Concentric
Cr	Chromium





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:



SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil

Annexure: II

CS	Carbon Steel
D	Diameter
ECC	Eccentric
EFW	Electric Fusion Welded
EQ	Equal
ERW	Electric Resistance Welded
F6	Stainless Steel, 13% Cr
FF	Flat Face
GALV	Galvanize
Gr	Grade
GAD	General Arrangement Drawings
HEX	Hexagonal
ITP	Inspection Test Plan
LJ	Lat Joint
LR	Long Radius
LWN	Long Weld Neck
Manuf	Manufacturer
Max	Maximum
MVA	Main Valve Assembly
MAWP	Maximum Allowable Working Pressure
MDMT	Minimum Design Metal Temperature
Ni	Nickel
NPT	Threading as per ANSI B1.20.1
OD	Outside Diameter
PBE	Plain both Ends
PE	Plain End
P&ID	Process & Instrumentation Drawing
PVC	Polyvinyl Chloride

NOT FOR BIDDING PURPOSE





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:



SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil

Annexure: II

PT	Pressure-Temperature
PWHT	Post Weld Heat Treatment
PO	Purchase Order
R	Radius
RED	Reducing
RF	Raised Face
RJ/RTJ	Machined Face for Ring Joint
RTJ	Ring Joint Face
SRV/PSV	Safety Relief Valves/Pressure Safety Valves
SOR	Schedule Of Requirements
SAW	Submerged Arc Welding
SB	Screwed Bonnet
Sch	Schedule
SMLS	Seamless
SS	Stainless Steel
STD	Standard
SW	Socket Welding
TBE	Threaded both End
TE	Threaded End
THK	Thickness
TL	Tangent Length
VDRL	Vendor Data Requirement List
WB	Welded Bonnet
WN	Welded Neck

NOT FOR BIDDING PURPOSE





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil



Annexure: II

4. CODES, REGULATIONS, STANDARDS

- 4.1. Vendor shall meet or exceed the requirements of the latest edition of the following applicable codes, regulations and standards, except as superseded herein. In the event of a conflict between this Specifications and other specifications or correspondence, the COMPANY shall be consulted and a ruling, if writing, shall be obtained before any work is started.

ISA SP3	Standard and Recommended practices
API RP554	Process Instrumentation & Control
AGA 8	Compressibility Factors of Natural Gas and Other Related Hydrocarbon Gases.
AGA 3	Measurement of Gas by Orifice Meter
API STD 2530	Measurement of natural gas, meter sizing and design
ASME B31.8	Gas Transmission and Distribution Piping Systems
ASME B31.3	Process Piping, 2016 or latest Edition
ASME Section VIII, Div - 1,	Pressure Vessels
ASME Section IX	Qualification Standard for Welding and Brazing Procedures, Welders, Brazers and Welding and Brazing Operators
ASME Section V	Non-Destructive Examination.
ASME B16.5	Steel Pipe Flanges and Flanged Fittings
ASME B16.47	Large Diameter Steel Flanges (NPS 26 through NPS 60)
ASME B16.20	Metallic Gasket for Pipe Flanges -Ring Joint, Spiral Wound, Edition 2020.
ASME B16.21	Nonmetallic Flat Gasket for Pipe Flanges
ASME B16.9	Wrought Steel Butt-Welding Fittings, Edition 2015
ASME B16.11	Steel Socket Weld, Edition 2016
ASME B16.34	Valves -Flanged , Threaded and Welding End, Edition 2013
ASME B36.10M	Welded and Seamless Wrought Steel Pipe, Edition 2015
ASME B36.19	Stainless Steel Pipe , Edition 2004
API 600	Steel Gate Valves-Flanged and Butt-welding ends, 13 th Edition
API 602	Compact Steel Gate valves- Flanged , Threaded Welding and extended-body ends, 10 th Edition
API 594 Check valves	Wafer and Wafer-lug , and double flanged type , 7 th Edition
API 6D	Specification for Pipe line valves (Gate , Plug , Ball and Check valves) , 24 th

Salim





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil



Annexure: II

	Edition
API 6FA	Specification for test for Valves 3 rd Edition
API 607	Fire test for soft seated quarter-turn valves, 6 th Edition
API 5L	Specification for seamless and welded steel pipe, 45 th Edition
API 598	Valve Inspection and Testing , 10 th Edition
BS 1868	Steel Check Valves (Flanged and Butt-Welding ends), 1975+A1:1990 Edition
BS 1873	Steel Globe and Globe stop and Check Valves (Flanged and Butt-Welding ends) Edition 1975
BS 5351	Steel Ball Valves , Edition 1986
BS 5352	Steel Flanges Gate, Globe and Check valves (50 mm and smaller) , Edition 1981
BS 6755	Testing of valves Part 1: Production pressure testing requirements, Edition 1986
BS 6755	Testing of valves Part 2: Specification for Fire-type testing requirements ASTM Standards, as applicable, Edition 1986 Bolt Torqueing / Tensioning procedure for Flanges connection

4.2. Some requirements in Specifications may be modified by specific requirements in the Purchase Specification. In case of conflict, the specific requirements supersede these specifications.

4.3. Any deviation from these Specifications must be approved, in writing, by COMPANY. Such written approval must be obtained prior to the commencement of any work, which would constitute such a deviation.

John





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**



Rev: Nil

Annexure: II

5. SCOPE OF SUPPLY:

MANDATORY:				
5.1	The bidder shall submit duly filled, signed and stamped this Specifications sheet (by Manufacturer) with bid form to provide may result in rejection of the bid.			
5.2	These specifications cover the supply of Orifice Meters, Gas Chromatograph (GC), Flow Computers, Transmitters to be installed in natural gas transmission services & above ground installation piping assemblies designed for a maximum operating pressure of 1200 psig and temperature of -10 °C to 75 °C.			
5.3	The latest editions of ASME, API, AGA, ASME and ISA standards as specified in the Specification are the minimum accepted standards. The Bidder shall however, submit with his bid copies of alternative standards in the English language, with relevant specifications clearly underlined for easy comparison with the referenced standards.			
5.4	The identification marking shall be as follows:			
5.4.1	Manufacturer's Mark / S.No. of Meter Spools, Fittings & Orifice plate			
5.4.2	Project Mark			
5.4.3	Material Grade			
5.4.4	Purchase Order Number			
5.4.5	Inspector's Stamp			
5.5	Inspection and testing shall be carried out by the Supplier at the manufacturing plant. All item and material shall be visually examined for conformity to Purchaser's specifications and tested under the applicable codes and standards to ensure that they conform to their intended use.			
5.6	The Supplier shall submit six copies of inspection and test certificates of Meter Fittings Spools & Orifice plates to the Purchaser. Each certificate show the purchase order number and the results of dimensional, visual, pressure rating and performance inspection.			

NOT FOR BIDDING PURPOSE





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**



Rev: Nil

Annexure: II

5.7	The bidder shall provide original printed technical literature, installation, maintenance instructions manuals and detail designing of orifice meter, orifice meter tube i.e. Up / Down meter tube length & plate bore sizing calculation sheet as per AGA -3 standard with the bid. Failure to provide bid will be rejected.			
5.8	Copies of latest editions of AGA Report Nos. 3, and 8 and other relevant standard shall be submitted along with the bid.			
5.9	Bids are invited directly from the manufacturer or their authorized local agent in Pakistan. Bids from stockiest and Brokers will be rejected.			

6. SPECIFICATION FOR ORIFICE METERS

6.1	The meters shall be orifice type and shall be complete with meter tubes, orifice fittings Dual chamber type, orifice plates and blind orifice plates. Orifice plates shall be used for the measurement of natural gas flow in sales meter station (SMS), custody transfer station (CTS) and above ground installations in natural gas transmission line designed for a maximum operating pressure of 1200 psig and a maximum temperature of 75 °C. Design factor for material strength shall be 0.50. All materials to be specified shall be fit for the intended service. Meter tubes, orifice fittings and orifice plates shall conform to the requirements of ANSI/API 2530.			
6.2	Orifice plates in horizontal lines shall have weep holes to permit passage of any accumulated liquid. Orifice plates shall be in accordance with ISA-RP-3.2.			
6.3	The Bidder/Supplier shall provide complete assembly of meter tube, orifice fitting and accessories.			
6.4	Maximum standardization, while quoting for meter, in respect of the bore of the tube, bore of the fittings and flange tap locations.			
6.5	The nominal size of meter tube shall be 8" x 0.500" wall thickness in API 5L Grade B material, as specified in the Schedule of Requirements.			
6.6	Maximum operating pressure shall be 1200 psig.			
6.7	The pressure rating shall be ANSI Class 600.			





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**


Rev: Nil

Annexure: II

6.8	For 8" inches nominal pipe sizes the length of straight pipe upstream of the orifice plate shall be 45D and downstream meter, tube length shall be 6D taken from the center of the orifice plate The orifice flange taps shall be located in the top quadrant. Flow Conditioner may be used to reduce the Upstream length if AGA Standard allowed and supplier would have to provide the lab test certificate endorsed by 3 rd Part Inspection Firm.			
6.9	The outer end of the upstream meter tube shall be provided with a weld neck flange faced with RTJ and to ANSI Class B16.5. The outer end of the downstream meter tube shall be prepared for welding to the adjacent pipe work. The bevel angle shall be 3 1/8° ± 1/2°.			
6.10	The orifice fittings shall be dual chambered type with easy and quick installation facilities with upstream end welded to the meter tube and downstream end flanged for joining to upstream flanged end of the downstream meter tube.			
6.11	Cover plate hinged at one side would be preferred but the Bidder shall also quote for having other cover clamping arrangement.			
6.12	Internal diameter of fitting shall be 7.625" and pressure rating to ANSI Class 600.			
6.13	Flanged end of the fitting shall be RTJ, drilled and faced according to ANSI B16.5 and conform to ANSI Class 600. Bore of flange shall be 7.625" complete with gaskets, studs and nuts etc.			
6.14	Orifice fitting on its both sides to be provided with two sets of 1/2" NPT flange taps located in accordance with AGA recommendations and with tapered pipe treads and plugged.			
6.15	Size of drain tap shall be 3/4" and tapered pipe threads and plugged.			
6.16	The Bidder shall indicate for the sealing arrangement and material for sealing parts of the orifice fittings. The seal ring for orifice plate should be of the material, which can withstand the maximum operating temperature of 75°C.			
6.17	3/4" and 1/2" treaded couplings; threads to ANSI B2.1 NPT and pressure rating 3,000 lbs. for Thermowell and pressure gauge respectively shall be provided in the downstream tube at a distance as recommended by AGA Report No.3. Thermowells should be located to sense the average temperature of the gas at the orifice plate.			
6.18	Meter tubes shall comply with the requirements and			

NOT FOR BIDDING PURPOSE

Adham





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:
Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**



Rev: Nil
Annexure: II

	restrictions for the inside surface smoothness as specified in AGA Report No.3 and ANSI/API 2530. Inside pipe walls roughness shall not exceed 300 micro inches.			
6.19	Seamless or electric resistance welded (ERW) with straight seams shall be used for meter tubes.			
6.20	Abrupt changes in diameter shall not exist in meter tubes. Irregularities that affect the inside diameter more than permitted shall be corrected.			
6.21	Orifice fitting flange and corresponding tube flanges to have dowel pin alignment.			
6.22	Tube and carriers should be shipped in assembled form.			
6.23	Two sets of gaskets, one installed and one spare to be provided.			
6.24	Each orifice plate shall bear a unique serial number engraved or inscribed on the plate, for traceability and record-keeping purpose.			

7. DESIGNING PARAMETERS:

a)	Gas Flow Range	35-45 MMSCFD for 8" O. M as specified in the Schedule of Requirement. (Annexure - I)		
b)	Critical / Minimum Operating Pressure	1000 psig. (Annexure-I)		
	Max Operating Pressure	1200 psig.(Annexure-I)		
c)	Operating Temperature Range	40° - 120° F		
d)	Gas Quality	As per Annexure - A		
e)	Design Pressure	1300 Psig		
F	Design Temperature	-10 °C to 75 °C		

Adm





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil

Annexure: II

8. PROOF OF CERTIFICATION:

8.1	The manufacturer shall provide documentation with the bidding documents for the in-house quality control program, which is strictly adhered to the production of all manufactured equipment. This program must adhere to an internationally accepted quality control standard such as ISO 9000 series / API Specification Q1. Failure to provide certification or proof of compliance may result in rejection of the bid.			
8.2	The Supplier shall supply six copies of as-built drawings including one reproducible test certificates and six copies of comprehensive operation, maintenance and repairs manual.			


9. DESIGN CALCULATION & DOCUMENTS:

9.1	The manufacture shall submit design calculation sheet for Orifice Meter Run sizing, performance curve / data and pressure drop etc.; for the equipment and auxiliaries. Failure to provide bid will be rejected.			
9.2	The Bidder shall submit with the bid printed technical literature of all quoted equipment's i.e Flow computer, Orifice Meter, Gas Chromatograph (GC) & Transmitter drawings (P&ID & GAD) etc. of the each quoted item showing details such as dimensions, connections, material and other technical details of the quoted equipment's.			
9.3	The Bidder shall submit a complete instrumentation assembly drawing showing all hookup details for field installation to facilitate smooth functioning of Orifice meter run. Failure to provide above documents may result in rejection of bid.			
9.4	The Bidder shall provide price list of recommended spares for separation equipment's and auxiliaries for two years operational maintenance.			
9.5	The Bidder shall provide manufacture authority letters in favor of local agent for all offered items and its auxiliaries. In case of failure to provide bid will be rejected.			

10. PERFORMANCE GUARANTEE:

10.1	The manufacturer shall be required to guarantee that offered Orifice Meter Run along with accessories will meet Custody Transfer measurement requirements (as per AGA Standard) when operating under stated design conditions.			
------	--	--	--	--

Handwritten signature and stamp





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:


**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil

Annexure: II

	<p>The manufacturer will provide the undertaking on own letter's head for measurement acquiring as per AGA Standard guarantee which confirm the following;</p> <ul style="list-style-type: none"> • Sizing and selection Orifice meter and Orifice plate as given in this documents. • Accuracy of Orifice Meter / Flow Computer as per standard. 			
11. INSPECTION AND TESTING:				
11.1	General:			
11.1.1	The Contractor shall submit an Inspection and Testing Plan (ITP) covering all relevant components, completed equipment and systems. ITP shall be reviewed and approved by Purchaser or its nominated 3 rd Party Inspector.			
11.1.2	The Contractor shall be liable to submit NDT(s) of all material used in fabrication of Orifice Meters (Dual Chambered) and Tubes.			
11.1.3	All non-destructive examination shall be carried out in accordance with the approved project quality plan and approved Inspection & Test Plan (ITP).			
11.1.4	All personnel involved in non-destructive testing shall be qualified to a nationally recognized standard.			
11.1.5	The Purchaser or its nominated 3 rd party Inspection firm shall have the right to witness at any time the fabrication, testing and shipment of the equipment supplied in accordance with these Specifications and to verify compliance with terms and conditions of the Contract.			
11.1.6	The responsibility for inspection rests with the contractor. However, the company reserves the right to inspect Orifice Meter Run with all accessories at any time during fabrication to ensure that materials and workmanship are in accordance with these specifications, and /or approved drawings.			
11.1.7	The approval of any work by the company or their authorized representative and the release of a Orifice Meter Run with all accessories for shipment shall in no way relieve the contractor of any responsibility for carrying out the provisions of these specifications. It should be noted that review and approval of any type of			

NOT FOR BIDDING PURPOSE





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil

Annexure: II

	documents is for quality assurance purpose only. The contractor is responsible for checking of compliance with the documents, these specifications, and codes.			
11.1.8	The contractor shall provide calibration certificates of testing instrumentation for review by the inspector prior to each test.			
11.1.9	All testing procedure of Orifice Meter Run with all accessories shall be 100% witnessed by SSGC's nominated third party as per In-shipment Third Party Inspection & Testing Document.			

12. PAINTING & COATINGS:

	External surface treatment shall be sand blasted and coated as following; Surface Preparation: Sa 2 ½ as per ISO 8501 Primer Coat: Inorganic Zinc Silicate (40 - 100 µ) Intermediate Coat: Polyamide Epoxy (25 - 25 µ) Finish Coat: Aliphatic Polyurethane (50 - 60 µ) Total DFT = 250-260 µ (min.)			
--	--	--	--	--


13. NAME PLATE STAMPING/MARKING:

13.1	The Orifice Meter under these Specifications shall be fitted with a readily visible welded marking plate of 316 stainless steel carrying an identification label. Said label shall show the following details as minimum:			
	✓ Name of Manufacturer.			
	✓ Manufacturer's Serial Number.			
	✓ Purchase Order Number.			
	✓ Maximum Allowable Working Pressure.			
	✓ Minimum & Maximum Design Temperature/ Pressure.			
	✓ Design Flow Range.			
	✓ Calibration Date.			
	✓ Orifice Meter Weight.			
	✓ Year of Manufacturing.			
13.2	Nameplate shall be placed at proper location and shall be readable from ground installation.			

14. PREPARATION OF SHIPMENT:

14.1	The Orifice Meter with all accessories shall be dried and			
------	---	--	--	--

Handwritten signature





**08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD**

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil


Annexure: II

	cleaned thoroughly of all grease, loose scale, rust, flux and weld spatter, both internally & externally after calibration test.			
14.2	All machined surfaces and threaded connections shall be protected by coating with rust preventative.			
14.3	All Equipment's (Orifice Meter, Flow Computer, Gas Chromatograph (GC) 'Transmitters) shall be protected with steel plate covers attached by proper bolting or strapping and sealed with plastic compound. Screwed connections shall be protected with threaded forged steel plugs.			
14.4	For internal parts, suitable supports shall be provided to avoid any damage during shipment.			
14.5	The contractor shall be responsible for loading and anchoring equipment has to prevent any damage during shipment.			
14.6	When shipped loose, all instruments and Orifice Meter parts shall be tagged with identification numbers to facilitate match up with appropriate equipment. Tags and wire shall be of stainless steel. All such items shall be boxed.			
14.7	Contractor shall confirm in proposals for long term storage of instrumentation items for both indoor and open environment considering marine environment.			

15. FINAL DOSSIER:

15.1	Contractor shall furnish six copies of the following Final Reports and data sheets prior to delivery of Orifice Meter Run with all accessories:			
	✓ Material Test Certificate.			
	✓ Reports of Material Test.			
	✓ Proposed Test Procedure.			
	✓ Inspection & Test Plan signed by QC & TPI.			
	✓ Design Calculations for all instruments, including calibration data			
	✓ Detail Drawings.			
	✓ General Arrangement Drawings.			
	✓ Name Plate Drawings (Orifice Meter, Flow Computer & GC).			
	✓ Flow computer Details Drawings.			
	✓ Welding Procedure Specification.			

Salim





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

**SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)**

Rev: Nil

Annexure: II

	✓ Procedure Qualification Record.			
	✓ Non-Destructive Tests Record.			
	✓ All Inspection Reports.			
	✓ Transportation Procedure.			
	✓ Calibration Certificate of equipment's.			
	✓ Drawings/ Sheets of Orifice Meter Run, GC, Flow Computer and all associated equipment's.			
	✓ Operating/ Maintenance /Installation Manuals of and associated equipment's.			
	✓ Price list of Spare Parts for two years operation.			


16. SPARE PARTS

16.1	Bidder shall provide price list of recommended spares for 2-years operation, maintenance and replacement.			
------	---	--	--	--

17. RESERVATION

17.1	The purchaser shall have the right to witness at any time the fabrication, testing and shipment of the separation equipment is supplied in accordance with these Specifications and to verify compliance with terms and conditions of the contract.			
17.2	The Supplier shall give proper notice of the commencements of separation equipment fabrication and testing under these Specifications to the Purchaser.			

dah





08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO
POD NUR BAGLA FOR PATEJI X-1 GAS FIELD

Tender Enquiry No:

Doc. No.:

SPECIFICATION FOR INSTRUMENTATION
ORIFICE METER RUNS WITH ALL ACCESSORIES
(8" CL-600)

Rev: Nil


Annexure: II

18. NATURAL GAS COMPOSITION:

Synod	Contents	Units	Range
1	Methane	mole %	85 - 96
2	Ethane	mole %	0.30 - 6.00
3	Propane	mole %	0.10 - 3.00
4	Iso-Butane	mole %	0.01 - 0.40
5	Normal Butane	mole %	0.01 - 1.00
6	Iso Pentane	mole %	0.04 - 0.20
7	Hexane and Plus(C6+)	mole %	0.08 - 0.5
8	Nitrogen	mole %	0.00 - 7.0
9	Sulphur (Max)	grain / 100 SCF	<3.5
10	Carbon Dioxide	mole %	0.6 - 3.00
11	Oxygen	mole %	0.2
12	Hydrogen Sulfide (H ₂ S)	grain / 100 SCF	<0.2
13	Mercaptans	mole %	0.00 - 0.30
14	Water Contents	lbs / MMSCF	0.00 - 7.0
15	Calorific Values	Btu / SCF	900 - 1100
16	Specific Gravity		0.55 - 0.70

NOT FOR BIDDING PURPOSE

Handwritten signature



Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

FLOW COMPUTER – FOUR METER RUN

1. SERVICE

1.1. Fiscal/Custody Transfer Measurement of Natural Gas.

2. TYPE

2.1. Four run (at least) Field mounted flow computer, with integral/ remote mounted multivariable sensors for measurement of differential pressure & static pressure and direct input from 4 wire Dual RTD for measurement of line temperature.

3. CAPABILITY

- 3.1. Flow computer to measure, monitor & provide control for gas flow for four orifice meter runs.
- 3.2. Should have capability to interface with online gas chromatographs for online computation of gas analysis & gas volume determination.
- 3.3. Expansion compatibility as needed (I/O, Com, Applications)
- 3.4. The flow Computer should have provision of Calibration and Verification.

4. USER INTERFACE

4.1. By laptop using windows based software & local keypad/ touch screen with display.

5. ACCURACY AND PERFORMANCE


High accuracy with error margin within 0.1 to 0.25%

- 5.1. **Response time**
Fast response time up to milliseconds
- 5.2. **Repeatability**
High repeatability to ensure consistent readings

6. Computational Capabilities

- 6.1. **Real time calculation**
Capable of performing real time calculations
- 6.2. **Flow Calculations standards.**
Compliance with international standards such as ISO, AGA, GPA, ASTM and API
- 6.3. **Totalization**
Capability of totalizing flow over time (cumulative flow measurement)

NOT FOR BIDDING PURPOSE



 KHURRAM ALI NAYYER Engineer Measurement Transmission	 Engr. Naseer Ahmad Dy. Chief Engineer Measurement Transmission XI Sui Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LNG) Karachi Terminal
---	--	---

Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

7. COMPENSATION ALGORITHM

- Temperature Compensation
- Pressure Compensation
- Supercompressibility

8. INPUTS/OUTPUTS

- 8.1. Receives differential pressure, static pressure & temperature inputs from Four meter run from remote mounted multivariable sensors in multi drop configuration, support AI/AO, DI/DO and PI.
- 8.2. **Analog input**
Multiple analog inputs for differential pressure, temperature and static pressure (4 to 20 mA, 0 to 5V)
- 8.3. **Digital input**
Digital inputs for status signals or alarms
- 8.4. **Output**
Multiple analog output for flow rate temperature and pressure (4 to 20 mA, 0 to 5V)
- 8.5. **Pulse output**
Pulse output for totalizer or batching applications

9. COMMUNICATION

- 9.1. 1 No. RS-232 Serial Port OR USB port for configuration and data retrieval with Laptop/ PC.
- 9.2. 1 No. selectable RS-232/485 Serial port for interfacing with SCADA System of the user. The serial port should be able to communicate with SCADA server on native Modbus protocol. Modbus registers should be configurable for addresses & flow parameters.
- 9.3. 1 No. Selectable RS-232/485 serial port for interfacing with online Gas Chromatograph.
- 9.4. 1 No. RS-232 serial port for data communication through external GSM Modem.

10. SENSOR SPECIFICATION

- 10.1. **Differential Pressure Transmitter**
4 to 20 mA input
Ranges: 0 to 1000 inches H₂O
- 10.2. **Temperature Transmitter**
RTD (Pt100, Pt1000)
Thermocouples (Type J, K, T, E)
- 10.3. **Static Pressure transmitter**
4 to 20 mA input
Ranges: 0 to 3000psi



 KHURRAM ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Engr. Naseer Ahmad Dy. Chief Engineer Measurement Transmission KT Sui Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LNG) Karachi Terminal
---	--	---

Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

11. CONFIGURATION

- 11.1. Through windows based software running on PC/ Laptop. Same software should be able to retrieve data and convert data files into formats those can be opened with windows based software such as WordPad, Notepad, Excel & PDF. Software should have option to retrieve electronic flow meter report.

12. CLASSIFICATION

- 12.1. Should be certified for use in Class 1, Div 2, Group A, B, C & D hazardous Location. Certificate to be provided.

13. POWER SUPPLY

- 13.1. Solar Modules Class 1 Div 2 with fixtures and fittings.
13.2. Maintenance free re-chargeable batteries having output compatible with Flow Computer Supply input.
13.3. The Batteries must have at least two weeks life for powering Flow Computer & its associated modules and transmitters without charging current.
13.4. Power Supply must be 24V DC
13.5. The batteries should be rechargeable from a solar panel with compatible solar charge controller.
13.6. Batteries and charge controller should be enclosed in an explosion proof box suitable for use in Class 1 Div 2 hazardous area (certificate is required).


ENVIRONMENTAL SPECIFICATION

- 13.7. **Operating Temperature**
-10 to 55 deg. C.
13.8. **Humidity**
Relative humidity: 0 to 95% non-condensing
13.9. **Ingress protection**
Enclosure rating: IP65 or higher for harsh environment

14. CALCULATIONS

- 14.1. Should be able to calculate standard volume based on actual volume as per AGA-3 (latest version) including AGA 3 part 4 for pressure & temperature compensated volume.

 KHURRAM ALI NAYYER Engineer Measurement Transmission SSGC K.T.	 Engr. Naseer Ahmed Dy. Chief Engineer Measurement Transmission K.T Sui Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LNG) Karachi Terminal
--	---	---



Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

- 14.2. AGA-8 (latest edition) for super compressibility factor including detailed, gross-1 and gross-2 method.
- 14.3. ASTM D-3588/ GPA 2172 (Latest editions) for calculation of gross heating value, relative density, and compressibility.

15. FEATURES

- 15.1. Should have historical data base to provide archiving of measured & calculated values for on demand viewing & saving to a file. Each unit in historical data base should be configurable to archive current value, average value, totalized value or accumulated value for Four meter run.
- 15.2. Should be able to keep historical data of min. 35 days of hourly data & daily data for up to 35 days in standard history.
- 15.3. Should be able to keep historical data up to 12 points at a configurable interval i.e., 1, 2, 3, 4, 5, 10, 20 or 60 minutes in extended history.
- 15.4. Should be able to log minimum 200 alarms.
- 15.5. Should be able to log minimum 200 events.
- 15.6. Should have capability of logic & sequencing control using up to 4 user defined programming parameters.

16. ENCLOSURE

- 16.1. CSA Certified for Class 1, Div. 2 Group A, B, C & D for Hazardous area (or equivalent).

17. Compliance and Certification

- 17.1. Should be in compliance with ISO 55167, API and AGA

18. REQUIRED ACCESSORIES

- 18.1. Four (04) Nos. multivariable sensor, 316 SST Body & Diaphragm 0-1000 in H2O DP Range, 0-3000 Psig Static Pressure range with 0.075% accuracy.
- 18.2. Four (04) Nos. 4 wire Pt.100 Dual RTD having accuracy class A, as per IEC-751 Standard with 0.00385 Temperature coefficient along with 20 feet lead wires.
- 18.3. Four (04) Nos. 316 SST thermos well suitable for line size from 12 inch with 3/4 inch NPTM process connection.
- 18.4. Solar panel with mast mounted on top of the flow computer.
- 18.5. Rechargeable Batteries placed in explosion proof box CSA Certified for use in class 1, div 2, Group A, B, C & D Area, Solar charge controller with built-in charge compatible with solar



 KHURRAM ALI NAYYAR Engineer Measurement Transmission SSGC K.T.	 Engr. Naseer Ahmad Dy. Chief Engineer Measurement Transmission K.T. Sul Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LN) Karachi Terminal
--	--	--



NOT FOR BIDDING PURPOSE

Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

- panel and batteries for power input to Flow Computer suitable for use in Hazardous area. The power system must have back-up of at least 2 weeks, when charging current is not available.
- 18.6. Four (04) Nos. manifolds comprising of 05 valves with double block and by-pass configuration for gas industry, 316 SST with dielectric fitting.
 - 18.7. Software for configuration & data retrieval on USB.
 - 18.8. One (01) No. Rugged/ Tough book Laptop loaded (latest generation) with required software for configuration of Flow computer & data downloading and compatible data cable with each flow computer offered.

19. SECURITY

- 19.1. The flow computer should provide security within the unit. A minimum of 06 log on identifies (IDs) may be able to store.
- 19.2. The local operator interface has security enabled by default. The host port can likewise be configured to have security protection but is disabled by default.

20. COMPLIANCE AND APPROVALS

- 20.1. The flow computer offered shall be compliant to API Chapter 21.1 for archiving of measured & calculated values for audit trail.
- 20.2. The flow computer offered should have been certified by a reputable metrology organization/institute for verification of the volume conversion calculation as per referred standards in the offered flow computer specs. Certificate to this effect shall be included with the bid.

21. FUNCTIONAL VERIFICATION

- 17.1 Supplier shall arrange functional verification of flow computer, as per technical specifications of SSGC by installing the flow computer at selected location including communication of flow computer with online gas chromatograph. Any cost for this must be included in the price.

22. DELIVERY PERIOD


- 22.1. The delivery period shall be 24 weeks after receiving the purchase order.

as per SOR.

S/127/14/2026



 KHURRAM ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Exgr. Naseer Ahmed Dy. Chief Engineer Measurement Transmission KT Sui Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LNG) Karachi Terminal
---	--	---



Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT
Description	Flow Computer Four Meter Run
Spec #	K.T Meas/ FC 4 Stream/Oct 2023

MANDATORY REQUIREMENT

- 1) The bidder shall supply relevant Windows-based software along with communication cables / leads & operating manual as a package.
- 2) The bidder shall provide the one-year spares which are marked, considered, or suggested by the OEM of the offered product as mandatory.
- 3) The bidder shall provide sales track record of the offered item for the last five (05) years to the renowned / multinational oil/gas companies. The detail should include purchase order number, model number and e-mail address of the purchasing companies.
- 4) Bidder shall provide original printed or soft copy of literature / manual.
- 5) The supplier shall submit FAT document and inspections as well as test certificates at the time of delivery.
- 6) In-house quality control program to be submitted which must adhere to internationally recognized quality control standards such as ISO-9000 Series or equivalent.

NOT FOR BIDDING PURPOSE



 KHURRAM ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Engr. Master Ahmed Khan Dy. Chief Engineer Measurement Transmission KT Sui Southern Gas Co. Ltd.	 Farhan Umar GM (Meas-Trans & LNG) Karachi Terminal
---	---	---



Technical Specification

Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec #	Meas. -Trans./ QGM/ GC/ July 2025		

General Requirement:

This specification covers the supply of an On-line Gas Chromatograph C6+ type for the determination of Natural Gas composition.

Specific Requirement:



1. Gas Chromatograph

- 1.1. The Gas Chromatograph System shall comprise an Analyzer Controller and an Integral Sample Conditioning System in a single unit.
- 1.2. The GC shall be suitable for analysis of Natural Gas components from C1 to C5, with remaining higher hydrocarbons lumped together as C6+, as well as Carbon dioxide and Nitrogen in % mole and minimum quantities in PPM.
- 1.3. The GC shall operate at a sample gas inlet pressure of 15 to 25 psig.
- 1.4. Reports and calculations generated by the system shall be in English units.
- 1.5. The Repeatability of the system shall be within $\pm 0.025\%$ calorific value (± 0.25 BTU/1000 BTU) when operated at varying ambient temperatures from -20°C to $+55^{\circ}\text{C}$ and $\pm 0.125\%$ calorific value (± 0.125 BTU/1000 BTU) in a controlled environment.
- 1.6. The GC shall conform to safety standards and certification such as the latest Gas Processors Association (GPA) and American Gas Association (AGA) calculations, in compliance with American Petroleum Institute (API) requirements.
- 1.7. The GC system operation shall be on DC Power 24VDC

2. Solar Power System with each GC

- 2.1. 2 Nos. of 600W (or above) Solar Modules, having Class 1 Div 2, with fixtures and fittings for surface mounting.
- 2.2. 4 Nos. of 12V-100Ah (or above) maintenance free premium gel type batteries;
- 2.3. Pre-wired solar control panel MPPT charge controller 50A (or above);
 - Nominal maximum output: 24V – 1200W (or above)

 RAM ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Engr. Naseer Ahmed Kandaro Dy. Chief Engineer Measurement Transmission K.T. Sui Southern Gas Co. Ltd	 Engr. Aatif Ahmed Shaikh Chief Engineer Gas Quality (Measurement) K.T. Sui Southern Gas Co. Ltd
---	--	---





Technical Specification

Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec#	Meas. -Trans./ QGM/ GC/ July 2025		

- Operational Temperature: -40°C to 60°C of Temperature Range
- Features: Data logging, 98% efficiency (or above), fan-less cooling through heat sink
- Compliance: IEC/UL standards

2.4. Circuit breakers and fuses:

- 1 Nos. of 16Amp fuse SP (32Amp body)
- 1 Nos. of DC breaker for PV: 16Amp
- 1 Nos. of DC breaker for batteries: 63Amp
- 1 Nos. of DC breaker for load: 4Amp
- 1 Nos. of 25 Amp for inverter DC breaker
- 1 Nos. of 4Amp AC Breaker (2P) for inverter output
- 1 Nos. of Socket for laptop charging
- Surge-arrester: 600Vdc




2.5. Power Inverter (off-grid)


- Power rating: 400-500 W
- AC output voltage: 220 V_{ac}
- Protection: IP65 or above
- Pure sine wave
- Battery operating voltage: 24 V_{dc}
- Operating temperature: -5°C to 55°C
- Protections: Reverse polarity, short circuit, overload, over voltage
- Compliance: IEC/UL/CE standards

2.6. Pole mounted NEMA3R Enclosure Box for housing specified batteries, inverter, charge controller and protection system. It must be rainproof and contains knockouts and ventilation.

2.7. Cables:

- 90-meter PV cable (4-6mm²), suitable for 600V or above: Flexible, XLPO insulation, tin coated pure copper, double insulation.

 Khairam Ali Nayyar Engineer Measurement Transmission SSGC K.T.	 Engr. Naveed Ahmad Dy. Chief Engineer Measurement Transmission/KT Sui Southern Gas Co. Ltd	 Engr. Atiq Ahmed Shaikh Chief Engineer Gas Quality Measurement & T Sui Southern Gas Co. Ltd
---	---	--



NOT FOR BIDDING PURPOSE

Technical Specification



Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec #	Meas. -Trans./ QGM/ GC/ July 2025		

2.8. 6-meter DC cable (16mm²), suitable for 450V or above; Flexible, conform to IEC 60228-class 1 standards.

2.9. MCW connectors 2 pairs suitable for 1000V.

2.9. 50 No. of O-Lugs (16mm²)

3. Analyzer

3.1. The detector of the analyzer shall be of Thermal Conductivity Detector (TCD) type.

3.2. The Analyzer shall have an electrically heated oven which contains detectors, columns, and valves in a single temperature-controlled assembly. The oven shall be approved for Class I Div. II Groups C and D.

3.3. The Analyzer shall have micro packed or capillary columns producing sharp peaks for improved component separation, including neo-pentane from iso-pentane.

3.4. All sample, carrier and calibration gas lines shall be in stainless steel fitting.

3.5. Analysis cycle time shall be between 3 to 5 minutes.

3.6. The Analyzer shall be suitable for field mounting in an open area /under sunshade and UL, CSA or CENELEC listed for used in Class I Div. II, Groups C and D.

4. Controller


4.1. The Controller shall be integrated system.

4.2. The GC controller shall transmit complete Gas Composition data and interface to local or remote (through modem) Flow Computers via RS 232 and RS 485/422.


4.3. Physical properties calculations in the Controller shall be flexible and variable in mole% and PPM (if small concentration) concentrations and include energy calculation in BTU/Std cubic ft on a Gross, Net, Saturated, Dry, and Actual basis, as well as Wobbe Index, compressibility, and Relative density. Calculations shall be based on the latest GPA 2172, ASTM-D3588, AGA 8 and ISO-6976 methods.

4.4. A built-in keypad/touchpad with display within the GC enclosure for local operation and monitoring of data and parameters,

4.5. The GC shall be calibrated manually at any time and automatically on a configurable schedule.



 MURRAIN ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Engr. Naseer Ahmed Kandhoo Dy. Chief Engineer Measurement Transmission K.T. Sui Southern Gas Co. Ltd	 For G.M (Meas. Trans & LNG) Engr. Aatif Ahmed Shaikh Chief Engineer Measurement Transmission K.T. Sui Southern Gas Co. Ltd
--	---	--





Technical Specification

Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec#	Meas. -Trans./ QGM/ GC/ July 2025		

- 4.6. The GC shall store analysis results with cycle reports in non-volatile memory.
- 4.7. Data shall be saved in Text file / Excel file (in comma delimited ASCII format), or in internet- ready HTML file using the provided software.
- 4.8. Daily archives of every analysis cycle shall be maintained for a minimum of 35 days or above.
- 4.9. Daily average of 35 days or above shall be maintained.
- 4.10. Hourly average of 840 hours or above.
- 4.11. A minimum of 300 Event logs and 100 Alarm logs shall be available for maintenance and audit purposes.
- 4.12. The GC system shall provide multi-level security within the unit and be able to store log-on IDs for user access control.

5. Communications

- 5.1. A minimum of two (2) field configurable Modbus serial communication ports shall be available in the GC Controller with firmware to support both ASCII and RTU implementation.
- 5.2. Two Nos. RS-232/RS-485, and Ethernet communication ports.
- 5.3. The GC shall have advanced 16/32-bit analog-to-digital converters.


6. Software (For each GC)

- 6.1. The system shall be supplied with software installed in the GC controller.
- 6.2. Software for configuration, operation, and troubleshooting to run on PC shall be supplied on CD/USB.
- 6.3. Software shall be compatible with Windows 10 and 11 operating system.

7. Accessories (For each GC)

- 7.1. Carrier Gas System: Along with 02 Nos. dual stage regulator in stainless steel including gauge and valves and bottle connector compatible with CGA580 capable of regulating inlet pressure of up to 3000 psig, for carrier gas cylinders allowing empty cylinder replacement without interrupting GC Operation. Including manifolds for uninterrupted supply to GC.

 RAM ALI NAYYER Engineer Measurement Transmission SSGC K.T.	 Master Ahmad Zaidano Dy. Chief Engineer Measurement Transmission Sui Southern Gas Co. Ltd.	 Amir Shaha for GM (Meas. Trans. & LUG) Chief Engineer Measurement Transmission Sui Southern Gas Co. Ltd.
--	--	---





Technical Specification

Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec.#	Meas. -Trans./QGM/ GC/ July 2025		

- 7.2. Calibration Gas System: 01 No. Dual stage regulator in stainless steel including gauge and valves and bottle connector compatible with CGA-510, capable of regulating inlet calibration gas pressure of up to 1100 psig.
- 7.3. Seamless Steel fittings and accessories for sample, Helium & calibration streams intake to analyzer
- 7.4. One (01) No. Rugged/ Tough book Laptop loaded (at least 10th-Gen or better) with required software for configuration & data downloading and compatible data cable with each Gas Chromatography system offered.
- 7.5. Filter and other accessories for ensuring dry gas sample to GC.
- 7.6. The sampling system shall have a proper condition system in compliance with the requirements of API 14.
- 7.7. Stainless steel tubing to be provided with the GC system as follows:
 - 100ft seamless tube for sample line of size 1/8".
 - 20ft tube for Calibration Supply line, size compatible with GC inlet.
 - 20ft tube for Helium Supply line of size compatible with GC inlet.


8. Sample probe

- 8.1. Retrievable sample probe for pipeline connection 1" NPT.
- 8.2. Regulator of material 316-SS for supply range from 0-30 PSIG.
- 8.3. Adjustable insertion length of size 24" dia.
- 8.4. Probe can be installed and removed at line pressure from 25 to 1500 PSIG while pipeline is in operation.
- 8.5. Outlet pressure gauge along with the isolation valve.
- 8.6. The probe can be easily installed without isolating the line.
- 8.7. Compliance with API standards

9. Operation and Service Manual

- 9.1. The supplier shall provide an original copy of the "Program file" & TWO copies each of operation, service manuals and drawings for installation and commissioning of the system.

Prepared By	Checked By	Approved By
 KHURRAM ALI NAYER Engineer Measurement Transmission SSGC K.T.	 Eng. Masood Ahmed Qadbi Dy. Chief Engineer Measurement Transmission MT Sul Southern Gas Co. Ltd	 Mr. G.M. (Niaz) (SNG) Chief Engineer Quality Measurement K.T. Sul Southern Gas Co. Ltd





Technical Specification

Department	MEASUREMENT – TRANSMISSION DEPARTMENT	Section	GAS QUALITY MEASUREMENT
Description	ON-LINE GAS CHROMATOGRAPH GC WITH C6+ HYDROCARBONS		
Spec #	Meas. -Trans./ QGM/ GC/ July 2025		


10. Delivery Period

The delivery period shall be 24 weeks after receiving the purchase order as per SOR. *Sf 27/4/2026*

MANDATORY REQUIREMENT

- 1) The bidder shall supply relevant Windows-based software along with communication cables /leads & operating manual as a package.
- 2) The bidder shall provide one-year spares with shipment which are marked, considered, or suggested by the OEM of the offered product as mandatory.
- 3) The bidder shall provide sales pack record of the offered item for the last five (05) years to the renowned / multinational oil/gas companies. The detail should include purchase order number, model number and e-mail addresses of the purchasing companies.
- 4) Bidder shall provide original printed & soft copy of literature / manual.
- 5) The supplier shall submit FAT document and inspections as well as test certificates at the time of delivery.
- 6) In-house quality control program to be submitted which must adhere to internationally recognized quality control standards such as ISO-9000 series or equivalent.

<i>KA</i> KHURRAM ALI NAYYER Engineer Measurement Transmission SSGC K.T.	<i>Mf</i> Sgt. Yaseer Ahmed Kandiro Dy. Chief Engineer Measurement Transmission Sul Southern Gas Co. Ltd.	<i>A P</i> Mr. S.M. Chaudhary Chief Engineer Measurement Transmission Sul Southern Gas Co. Ltd.
--	---	---



NOT FOR BIDDING PURPOSE



SSGC
PLANNING &
DEVELOPMENT
DEPARTMENT

SUI SOUTHERN GAS COMPANY LIMITED

SPECIFICATION FOR INSTRUMENTATION
(ORIFICE METER RUN WITH ALL ACCESSORIES)

PRE-SHIPMENT THIRD PARTY INSPECTION & TESTING


ANNEXURE-V

PROJECT: 08" DIA X 09 KM PIPELINE FROM POD SUJAWAL TO POD NUR BAGLA
FOR PATEJI X-1 GAS FIELD

Name of Bidder: _____

Date of Bid opening: _____

NOT FOR BIDDING PURPOSE





SSGC
PLANNING &
DEVELOPMENT
DEPARTMENT

SUI SOUTHERN GAS COMPANY LIMITED

SPECIFICATION FOR INSTRUMENTATION
(ORIFICE METER RUN WITH ALL ACCESSORIES)

PRE-SHIPMENT THIRD PARTY INSPECTION & TESTING

ANNEXURE-V


1. INSPECTION AND TESTING

1.1. General:

- The Contractor shall submit an Inspection and Testing Plan (ITP) covering all relevant components, completed equipment and systems. ITP shall be reviewed and approved by Purchaser or its nominated 3rd Party Inspector.
- The Contractor shall be liable to submit MTC(s) of all material used in fabrication of Orifice Meter Runs with all Accessories.
- All non-destructive examination shall be carried out in accordance with the approved project quality plan and approved Inspection & Test Plan (ITP).
- All personnel involved in non-destructive testing shall be qualified to a nationally recognized standard or ASNT.
- The Purchaser or its nominated 3rd party Inspection firm shall have the right to witness at any time the fabrication, testing and shipment of the equipment supplied in accordance with this specification and to verify compliance with terms and conditions of the Contract.
- The responsibility for inspection rests with the 3rd party inspector to inspect Dual Chamber Type Orifice Meter Run with all accessories during fabrication to ensure that materials and workmanship are in accordance with the specifications, and /or approved drawings of the subject project for which the material is procured.
- The approval of any work by the company or their authorized representative and the release of a Dual chamber Type Orifice Meter Runs with all accessories for shipment shall in no way relieve the contractor of any responsibility for carrying out the provisions of these specifications.
- The contractor shall provide calibration certificates of testing instrumentation for review by the inspector prior.
- All testing procedure of Instruments shall be 100% witnessed by SSGC's nominated third party inspector as per approved & Testing Plans.

1.2. Inspection / Testing Of Orifice Meters:

- The 3rd party inspector shall check & verify the orifice type and meter tube, orifice-fittings Dual chamber type, Orifice plates design conformance of SSGC Technical Specification.
- TPI shall check & verify design factor for material strength shall be 0.50 & confirm that Meter Tube, Orifice Fittings and Orifice Plates as per requirement of ANSI /API 2530.
- TPI has responsibility for inspection/checking of Orifice Plates should be in accordance with ISA-RP-3.2 and horizontal in line weep holes in Orifice plates.



- Third party inspector has responsibility for ensuring that the length of straight pipe Upstream of the Orifice Plates shall be accordance with specification & standard.
- TPI shall ensure/ confirm the outer end of up-stream meter tube shall be with weld neck & flange neck as per SOR / SSGC Technical Specification and outer end of the downstream meter tube shall be bevel end with angle $37\ 1/2^\circ \pm 2\ 1/2^\circ$.
- Third Party inspector shall ensure internal diameter of the fittings should be same ID of line pipes as specified in SOR.

TPI shall ensure the following standards for Stud Bolts with Nut and washers;

- Stud Bolt, Nuts thread & Washers: ASTM A 193.
- Hexagonal Nuts & Dimension: ASTM A 194 ANSI B 18.2.1 and B 18.2.2 (latest revision).


Gasket : ASME B16.20


- TPI shall ensure Taps Connections (1/2" NPT) should be in accordance with AGA standard.
- TPI shall ensure during the fabrication Thermo-well and Pressure Gauge points distance shall be in accordance to AGA Report No.3, in downstream of meter tube.
- TPI ensure that in side, surface smoothness of meter shall be AGA Report No.3 & ANSI /API 2530 & roughness should not exceed 300.micrometers.
- TPI shall ensure Seamless OR electric resistance welded (ERW) with straight seam shall be used for meter tubes.

1.3. FLOW COMPUTERS : (FOUR METERS RUNS)

The TPI is responsible for checking and testing equipment's shall be accordance with SSGC Technical Specification & Standard. The 3rd Party inspection of Gas Flow Computer shall include the following scope:

- Visual examination of the equipment for any damage or defects.
 - Verification of the equipment's specifications and documentation
 - Verification of functional testing of the Flow Computer (FC) through Factory Acceptance Test (FAT) report to ensure that the instrument has been thoroughly tested and meets the required specifications for accurate metering of natural gas.
 - Inspection of the instrument's calibration and certification.
 - Check for compliance with relevant industry standards and regulations.
 - To check that the equipment is brand-new, meets the required standards and is ready for use.
 - To ensure that the goods strictly conform to the specification mentioned in the purchase order. Material found defective, inferior in quality, or different in specifications, mentioned in the purchase order, would be rejected.
- a. Well conversant with Gas metering and allied equipment's.
 - b. Well conversant with relevant standards, codes and safety procedures adopted in Oil & Gas Industry.



 SSGC PLANNING & DEVELOPMENT DEPARTMENT	SUI SOUTHERN GAS COMPANY LIMITED	ANNEXURE-V
	SPECIFICATION FOR INSTRUMENTATION (ORIFICE METER RUN WITH ALL ACCESSORIES)	
	PRE-SHIPMENT THIRD PARTY INSPECTION & TESTING	

- c. Conversant with Inspection methodology and reporting.
- d. Well known about standards and relevant code of Gas Metering Equipment and their handling procedures.

1.4. GAS CHROMATOGRAPH:


The TPI is responsible for checking and testing equipment(s) shall be accordance with SSGC Technical Specification & Standard. The 3rd Party inspection of C6+ On-line Gas Chromatograph shall include the following scope:


- Visual examination of the equipment for any damage or defects.
- Verification of the equipment's specifications and documentation
- Verification of functional testing of the gas chromatograph (GC) through Factory Acceptance Test (FAT) report to ensure that the instrument has been thoroughly tested and meets the required specifications for accurate analysis of C6+ hydrocarbons.
- Inspection of the instrument's calibration and certification.
- Check for compliance with relevant industry standards and regulations.
- To check that the equipment is brand-new, meets the required standards and is ready for use.
- To ensure that the goods strictly conform to the specification mentioned in the purchase order. Material found defective, inferior in quality, or different in specifications, mentioned in the purchase order, would be rejected.
- To ensure that packing where applicable is sufficiently robust, enough to withstand rough handling during ocean journey/ upcountry journey and protection against corrosion/deterioration. It is also to be ensured that shipping specification indicated on each package/bundle.
- To ensure that all items and accessories are provided as per terms of purchase order and scope of work of tender.
- To carry out the inspection activities in a proper and strict manner, the adequate & experienced manpower (inspectors) is deployed having:
 - Well conversant with metering, Analyzer, Gas Chromatograph & allied equipment's.
 - Well conversant with relevant standards, codes and safety procedures adopted in Oil & Gas Industry.
 - Conversant with Inspection methodology and reporting.
 - Well known about standards and relevant code of analytical Equipment and their handling procedures.

2. PAINTING & COATINGS

External surface treatment shall be sand blasted and coated as following;

- Surface Preparation: Sa 2 ½
- Primer Coat: Inorganic Zinc Silicate (50 - 100 µ)
- Intermediate Coat: Polyamide Epoxy (25 - 125 µ)
- Finish Coat: Aliphatic Polyurethane (50 - 60 µ)
- Total DFT = 250-260 µ (min.)
- Final Color: To be finalized during manufacturing.



 SSGC PLANNING & DEVELOPMENT DEPARTMENT	SUI SOUTHERN GAS COMPANY LIMITED	ANNEXURE-V
	SPECIFICATION FOR INSTRUMENTATION (ORIFICE METER RUN WITH ALL ACCESSORIES)	
	PRE-SHIPMENT THIRD PARTY INSPECTION & TESTING	

3. NAME PLATE STAMPING / MARKING



3.1. The equipment/ instruments under these Specifications shall be fitted with a readily visible welded marking plate of 316 stainless steel carrying an identification label. Said label shall show the following details as relevant:


- ✓ Name of Manufacturer.
- ✓ Manufacturer's Serial Number.
- ✓ Purchase Order Number.
- ✓ Maximum Allowable Working Pressure.
- ✓ Minimum & Maximum Design Temperature/ Pressure.
- ✓ Design Flow Range.
- ✓ Corrosion Allowance.
- ✓ Calibration Date
- ✓ Orifice Meter Weight.
- ✓ Years of Manufacturing.

3.2. Name plate shall be placed at proper location and shall be readable from ground installation.

4. PREPARATION OF SHIPMENT

- 4.1. The Instruments shall be dried and cleaned thoroughly of all grease, loose scale, rust, flux and weld spatter, both internally & externally after calibration test.
- 4.2. All machined surfaces and threaded connections shall be protected by coating with rust preventative.
- 4.3. All Equipment's (Orifice Meter, Flow Computer, Gas Chromatograph & flanged opening shall be protected with steel plate covers attached by proper bolting or strapping and sealed with plastic compound.
- 4.4. Screwed connections shall be protected with threaded forged steel plug.
- 4.5. For internal parts, suitable supports shall be provided to avoid any damage during shipment.
- 4.6. The contractor shall be responsible for loading and anchoring all equipment to prevent any damage during shipment.
- 4.7. When shipped loose, all instruments and Orifice Meter parts shall be tagged with identification number to facilitate match up with appropriate equipment. Tags and wire shall be of stainless steel. All such items shall be boxed. Contractor shall confirm in proposals for long-term storage of vessel for both indoor and open environment considering marine environment.
- 4.8. The 3rd party inspector shall ensure that the long term storage of instrumentation items for both indoor and open environment considering marine environment.



 SSGC PLANNING & DEVELOPMENT DEPARTMENT	SUI SOUTHERN GAS COMPANY LIMITED	ANNEXURE-V
	SPECIFICATION FOR INSTRUMENTATION (ORIFICE METER RUN WITH ALL ACCESSORIES)	
	PRE-SHIPMENT THIRD PARTY INSPECTION & TESTING	

5. QA/QC CERTIFICATION:


The inspector shall ensure at least the following QA/QC certifications before the shipment is placed:

- Mill test certificates type 3.1B for bodies of all in-line items and for carbon steel piping and meter runs
- Letter of conformity for Orifice Meters Runs with all accessories, Flow Computers, etc.
- Weld NDT (radiography, ultrasonic, MPI, Dye Penetrant) requirements
- NDE Requirement
- Pressure Testing
- Leak Testing
- Load test of spreader bar, slings and shackles where applicable.
- Paint inspection and insulation inspection
- Any other requirements deemed necessary by the PURCHASER

6. FINAL DOSSIER:

The inspector would verify six copies of the following Final Reports and data sheets prior to delivery of Dual Chamber Type Orifice Meter Run with all accessories, Flow computer & Gas Chromatograph Material Test Certificate.

- ✓ Reports of Material Test.
- ✓ Proposed Test Procedure.
- ✓ Inspection & Test Plan signed by QC & TPI.
- ✓ Design Calculations for all instruments, including calibration data & Data Sheet (i.e. Orifice meters & Orifice Plates bore sizing)
- ✓ Detail Fabrication Drawings.
- ✓ General Arrangement Drawings.
- ✓ Name Plate Drawings (Orifice Meter, Flow Computer & GC).
- ✓ Welding Procedure Specification.
- ✓ Welder Qualification Report.
- ✓ Procedure Qualification Record.
- ✓ Non-Destructive Tests Record.
- ✓ Report on Heat Treatment.
- ✓ All Inspection Reports.
- ✓ Calibration Certificate of Equipment.
- ✓ Transportation Procedure.
- ✓ Data Sheets of Orifice Meter Run, Flow Computer, Gas Chromatograph and all associated equipment's.
- ✓ Operation / Maintenance & Repairs / Installation Manuals of orifice meters and associated equipment.



SUI SOUTHERN GAS COMPANY LIMITED

UNDERTAKING OF COMPLIANCE WITH INTEGRATED MANAGEMENT SYSTEM (IMS) MANUAL AND BLACKLISTING MECHANISM

I, _____ [Supplier's Authorized Representative Full Name], of _____ [Supplier Company Name], with principal _____ office _____ located _____ at _____ [Full Address], do hereby solemnly affirm and declare as follows:

1. That I am the duly authorized representative of _____ [Supplier Company Name], and have the legal authority to make this declaration on behalf of the company.
2. That I confirm having accessed, read, and fully understood the **Integrated Management System (IMS) Manual** provided by Sui Southern Gas Company Limited (SSGC), available at the official website: <https://www.ssgc.com.pk/web/wp-content/uploads/2025/06/IMS-Manual-1-1.pdf>
3. That _____ [Supplier Company Name] agrees to comply fully with all the policies, procedures, and responsibilities outlined in the IMS Manual, and will ensure that all relevant employees, contractors, and agents are made aware of and comply with the same.
4. That _____ [Supplier Company Name] acknowledges that failure to comply with the IMS Manual may result in corrective action, including but not limited to financial penalties as per SSGC policy and suspension or termination of business with Sui Southern Gas Company Limited (SSGC).
5. That the bidder has also read, understood, and accepted the **Blacklisting Mechanism of Sui Southern Gas Company Limited (SSGC)**, available at: https://www.ssgc.com.pk/web/wp-content/uploads/2024/09/blacklisting_mechanism_2024.pdf
6. Any type of violation of the tender terms and/or performance will result in the enforcement of the Blacklisting Mechanism, which will be dealt with in accordance with the Blacklisting Rules/Mechanism.
7. This affidavit is made in good faith and for the purpose of affirming our commitment to health, safety, environmental standards, and compliance with the **Integrated Management System (IMS) Manual** and the **Blacklisting Mechanism** of Sui Southern Gas Company Limited (SSGC), as well as all other applicable policies and procedures of SSGC.

Signed at _____ [City] on this _____ day of _____, 20__.

Signature: _____
Name: _____
Designation: _____
Company Name: _____
Contact Details: _____

(Company Stamp / Seal Mandatory)

Witnessed by:

Signature of Witness: _____
Name of Witness: _____
Date: _____

Signature of Witness: _____
Name of Witness: _____
Date: _____

