

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 20-07-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP105 060	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
2	DGP105 068	BOOK OF 400 PAGES	005150510416 8 / BINDING GATHERING NUMBERING GUMING CUTTING PADING OF F (MD)67		520 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> SIZE= LENGTH= 8.4 INCHS, WIDTH= 7.5 INCHS, NUMBERING AND BINDING <u>GENERAL SPECIFICATION -</u> SIZE= LENGTH= 8.4 INCHS, WIDTH= 7.5 INCHS, NUMBERING AND BINDING	
3	DGP105 061	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		2 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
4	DGP105103		005150000097 1 / FORM F (SV)11 VICTUALLING STORE ACCOUNT		1500 / SET						<u>TECHNICAL SPECIFICATION -</u> LENGTH 16.5" WIDTH 13.25" 60 GSM $\pm$ 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set <u>GENERAL SPECIFICATION -</u> LENGTH 16.5" WIDTH 13.25" 60 GSM $\pm$ 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set	
5	DGP105017		005150000097 1 / FORM F (SV)11 VICTUALLING STORE ACCOUNT		1530 / SET						<u>TECHNICAL SPECIFICATION -</u> LENGTH 16.5" WIDTH 13.25" 60 GSM $\pm$ 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set <u>GENERAL SPECIFICATION -</u> LENGTH 16.5" WIDTH 13.25" 60 GSM $\pm$ 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set	
6	DGP104856	folder L12" W10" CONFIDENTIAL	753070525884 8 / personal folder confidential (officer dossier) for hq scni(s)		200 / EACH/NUMBER	nil					<u>TECHNICAL SPECIFICATION -</u> 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER, INNER, & SIDE) A. UPPER TRANSPARENT POCKET (L1.5" & W2.5") B. UPPER PHOTOGRAPH POCKET (PASPORT SIZE) C. LOWER POCKET (L1.5" &	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HIGHT 1.5 GENERAL SPECIFICATION - 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER,INNER,& SIDE) A.UPPER TRANSPARENT POCKET (L1.5" &W 2.5") B.UPPER PHOTOGRAPH POCKET(PASPORT SIZE) C.LOWER POCKET (L1.5" & W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HIGHT 1.5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
7	DGP105007	NO DATA AVAILAB E	0050500000215 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	55000 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
8	DGP105011	NO DATA AVAILAB E	0050500000216 / PAPER PRINTING COMPUTER WHITE, SIZE: 9X12-INCH (04-PLY)		35200 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH= 12-INCH, WIDTH= 09-INCH, WEIGHT= 50 GSM + 5%, PACKING= 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH= 12-INCH, WIDTH= 09-INCH, WEIGHT= 50 GSM + 5%, PACKING= 500 SHEETS IN EACH BOX	
9	DGP105064	NO DATA AVAILAB E	0050500000216 / PAPER PRINTING COMPUTER WHITE, SIZE: 9X12-INCH (04-PLY)		20500 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH= 12-INCH, WIDTH= 09-INCH, WEIGHT= 50 GSM + 5%, PACKING= 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH= 12-INCH, WIDTH= 09-INCH, WEIGHT= 50 GSM + 5%, PACKING= 500 SHEETS IN EACH BOX	
10	DGP104840	NO DATA AVAILAB E	0050500000223 / PAPER DUPLICATING COLOUR WHITE		190 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
11	DGP105074	CORE I5	7025705246091 / PERSONAL COMPUTER		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: i5)								Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
12	DGP104903		7530705007173 / PAPER WHITE OFFSET BRIGHT GSM 84+5% 500SHEET A-04 594X841MM		1 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet	
13	DNS104694	21707132/477556-5	4330331080376 / OIL FILTER	VOLVO PENTA SSDG D9A2A MG HE SWEDEN	10 / EACH/NUMBER	NO DATA AVAILABLE		FR	SIEMEN PAKISTAN ENGINEERING CO LTD AUTOMATION&DRIVE DIVISION BU SMALL&LARGE B-72ESTATE AVNEUE SITE PO BOX 7158PH# 92(021) 2574910-19 KARACHI 75700	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
14	DNF104816	DGS-008D/E/DF3709B1001785	5930715181162 / D-LINK 8 PORT NETWORK SWITCH	VIRDI AC-4000	1 / EACH/NUMBER	DGS 1008D/E	NA	USA/CANADA	USA/CANADA	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - 8 PORT DESKTOP SWITCH SPORTING.803.3 ETHERNET, 80230FAST ETHERNET OR 8023ab GB ETHERNET CATS ETHERNT CABLE GENERAL SPECIFICATION - 8 PORT DESKTOP SWITCH SPORTING.803.3 ETHERNET, 80230FAST ETHERNET OR 8023ab GB ETHERNET CATS ETHERNT CABLE	
15	DNF104705	LP-12-200 LEOCH /	9999735179016 / BATTERY	Diesel Generator	4 / EACH/NUMBER	RP200-12		ROCKT PREMIUM BATTERY.KOREA.WWW.	ROCKT PREMIU	tds/brocher or pics of	TECHNICAL SPECIFICATION - ROCKT PREMIUM BATTERY.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		RP200-12/ 93290064 C	12V 200A/H H (MAINTENCE FREE)	cummince	UMBER			gbattery.com	M BATTERY .KOREA	item must be enclosed with quotation	KOREA.WWW.gbattery.comGENERAL SPECIFICATION - ROCKT PREMIUM BATTERY. KOREA.WWW.gbattery.com	
16	DNF1050 32	NIKON 850 DSLR	635076522555 5 / NIKON 850 DSLR CAMERA ALONG WITH LENS 24-120 MM	STILL CAMERA	1 / EACH/NUMBER	NIKON 850 DSLR	NA	NIKON JAPAN	NIKON	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - HARD COPY IS ATTACHEDGENERAL SPECIFICATION - HARD COPY IS ATTACHED	
17	DNF1047 00	DIN41494	599579514129 2 / 9 U WALL MOUNTED NETWORK RACK WITH 19 INCHES 600MMX60MM FRONT GLASS DOOR,18SWG, 2 FANS	ILS SYSTEM	7 / EACH/NUMBER	D-Link (Pakistan)		UK	CLIPSAL, UNITED KINGDOM	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY: CLIPSAL,UK.GENERAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY:CLIPSAL,UK.	
18	DNF1049 27	MODEL-B148	414070519305 9 / INDUSTRIAL FAN 48"	SELF	1 / EACH/NUMBER	B14B	NO	BOLAN FAN AXIS INDUSTRIES KARACHI	BOLAN FAN AXIS INDUSTRIES KARACHI	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - 1.5 HP SINGLE PHASE MOTOR WITH 425 RPM TROLLY TYPE 6 BLADE FAN.GENERAL SPECIFICATION - 1.5 HP SINGLE PHASE MOTOR WITH 425 RPM TROLLY TYPE 6 BLADE FAN.	
19	DNF1048 17	ML-1102S-A/ML-1102S-B (RJ-45 PORTS) /4V1D	609978516657 5 / FIBER MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM (PSS)	2 / PAIR	ML-1102S-A RJ45/4V1D		CETC Mansion No 5 walatong north street, Xicheng District, Beijing China 100120	M/S CETC international Co.Ltd	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINKGENERAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK	
20	DNF1048 85	DLS/RS-70	613579514904 8 / MAINT FREE BATTERY 12V 50AH	RHIB BOAT ENGINE STARTING	2 / EACH/NUMBER	8004-250	20030108 38	OPTIMA BATTERIES INC 17500 EAST 22nd AVENUE AURORA, CO 80011 USA	OPTIMA BATTERIES	tds/brocher or pics of item must be enclosed with	TECHNICAL SPECIFICATION - DIMESIONS: LENGTH=25.4CM WIDTH=17.7CM HEIGHT=17.7CMGENERAL SPECIFICATION - DIMESIONS: LENGTH=25.4CM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										quotation	WIDTH=17.7CM HEIGHT=17.7CM	
21	DNF104704	5d Mark III	6760765180794 / CANON EF 24-105MM F/4L IS UMS STANDARD ZOOM LENS	It Self	1 / EACH/NUMBER	5d Mark III		Canon Inc 30-2 Shimomaruko3- Chome, Ohla-Ku-Tokyo 146 - 8501, Japan	Japan	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> Focal Length 24-105 Max Aparture F/4 Diagonal of view 84-23 <u>GENERAL SPECIFICATION -</u> Focal Length 24-105 Max Aparture F/4 Diagonal of view 84-23	
22	DNF104818	CMS-118	5998705219304 / POWER EXTENSION BOARD CAMELLION MODEL CMS-118	SM RACK	6 / EACH/NUMBER	CMS-118 (CAMELLION)	NA	Commercially Of The Shelf (COTS)/Local Market	COTS	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> 220V Power Connection Board. Used in mounting racks.pakistan <u>GENERAL SPECIFICATION -</u> 220V Power Connection Board. Used in mounting racks.pakistan	
23	DNF104888	S-100-12/ YH-100-12 / P-0145000-A	6130785167249 / POWER SUPPLY 12V6A 119-239V	FIXED PTZ IP CAMERA	7 / EACH/NUMBER	YH-100-12		M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120	M/S CETC INTERNATIONAL CO CETC CHINA	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120 oem hi- tech security products nargis block ilama iqbal town lahore 03081517664 <u>GENERAL SPECIFICATION -</u> M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120 oem hi- tech security products nargis block ilama iqbal town lahore 03081517664	
24	DNF104708	DCC/HFB M/EL/008	5960705214364 / VARIABLE GAIN AMPLIFIER (VGA)	SM RACK 100C2LZ PAK	7 / EACH/NUMBER	100C2LZ	NA	Data Communication and Control Pvt. Ltd. 409 Clifton Center, Block 5 Clifton, Khi 021-35363212	DCC	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> It amplifies or attenuates the received signals on user request, -40 dB to +40 dB Gain Frequency Range: 0 ? 35 MHz Gain Range: -40dB to +40 dB Control Voltage: OV to -2V supply Voltage: +5V, -5V, GND Input Connector Type: SMA-Female Output Connector Type: SMA-Female Input Impedance: 50Ω <u>GENERAL SPECIFICATION -</u> It amplifies or attenuates the received signals on user request, -40 dB to +40 dB Gain Frequency Range: 0 ? 35 MHz Gain Range: -40dB to +40 dB Control Voltage: OV to -2V supply	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Voltage: +5V, -5V, GND Input Connector Type: SMA-Female Output Connector Type: SMA-Female Input Impedance: 50Q	
25	DNF104701	N1537	6110705155260 / ENERGY SAVER 220V-240V ,11W. (screw type)	SELF, FOR DISTRIBUTION SYS.	30 / EACH/NUMBER			SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE: RS140 PKR. REQ: 1000. FOR GENERAL LIGHTING. SPECS: 220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi <u>'GENERAL SPECIFICATION -</u> SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE: RS140 PKR. REQ: 1000. FOR GENERAL LIGHTING. SPECS: 220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi '	
26	DNF104890	PS12260NB	6135715141490 / RECHARGEABLE DRY BATTERY 12V 26AMP/HR SIZE W:16.5 CM H:12.5CM L:17.5CM	UPS	1 / EACH/NUMBER	NO DATA AVAILAB LE		US	M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA	tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> OEM: M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA <u>GENERAL SPECIFICATION - OEM:</u> M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA	
27	DNF104891	PAK / GFC/MILL AT/ EQUIVALE N	0565700000048 / FAN PADESTAL- 230VAC- 24INCH	END USE SELF	18 / EACH/NUMBER					tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			50CYCLES (PAK FAN)									
28	DNF104780	N250 PLUS EXIDE / OSAKA OR EQUIVALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	4 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA				tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE:511X280X246MM EXIDE PAKISTAN.	
29	DNF104928	pak fan	4140PK5076920 / BRACKET FAN PAK LOUVRE FAN	LOUVRE FAN	10 / EACH/NUMBER					tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - FAN SIZE: 14 INCH MODEL: 350 VOLT : 220 FREQUENCY: 50 Hz WATT: 55 W RPM: 1360GENERAL SPECIFICATION - FAN SIZE: 14 INCH MODEL: 350 VOLT : 220 FREQUENCY: 50 Hz WATT: 55 W RPM: 1360	
30	DNF104931	TOA / TC-154SM	5965705051001 / HORN LOUD SPEAKER 15W WITH MATCHING TRANSFORMER	PA SYSTEM, TOA JAPAN	3 / EACH/NUMBER					tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
31	DNF104699	PM-120-(TOA JAPAN)	5965765116036 / PUSH TO TALK MIC 600 OHMS	COMMUNICATION FACILITY SYS	12 / EACH/NUMBER					tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
32	DNF104862	ep-1000t/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	5 / EACH/NUMBER	BLAZER VISTA 1000/Aurora				tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V ACGENERAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC	
33	DNF104815	ADAMJEE / bs-4678 (n)	5330705118843 / CHANNEL PATTI duraduct p/w	CHANNEL PATTE	20 / EACH/NUMBER	BS-4678 (N) adamjee				tds/brocher or pics of item must be enclosed	TECHNICAL SPECIFICATION - oem, adam jee karachi pakistanGENERAL SPECIFICATION - oem, adam jee karachi pakistan	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			3m 01" INCH (16x25) adamjee							with quotation		
34	DNF104933		702570524903 8 / LED TV 50 INCH		3 / EACH/N UMBER					tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
35	DCD103889		844050400203 1 / HAT CAP GREY FOR CPOs/SAILOR SIZE 7.25		550 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
36	DNF104889	i(P)GS-3208C/IEPES-2208CB	593070524901 1 / 8 Port Managed Industrial Switch Media Converter		3 / EACH/N UMBER	Lantech				tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
37	DNF104887	DS-2CD1343G O-I / DS2CD1143GOI / DH-IPC-HDBW2431R-ZAS	676078523548 1 / 4.0 mp CMOS ir network TURRET camera		9 / EACH/N UMBER	DS-2CD1343GO-I / ds2cd1143go-i				tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
38	DCD103887		844050400202 9 / HAT CAP GREY FOR CPOs/SAILOR SIZE 6.75		550 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	item required as per tendar sample
39	DCD103890		844050400203 2 / HAT CAP GREY FOR CPOs/SAILOR SIZE 7.50		550 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
40	DN0104926	ZR57KCE-TFD-522 / VR57KCE-TFD / ZR61KCE-TFD-522	413078528044 1 / Compressor (CLD-12)		1 / EACH/N UMBER	VR57KCE-TFD				tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION - OEM: COPELAND CORP. LTD</u> <u>GENERAL SPECIFICATION - OEM: COPELAND CORP. LTD</u>	
41	DNZ1049	22131-S35	6130CH005149		10 /	ZG980-				tds/brocher	<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	44	/ MJ-Y38/40W	6 / BATTERY 12v 3300 mah		EACH/NUMBER	445				or pics of item must be enclosed with quotation	nullGENERAL SPECIFICATION - null	
42	SCP104547		8415502501550 / BLANKET OFFICER		40 / EACH/NUMBER						TECHNICAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth PipingGENERAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping	
43	DNF104886	ds-2cd2120f-i	6710785267430 / 2 megapixel cmos vandal-proof network dome camera		8 / EACH/NUMBER	DS-2CD2120 F-I				tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - frequency range: 2.4 ghz~2.4835 ghz channel bandwidth: 20/40mhz support ir range: 30 meters dimensions: 111x 82 (4.4" x 3.2") weight: 500gGENERAL SPECIFICATION - frequency range: 2.4 ghz~2.4835 ghz channel bandwidth: 20/40mhz support ir range: 30 meters dimensions: 111x 82 (4.4" x 3.2") weight: 500g	
44	DCD103886		8440504002028 / HAT CAP GREY FOR CPOs/SAILOR SIZE 6.50		550 / EACH/NUMBER						TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
45	DNF104698	S4600-28P-SI/DGS-3000-28XS	5930705246332 / MANAGED L2 GIGABIT SWITCHES		7 / EACH/NUMBER	DGS-3000-28XS				tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
46	DNF104932	srt6krmxli	6130995556240 / apc smart ups srt 6000va		1 / EACH/NUMBER	SRT6KR MXLI				tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
47	DNJ104689	17400-87101 /	2805705267440 / water pump		4 / EACH/NUMBER	df150 suzuki				tds/brocher or pics of	TECHNICAL SPECIFICATION - OEM: SUZUKI MOTOR JAPAN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		17400-96J03 / 17400-96J04	repair kit		UMBER					item must be enclosed with quotation	GENERAL SPECIFICATION - OEM: SUZUKI MOTOR JAPAN	
48	DNF105034		702573527733 1 / LED TV 65 INCH		1 / EACH/NUMBER					tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
49	DGP105216	RB2011UI as-rM	589573527488 4 / MIKROTIK L-2 ROUTER/ SWITCH		1 / PCS	RB2011UI AS-RS					TECHNICAL SPECIFICATION - NETWORKING LAYER 2 SWITCH GENERAL SPECIFICATION - NETWORKING LAYER 2 SWITCH	
50	DGP105240	B12B8084 11	702514583518 2 / SCANNER EPSON DS-6000		2 / SET	DS-6000					TECHNICAL SPECIFICATION - SCANNER EPSON DS-60000 FLAT BED COLOR IMAGE SCANNER 600DPI COLOR CCD 4 LINE SENCER (RGB & BLACK FLAT BED 11.7" X 17" GENERAL SPECIFICATION - SCANNER EPSON DS-60000 FLAT BED COLOR IMAGE SCANNER 600DPI COLOR CCD 4 LINE SENCER (RGB & BLACK FLAT BED 11.7" X 17"	
51	DNF102292	surtd3000xlim	613001662022 5 / apc smart ups rt 3000va		1 / EACH/NUMBER	SURTD3000XLIM				TDS/BROS HER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATIO N	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
52	DGP105160	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME.	
53	DGP105180	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - 1. CPU</u> Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4	
54	DGP105 163	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. TECHNICAL SPECIFICATION - 1.	
55	DGP105 150	CORE I5	702570524609		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			1 / PERSONAL COMPUTER (CORE: i5)								CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
56	DGP105 210	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
57	DNO104352	VE800A	5836375418979 / HDMI Extender / CONTROLLER VIDEO DISTRIBUTION		1 / EACH/NUMBER	N/A				TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
58	DNF102441	EOS 1000D/1500D	6780270520166 / CANON CAMERA WITH ACCESSORIES	ACCESS CONTROL SYS	1 / EACH/NUMBER	EOS-1000D	NA	UK	CANON	TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - ELECTRONIC SHUTTER BUILT IN FLASH EXTERNAL FLASH CONTROL EXPECT RATIO 3:2 GENERAL SPECIFICATION - ELECTRONIC SHUTTER BUILT IN FLASH EXTERNAL FLASH CONTROL EXPECT RATIO 3:2	
59	DGP102947	NIL	7030705198726 / IVORY CARD (OFF WHITE) 350GSM +-5% 22X28	STATIONERY ITEM	1 / PACKET	STATIONERY ITEM	NIL	LOCAL MARKET	INDONESIA/ CHINA		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
60	DGP95165	FCLCUUSMO3D	6015785141420 / FIBER PATCH CORD FC/PC TO LC	NET WORKING	4 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURAMA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550	exorbitent price	TECHNICAL SPECIFICATION - OEM: CHINA MADE GENERAL SPECIFICATION - OEM: CHINA MADE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									-1			
61	DGP105 241	HP-4005	743570514037 2 / LASER JET COLOR PRINTER HP-4005	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
62	DGP105 239	E-STUDIO35 5/E-STUDIO35 7/E-STUDIO35 28A (35CPM), E-STUDIO, E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	2 / EACH/N UMBER	E-STUDIO3 55/E-STUDIO3 57/ e-studio352 8a (35cpm)		TOSHIBA SINGAPUR PTE LTD	TOSHIBA JAPAN		TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
63	DNF1043 49	DHI-NVR4208-8P-4KS2	702578520858 2 / 08 CHANNEL PRO NETWORK VIDEO RECORDER	CCTV System	1 / ASSEMBLY	DHI-NVR4208-8P-4KS2	NIL	NO.1199 Bin'an road , Binjiang District Hangzhou , China, 310053 tel: +86-571-87688883	M/S DAHUA CHINA	TDS/BROS HER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATIO N	TECHNICAL SPECIFICATION - Make CHINA Brand Dahua GENERAL SPECIFICATION - Make CHINA Brand Dahua	
64	DGP105 217	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
65	DNF104347	053300600059	6625785149845 / LCD DISPLAY LANEVO 19 INCH	ENGINEERING MATERIAL	2 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S ZTE PAKISTAN (PVT) LTD PLOT NO. 36 ST. NO5 SECTOR NO. 1-9/3 ISLAMABAD.	TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
66	DNV103140	H76228-8	5330795229234 / SERVICE KIT C	PROPULSION SHAFT SEAL	1 / KIT	200 PSE	NIL	WARTSILA UK LTD MARPLES WAY, HAVANT HAMPSHIRE, PO9 INX,UK	WARTSILA UK	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - SEE ATTACHED DOCUMENT GENERAL SPECIFICATION - SEE ATTACHED DOCUMENT	
67	DGP105242	NIL	7435705140006 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASONIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PK	PAKISTAN		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
68	DNF103168	S4600-28P-SI /J9776A	7025145837789 / SWITCH UNIT 24 PORT WITH 4SFP & Accessories	Local Area Network (LAN) (Intranet)	1 / EACH/NUMBER	S4600-28P-SI /CSS326-24G-2SRM	0	1 AV DU CANADA LES ULIS LES ULIS	HEWLETT-PACKARD CENTRE COMPETENCE FRANCE	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP GENERAL SPECIFICATION - Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP	
69	DNF102443	S4600-28P-SI /J9776A	7025145837789 / SWITCH UNIT 24 PORT WITH 4SFP & Accessories	Local Area Network (LAN) (Intranet)	2 / EACH/NUMBER	S4600-28P-SI /CSS326-24G-2SRM	0	1 AV DU CANADA LES ULIS LES ULIS	HEWLETT-PACKARD CENTRE COMPET	tds/brosher or pic of item must be inclosed with coutation	TECHNICAL SPECIFICATION - Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP GENERAL SPECIFICATION - Switch unit 24 port with 4SFP &	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									ENCE FRANCE		Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP	
70	DGP105 214	LQ-310	702576520513 1 / EPSON PRINTER	NS-2021 ENCRYPTER	1 / EACH/N UMBER	LQ 310	N/A	3.5 OWA 3-CHOME SUWA-SHI NAGANO - KEN 392-8502 JAPAN	SEIKO EPSON CORPOR ATION		TECHNICAL SPECIFICATION - LQ-310 ENCRYPTOR PRINTER GENERAL SPECIFICATION - LQ-310 ENCRYPTOR PRINTER	
71	DGP105 231	NIL	743576514230 3 / PLAIN PAPER COPIER TOSHIBA-E-STUDIO 181	SELF	1 / EACH/N UMBER	NO DATA AVAILAB LE		JP	M/S GEERAL TRADER S KARACHI ,JAPAN ASSEMB LED CHINA.		TECHNICAL SPECIFICATION - SOURCE OF AVAILABILTY: M/S GENERAL TRADERS 1st FLOOR AL-FALAH COURT I.I. CHUNDRIGARH ROAD KARACHI. TEL:021-32638881 FAX:021-32637917 E.MAIL: YAQOOB. CYBERNET.NET.PK GENERAL SPECIFICATION - SOURCE OF AVAILABILTY: M/S GENERAL TRADERS 1st FLOOR AL-FALAH COURT I.I. CHUNDRIGARH ROAD KARACHI. TEL:021-32638881 FAX: 021-32637917 E.MAIL: YAQOOB. CYBERNET.NET.PK	
72	DGP968 71	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	2 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" GENERAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
73	DNF1043 48	ST4000NM 0053/ST40 00VX000	702578520784 9 / 4TB SURVEILLANC E HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	1 / EACH/N UMBER	ST4000V X000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888	CHINA	TDS/BROS HER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATIO N	TECHNICAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32 GENERAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported :	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											up to 32	
74	DNF104353	DH-SD6CE445GB-HNR/DH-SD6CE445XA-HNR/DH-SD5A445XA-HNR/DH-SD6AL240-HNI	5820785207886 / NETWORK PTZ CAMERA 4MP WITH ACCESSORIES	CCTV System DH-SD6AL240-HNI CHINA	2 / EACH/NUMBER	DH-SD6AL240-HNI	NA	No. 1199 Bin'an road, Binjiang District, Hangzhou, China. 310053 Tel: +86-571-87688883	M/s Dahua	TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - mage Sensor 1/2.8" CMOS Effective Pixels 1920(H) x 1080(V), 2 Megapixels RAM/ROM 512M/32M Scanning System Progressive Electronic Shutter Speed 1/1s~1/30,000s S/N Ratio More than 56dB IR Distance Distance up to 500m (1640ft) IR On/Off Control Auto/Manual IR LEDs Laser module GENERAL SPECIFICATION - mage Sensor 1/2.8" CMOS Effective Pixels 1920(H) x 1080(V), 2 Megapixels RAM/ROM 512M/32M Scanning System Progressive Electronic Shutter Speed 1/1s~1/30,000s S/N Ratio More than 56dB IR Distance Distance up to 500m (1640ft) IR On/Off Control Auto/Manual IR LEDs Laser module	
75	DGP105161	4003DN	7435705138632 / PRINTER HP LASER JET	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
76	DGP105151	4003DN	7435705138632 / PRINTER HP LASER JET	COMPUTER	4 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
77	DGP105 218	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
78	DGP105 237		773070513863 3 / LED TV 55 INCH	LCD TV	1 / EACH/N UMBER			PK		PAKISTA N	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
79	DNF1028 88	ZA3000D/ ZA3000E/ SWTG DS-6.3	635070522032 3 / SMART WALK THROUGH GATE	SWTG	3 / EACH/N UMBER	DS-6.3 /ZA3000E		DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI		DESTO	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOT TECHNICAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD GENERAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD	
80	DNF1031 67	ZA3000D/ ZA3000E/ SWTG DS-6.3	635070522032 3 / SMART WALK THROUGH GATE	SWTG	1 / EACH/N UMBER	DS-6.3 /ZA3000E		DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI		DESTO	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH TECHNICAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										QUOT	GENERAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD	
81	DNS101241	302 297-40	299072518857 6 / CONNECTING ROD / PISTON COMPLETE- 6G-30.2 (DIA. 74.96 mm)	BITZER MAIN AC COMPRESSOR UNIT 6G-30(2) GERMANY	6 / EACH/NUMBER	6G-30(2)	MADG 1667001135 & 1667001136	BITZER KÜHLMASCHINENBAU GMBH Eschenbrunnlestraße 15 71065 Sindelfingen Germany Tel +49 (0) 70 31 932-0 Fax +49 (0) 70 31 932-147 bitzer@bitzer.de	BITZER KÜHLMASCHINENBAU GMBH	TDS/BROCHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - TPI CONNECTING ROD AND PISTON COMPLETE COMPULSURY FOR COMPRESSOR GENERAL SPECIFICATION - TPI CONNECTING ROD AND PISTON COMPLETE COMPULSURY FOR COMPRESSOR	
82	DGP105239	E-STUDIO355/E-STUDIO357/ E-STUDIO3528A (35CPM), E-STUDIO E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	2 / EACH/NUMBER	E-STUDIO355/E-STUDIO357/ e-studio3528a (35cpm)		PK	PAKISTAN		TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
83	DNJ101230	94702-00400	536576520335 8 / PLUG, SPARK (NGK LFR6A-11)	YAMAHA OBM	54 / EACH/NUMBER	NO DATA AVAILAB LE	6CE-1029885, 6CF-1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
84	DNF103341	N1537	611070515526 0 / ENERGY SAVER 220V-240V ,11W. (screw type)	SELF, FOR DISTRIBUTION SYS.	20 / EACH/NUMBER			SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL	PHILIPS CO LTD.	TDS/BROCHER OR PICS OF ITEM MUST BE	TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
								KARACHI.		ENCLOSE D WITH QUOTATIO N	PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi 'GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi '	
85	DNF101852	N1537	6110705155260 / ENERGY SAVER 220V-240V ,11W. (screw type)	SELF,FOR DISTRIBUTION SYS.	50 / EACH/N UMBER			SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	TECHNICAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi 'GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi '	
86	DNF105080	N250 PLUS	0562795620006 / BATTERY	DG USED	10 / EACH/N PLUS	N250 PLUS				TDS/BROCHER OR	TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		EXIDE / OSAKA OR EQUIVALENT	LEAD ACID 12V 200AH		UMBER	EXIDE / OSAKA				PIC OF ITEM MUST BE INCLOSED WITH COUTATION	EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE:511X280X246MM EXIDE PAKISTAN.	
87	DNF103176	MA3000C-48/BL820E	444079506152 4 / DEHUMIDIFIER PORTABLE	(YSD) GENERAL USE	1 / EACH/NUMBER	PREM-I-AIR ELITE EH1418 XTREEM				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOT	TECHNICAL SPECIFICATION - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and short-circuit Grounding/ Earthing: Must comply with Unit's earthing system Cable/ Plug Design: Special electrical cable with fol properties: 2 Extra flexible 2 Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigrent: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600WGENERAL SPECIFICATION - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and short-circuit Grounding/ Earthing: Must comply with Unit's earthing	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											system Cable/ Plug Design: Special electrical cable with fol properties: 2 Extra flexible 2 Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigerant: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W	
88	DNZ103186	MXS-60115-SEW/520	4320765060507 / MECHANICAL SEAL Inner DIA 60mm, length 115mm	CARGO FRESH WATER PUMP	2 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - a. DIMENSION</u> INNER DIA Bore 60 mm b. Length 115 mm c. M/seal outer dia 80 mm d. Stationary dia 82 mm <u>GENERAL SPECIFICATION - a. DIMENSION</u> INNER DIA Bore 60 mm b. Length 115 mm c. M/seal outer dia 80 mm d. Stationary dia 82 mm	
89	DGP105165	G2102560 EU	3610705091304 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		3 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.<u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIIIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
90	SNG98499	A.A.2517	513000277948 7 / WIRE BRUSH ROUND WHEEL		3 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
91	DNZ103174	AD371X10	482078503474 1 / BUTTER FLY VALVEDN200P N10DIA200MM REMOTE OPERATEDW/ THOUT-8F09	PIPING PART NASR	1 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - MATERIAL OF ITEM (CAST IRON) GENERAL SPECIFICATION - MATERIAL OF ITEM (CAST IRON)	
92	DNF105042	E91 LR6 / E91 IEC LR6	613579505849 2 / BATTERY ALKALINE (ENERGIZER) (Non Rechargeable) 1.5V AA SIZE NO.E91 IEC LR6	GENERAL USE	216 / EACH/NUMBER					TDS/BROCHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATIO N	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
93	DNF102319	6X120 EXIDE/ 6X15/ exide n-	614070502360 7 / BATTERY SECONDARY 105AH 12V SZ		4 / EACH/NUMBER	6X120EXIDE/ EXIDE N- 140 PLUS				TDS/BROCHER OR PIC OF ITEM MUST	TECHNICAL SPECIFICATION - 12 V, Volt 12 V DC Amp 105 AH OEM Exide/ AGSGENERAL SPECIFICATION - 12 V, Volt 12 V	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		140 plus	367X173X228 MM EXIDE			local				BE INCLOSED WITH COUTATIO N	DC Amp 105 AH OEM Exide/ AGS	
94	DNF104346	E27	6240785030869 / LAMP FILAMENT SCREW TYPE 220V 60W CLEAR SZ 105X26MM PHILIPS	LIGHT BULB NASR	100 / EACH/N UMBER					TDS/BROS HER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATIO N	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
95	DGP94804		7510705068415 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/N UMBER						TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
96	DGP103506	NIL	7510705102043 / COLOR TONER CARTRIDGE FOR PRINTER 4500/HP4025/ CP5225DN HP	PRINTER- 4500/HP4025	1 / SET						TECHNICAL SPECIFICATION - Color of Toner/ Cartridge for printer CP5225dn hp color laser jet printer: a. Black Cartridge: CE740A b. Cyan Cartridge : CE741A c. Magenta Cartridge: CE743A d. Yellow Cartridge: CE742A GENERAL SPECIFICATION - Color of Toner/ Cartridge for printer CP5225dn hp color laser jet printer: a. Black Cartridge: CE740A b. Cyan Cartridge : CE741A c. Magenta Cartridge: CE743A d. Yellow Cartridge:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CE742A	
97	DNF102327	ep-1000t/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	4 / EACH/NUMBER	BLAZER VISTA 1000/Aurora				TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V ACGENERAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC	
98	DGP98025	NO DATA AVAILABLE	0050500000066 / INK-RED-FOR-RUBBER-STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
99	DNF100718	FC-25	6110765126456 / MAGNETIC CONTACTOR (COIL VOLT 110VAC 50HZ)	AIR COND SYS (NATIONAL GREEN POWER)	5 / EACH/NUMBER	CWM-2C70-PN FUJI JAPAN				TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - COIL VOLT 110VAC 50HZGENERAL SPECIFICATION - COIL VOLT 110VAC 50HZ	
100	DNF104350	RJ 45 Connector	5935785232786 / CAT6A STP RJ45 CONNECTOR FOR ETHERNET CABLE		110 / EACH/NUMBER	RJ45				TDS/BROSHER OR PIC OF ITEM MUST BE INCLOSED WITH COUTATION	TECHNICAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs. GENERAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs.	
101	DGP105238	300X	3610705239452 / HAND FREE		4 / EACH/NUMBER	GBC AUTO-130X /					TECHNICAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			AUTOFEED SHREDDERS			300X					Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts <u>GENERAL SPECIFICATION - 1.</u> Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts	
102	DNO103 410	B-NM 32/12A-60A	432075534448 6 / centriffugal Pump With Motor & Starter 1.1kw 1.5hp 230/440v		1 / SET	B-NM 32/12A-60A				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> CENTRIFFUGAL PUMP WITH MOTOR STARTER CONTROLLER 1.1KW 1.5HP 2900ROM 3 PHASE 230/440V POLE 2 flow rate 110-250 l/mint inlet dn50 outlet dn32 <u>GENERAL SPECIFICATION -</u> CENTRIFFUGAL PUMP WITH MOTOR STARTER CONTROLLER 1.1KW 1.5HP 2900ROM 3 PHASE 230/440V POLE 2 flow rate 110-250 l/mint inlet dn50 outlet dn32	
103	DNO103 408	1-1/2*1	473070534448 7 / Reducing Tee 1 1/2" x 1 1/2" x 1 BRASS		1 / EACH/NUMBER	1-1/2*1				TDS/BROCHER OR PICS OF ITEM MUST	<u>TECHNICAL SPECIFICATION -</u> REDUCING TEE 1 1/2" X 1 1/2" X 1 BRASS <u>GENERAL SPECIFICATION -</u> REDUCING TEE 1 1/2" X 1 1/2" X 1	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										BE ENCLOSED WITH QUOTATION	BRASS	
104	DGP105312	A360 PLUS	702571531623 4 / A3 SIZE FLATBED SCANNER		1 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
105	DGP105342	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
106	DGP105307	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED=	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
107	DGP105308	NIL	5930735277330 / LAPTOP CORE i7 11th Generation		2 / EACH/NUMBER	NIL					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes	
108	DGP105362	folder L12" W10" CONFIE	7530705258848 / personal folder		200 / EACH/NUMBER	nil					<u>TECHNICAL SPECIFICATION - 1.</u> SIZE OF FOLDER L12" W10" 2. POCKET (OUTER, INNER, & SIDE)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		TIAL	confidential (officer dossier) for hq scni(s)								A.UPPER TRANSPARENT POCKET (L1.5" & W 2.5") B.UPPER PHOTOGRAPH POCKET(PASPORT SIZE) C.LOWER POCKET (L1.5" & W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HIGHT 1.5 GENERAL SPECIFICATION - 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER,INNER,& SIDE) A.UPPER TRANSPARENT POCKET (L1.5" & W 2.5") B.UPPER PHOTOGRAPH POCKET(PASPORT SIZE) C.LOWER POCKET (L1.5" & W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS (AS SAMPLE)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HIGHT 1.5	
109	DGP105 318	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	4 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL</u> <u>SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
110	DNF1027 76	BAT 12200 / WPG 200-12 AN	613077515345 4 / MAINTENANCE FREE MARINE BATTERY 12V 200H	GRP POLICE BOAT (BATTERY CHARGER SYS)	2 / EACH/NUMBER	BAT 12200		M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL	VETUS HOLLAND	QUOTE AS PER IT ONLY BROCHURE/TDS MUST BE ECNLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> null<u>GENERAL SPECIFICATION -</u> null	
111	DGP105 311	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	3 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both<u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Connectivity Paraller and USB Port Both	
112	DGP103 222	50AU7000	773070513217 9 / TV LCD 46/49 INCH	-	5 / EACH/N UMBER	50AU700 0		PK		AUTHORI TY LETTER # NS- 5/9205/SS C/NHQ/07 DT 24/05/08	<u>TECHNICAL SPECIFICATION - S.</u> No Technical Specification Technical Data a. View Angle 178" b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV (UA46F6100AR) 49 Inch LED HD TV (949N5300) p. Resolution (Pixels) 1920 x 1080 q. Color Black <u>GENERAL SPECIFICATION - S.</u> No Technical Specification Technical Data a. View Angle 178" b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV (UA46F6100AR) 49 Inch LED HD TV (949N5300) p. Resolution (Pixels) 1920 x 1080 q. Color Black	
113	DGP105 309	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111		DELL	<u>TECHNICAL SPECIFICATION - VX</u> 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED) <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED BACK LIGHT ANTI-GLARE INPUT -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
114	DGP105381		005150000063 7 / FORM F (NS)21 SURVEY REPORT		257 / BOOK						TECHNICAL SPECIFICATION - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES, EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX. <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES, EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX.	
115	DGP105317	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION - TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWDXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
116	DGP105 314	model cv-1200	745070506993 2 / DUPLICATOR ELECTRICAL		1 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - 100</u> copies per minute <u>GENERAL SPECIFICATION - 100 copies per minute</u>	
117	DGP105 313		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO <u>GENERAL</u> <u>SPECIFICATION - TOSHIBA</u> DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
118	DGP105 371		753070500717 1 / WHITE OFFSET		35 / REAM						<u>TECHNICAL SPECIFICATION - GM</u> 80 (+-) 10 gm <u>GENERAL</u> <u>SPECIFICATION - GM 80 (+-) 10 gm</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAPER SIZE 58.42CMX91.44CM									
119	DGP105341	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		2 / EACH/NUMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 <u>GENERAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
120	DGP105316	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		10 / EACH/NUMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 <u>GENERAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
121	DGP105430	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION -</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>TECHNICAL SPECIFICATION</u> - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE	
122	DGP105 401		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST-			

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									S/3200/81 98 DT 23/07/08		I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).<u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
123	DGP105 400		599979522644 1 / LED TV 40 INCH	MAXV SMD	1 / EACH/N UMBER			M/S TAIKO UK	M/S TAIKO UK		<u>TECHNICAL SPECIFICATION -</u> MAKE: TCL<u>GENERAL SPECIFICATION -</u> MAKE: TCL	
124	DGP105 432	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		2 / EACH/N UMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449<u>GENERAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
125	DNN104 183	DCG40-2009/ Z.H. TS-80	7310FP100000 6 / ELECTRIC TILTING FRYING PAN	DCG40 TILTING FRYING PAN (GALLEY EQUIPMENT)	1 / EACH/N UMBER	DCG40	N/A			HOTELSTAR MARINE EQUIPMENT MANUFACTURE CO.,LTD ONLY DCG40-2009 MAY BE QUOTED ALONGWITH BROCHURES	TECHNICAL SPECIFICATION - TECHNICAL SPECS: MODEL: JZH-TS MADE: ITALIAN FOGAR POWER: 10.5KW VOLTAGE: 380V CAPACITY: 60 LTR DIM: 700x750x850GENERAL SPECIFICATION - TECHNICAL SPECS: MODEL: JZH-TS MADE: ITALIAN FOGAR POWER: 10.5KW VOLTAGE: 380V CAPACITY: 60 LTR DIM: 700x750x850	
126	DGP105 442	NIL	599801671823 1 / HEWLETT PACKARD ENTERPRISES 32GB RAM (1x32GB) DUAL RANK X 4 DDR4-2666 CAS-19-19-19, REGISTERED SMART MEMORY KIT		4 / EACH/N UMBER	DDR4-2666					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
127	DGP105 392	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	