



TENDER DOCUMENTS

**SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF
CCTV IP CAMERAS WITH NVR AND LCD'S**

at
State Life Zonal Office,
SHEIKHUPURA ZONE

STATE LIFE INSURANCE CORPORATION OF PAKISTAN
ZONAL OFFICE, AL-SHARIF PLAZA, NEAR CHILDREN HOSPITAL, SARGODHA ROAD SHEIKHUPURA.
0335-8061900

Signature & Seal (by vendor)



STATE LIFE INSURANCE CORPORATION OF PAKISTAN
SHEIKHUPURAZONE

TENDER NOTICE # HRA&P /SKP/ 02/ 2026 (CCTV IP CAMERA'S)

State life Insurance Corporation of Pakistan, invites Bids in accordance with PPRA rules, under **Single Stage- Two Envelops** procedure from experienced & reputed GST/Income Tax/Sales Tax Registered Firms/Dealer/Supplier (Federal/Provincial) having relevant experience for **Procurement CCTV IP Cameras alongwith NVR's and LCD's for its State Life Zonal Office, Al-Sharif Plaza, Near Children Hospital, Sargodha Road, Sheikhupura through E-PADS (2.0V)** through <https://epads.gov.pk/>

Title of Works	Qty	Estimated Cost	Closing date & time for Submission of Bids	Date & Time of Opening of Technical Bids
<u>CCTV IP CAMERAS</u>				
I 4MP Entry IR Fixed-Focal Bullet Network Camera, 4MP, 1/3" CMOS image sensor, low luminance, high image definition, Outputs max. 4MP (1920 × 1080) @25/30 fps, H.265 codec, high compression rate, ultra-low bit rate, Built-in efficient IR illuminator, and the max. illumination IR distance: 30 m, ROI, SMART H.264/H.265+, flexible coding, applicable to various bandwidth and storage environments, Rotation mode, DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes, Abnormality detection: Motion detection, video tampering, network disconnection, IP conflict, illegal access, 12V DC/PoE power support, IP67 protection.	32	2,050,000/-	22.10.2026 Until 10:00 a.m.	22.10.2026 at 10:30 a.m.
II 32 Channel 10 2HDDs Network video Recorder, New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max. Decoding capability: 8 x 1080p@30 fps. Supports adaptive adaptive decoding. Supports mainstream cameras of ONVIF and RTSP protocols. P2P remote surveillance, video play on mobile device. VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K. AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map and SMD. Supports remote configuration and management of IPC, such as set ting parameters, getting information and upgrading IPC of the same model in batches 2 SATA 111 ports, upto 10 TB for a single HDD. The maximum HDD capacity varies with environment temperature	02			
III 16 Channel 10 2HDDs Network video Recorder,				

Signature & Seal (by vendor)

New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max. Decoding capability:8 x 1080p @ 30 fps. Supports adaptive adaptive decoding. Supports mainstream cameras of ONVIF and RTSP protocols. P2P remote surveillance, video play on mobile device. VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K. AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map and SMD. Supports remote configuration and management of IPC, such as set ting parameters, getting information and upgrading IPC of the same model in batches 2 SATA 111 ports, upto 10 TB for a single HDD. The maximum HDD capacity varies with environment temperature	01			
IV Surveillance 8TB	02			
V Surveillance 4TB	01			
VI LED 40'' (HD)	01			
VII LED 32'' (HD)	02			
<u>Complete Installation and Commissioning is the responsibility of the vendor with the following required material on turnkey basis.</u>	01			
PoE Switch 08/16 Port, Cat6 Cable 23AWG, PVC Box, Data Rack 1U, RJ-45 Connectors and tagging of each camera point, Duct 16x25, 16x38, 40x40, Pipe 1", 1.5", 2" Power Cable 40/76, Flexible Pipe 1", 02 Core Single Mode Fiber Cable, Media Converter, Splicing etc.				
<u>Special Note:</u>				
Vendors Site Survey must be conducted at our location State Life Insurance Lahore Sargodha Road, Near Children Hospital, Sheikhpura for actual measurement of the above items for Cameras point and NVR & 3 LED place/location as per Diagram (3 pages) attached.				

All details are available in Tender documents (Attached herewith) and can be downloaded from **PPRA E-PADS (E-Pak Acquisition and Disposal System)**. Bids will be opened on the same day at **10:30 am** in the presence of bidders or their representatives, who wish to be present at the Tender Opening meeting. No tender will be entertained without bid **security/earnest Money/CDR of Rs. 41,000/-**. **Original Bid Security (2% of Estimated amount)** in form of bank draft/Pay order/CDR in favour of **"State Life Insurance Corporation of Pakistan, Sheikhpura Zone"** must be submitted to undersigned before the opening of Bids.

State Life Insurance Corporation reserves the right to reject all bids or proposals at any time prior to the acceptance of bids or proposals in accordance with PPRA Rule No.33.

Incharge (HRA&P)

State Life Insurance Corporation of Pakistan
State Life Office, Al-Sharif Plaza, Near Children Hospital, Sargodha
Road, Sheikhpura
Ph. 0335-8061900

Signature & Seal (by vendor)

STATE LIFE INSURANCE CORPORATION OF PAKISTAN
SHEIKHUPURA ZONE, LAHORE
TENDER DOCUMENT FOR THE PURCHASE AND INSTALLATION OF BRAND NEW CCTV
CAMERAS IN ALL RESPECT AGAINST
TENDER NOTICE # HRA&P/SKP/02/2026 (CCTV IP CAMERAS)

Sr.#	Items Description	QTY	Unit price (Including GST + All Taxes)		Total per unit price with all Taxes	Total Amount
			Cost (per unit)	GST (per unit)		
01	<u>CCTV IP CAMERAS</u>					
	I 4MP Entry IR Fixed-Focal Bullet Network Camera, 4MP, 1/3" CMOS image sensor, low luminance, high image definition, Outputs max. 4MP (1920 × 1080) @25/30 fps, H.265 codec, high compression rate, ultra-low bit rate, Built-in efficient IR illuminator, and the max. illumination IR distance: 30 m, ROI, SMART H.264/H.265+, flexible coding, applicable to various bandwidth and storage environments, Rotation mode, DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes, Abnormality detection: Motion detection, video tampering, network disconnection, IP conflict, illegal access, 12V DC/PoE power support, IP67 protection.	32				
	II 32 Channel 10 2HDDs Network video Recorder, New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max. Decoding capability: 8 x 1080p@30 fps. Supports adaptive adaptive decoding. Supports mainstream cameras of ONVIF and RTSP protocols. P2P remote surveillance, video play on mobile device. VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K. AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map and SMD. Supports remote configuration and management of IPC, such as setting parameters, getting information and upgrading IPC of the same model in batches 2 SATA 111 ports, upto 10 TB for a single HDD. The maximum HDD capacity varies with environment temperature	02				
	III 16 Channel 10 2HDDs Network video Recorder, New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max. Decoding capability: 8 x 1080p@30 fps. Supports adaptive adaptive decoding. Supports mainstream cameras of ONVIF and RTSP protocols. P2P remote surveillance, video play on mobile device. VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K. AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map and SMD. Supports remote configuration and management of IPC, such as setting parameters, getting information and upgrading IPC of the same model in batches 2 SATA 111 ports, upto 10 TB for a single HDD. The maximum HDD capacity varies with environment temperature	01				
	IV Surveillance 8TB					
	V Surveillance 4TB	02				

Signature & Seal (by vendor)

VI LED 40" (HD)	01				
VII LED 32" (HD)	01				
<u>Complete Installation and Commissioning is the responsibility of the vendor with the following required material on turnkey basis.</u>	02				
PoE Switch 08/16 Port, Cat6 Cable 23AWG, PVC Box, Data Rack 1U, RJ-45 Connectors and tagging of each camera point, Duct 16x25, 16x38, 40x40, Pipe 1", 1.5", 2" Power Cable 40/76, Flexible Pipe 1", 02 Core Single Mode Fiber Cable, Media Converter, Splicing etc.	01				
<u>Special Note:</u>					
Vendors Site Survey must be conducted at our location State Life Insurance Lahore Sargodha Road, Near Children Hospital, Sheikhpura for actual measurement of the above items for Cameras point and NVR & 3 LED place/location as per Diagram (3 pages) attached.					
Total Amount					

Technical Evaluation:

Technical Evaluation sheet is attached. (Annexure A1)

General Terms & Conditions:

- Bids to be submitted at EPAD 2.0V system of PPRA Tender which will be opened on **22-10-2026 at 11:00 am** in the office of In-charge (HRA&P) State Life Insurance Corporation of Pakistan, Lahore Sargodha Road, Near Children Hospital, Sheikhpura, in the presence of bidders or their authorized agents, who wish to be present on the occasion
- Only Sales Tax Registered Firms/Suppliers can participate.
- Competent Authority reserves the right to reject any/all items or any/all bid(s) or proposals at any time before award of contract.
- The quoted price must be irrevocable.
- The quoted price must be inclusive of all applicable taxes as per Government Rules.
- Estimated Cost of this procurement is **Rs. 20,50,000/-**.
- Bid Security amount (Earnest money) of **Rs.41,000/-** (including taxes) in the shape of CDR/Pay order favoring **"State Life Insurance Corporation of Pakistan"** must be submitted by the bidders at the address given in tender notice / documents before closing date & time, otherwise bid will be rejected.
- Bid Received after the above deadline or without Security/Earnest money and or less than required amount shall not be accepted.
- Payment will be made to the successful bidder upon successful delivery/installation of ordered items in all respects.
- Validity of the bid will be 73 days from the date of opening of bid, which may be extendable on mutual consent.
- Proper documentation is required for claim of tax exemption (if any).
- Successful bidder will have to provide & install quoted items within 15 days at site.
- The quantity of items may be increased or decreased, if desired so, by the procuring agency.

Signature & Seal (by vendor)

14. Single Stage Two Envelope Procedure will be adopted.

Eligibility of Applicants

Applicant cannot apply if they:-

15. Are not GST/Income Tax registered company.
16. Are bankrupt or in process of going bankrupt.
17. Have been convicted for an offence concerning the professional conduct.
18. Have not fulfilled obligations related to payment of taxes.
19. Are guilty of serious mis-interpretation or mis-representation of facts in supplying information.
20. Eligibility criteria mentioned in tender documents must be observed and fulfilled.
21. The bid found to be the lowest/most advantages evaluated bid shall be accepted.
22. The tender Bid shall be evaluated as **One Job**.

SECRETARY
Zonal Procurement Committee,
State Life Insurance Corporation of Pakistan
Lahore Sargodha Road, Near Children Hospital, Sheikhpura
Phone # (0335-8061900)

Signature & Seal (by vendor)

TECHNICAL CRITERIA FOR QUALIFICATION

(Annexure A1)


Participants/ bidders are required to fulfill the following Technical Criteria in Stricto Senso, failing which the bids shall be technically rejected.

(Following Mandatory documents required)

- Certificate of Company/ Firm Registration/ Sole proprietorship/ Incorporation under the law of Pakistan
- Valid Income Tax Registration/Valid General Sales Tax Registration (Status=Active with FBR)
- Submission of Undertaking on legal valid and attested stamp paper Rs.100/- that the firm is not black listed by any of Provincial or Federal Government Department, Agency, Organization or Autonomous body or Private Sector Organization anywhere in Pakistan.
- Warranty Certificate: - One Year onsite warranty of all items including parts & labor **(Note:- all quoted items must be new/fresh form).**
- Compression Sheet of required items and quoted items must be provided.
- Five years of experience in relevant Service (Installation of Cameras etc) must be required.
- Income Tax Returns for the last Three years.
- Minimum Turnover in each year (2024 & 2025) must be 5 million or above.


Sr.#	Technical Specification	Yes	No	Remarks
IP Cameras				
I	4MP Entry IR Fixed-Focal Bullet Network Camera, 4MP, 1/3" CMOS image sensor, low luminance, high image definition			
	Outputs max. 4MP (1920 × 1080) @25/30 fps, H.265 codec, high compression rate, ultra-low bit rate, Built-in efficient IR illuminator, and the max. illumination IR distance: 30 m			
	ROI, SMART H.264/H.265+, flexible coding, applicable to various bandwidth and storage environments,			
	Rotation mode, DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes, Abnormality detection: Motion detection			
	video tampering, network disconnection, IP conflict, illegal access, 12V DC/PoE power support, IP67 protection			
NVR WITH SURVEILLANCE				
II	32 Channel 10 2HDDs Network video Recorder, New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max			
	16 Channel 10 2HDDs Network video Recorder, New 4.0 user interface, security baseline 2.1.H.264, h.265, Smart H.264+, and Smart H.265+, H.265auto switch. Max			
	Decoding capability: 8 x 1080p@30 fps. Supports adaptive adaptive decoding. Supports mainstream cameras of ONVIF and RTSP protocols. P2P remote surveillance, video play on mobile device. VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K			
	Supports remote configuration and management of IPC, such as setting parameters, getting information and upgrading IPC of the same model in batches 2 SATA 11 ports, upto 10 TB for a single HDD. The maximum HDD capacity varies with environment temperature			
III	Surveillance 8TB			
	Surveillance 4TB			
LED				
IV	LED 40" HD			
	LED 32" HD			
Installation and commissioning Material				
V	PoE Switch 08/16 Port, Cat6 Cable 23AWG, PVC Box, Data Rack 1U, RJ-45 Connectors and tagging of each camera point, Duct 16x25, 16x38, 40x40, Pipe 1", 1.5", 2", Power Cable 40/76, Flexible Pipe 1", 02 Core Single Mode Fibre Cable, Media Converter, Splicing etc.			
VI	Vendors Site Survey must be conducted at our location State Life Insurance 4-Lytton Road Lahore for actual measurement of the above items for Cameras point and NVR & 2 LED place/location as per Diagram (5 pages) attached.			

Signature & Seal (by vendor)



Ground Floor
17 Corridor

Signature & Seal (by vendor)



1st Floor
Camel's

Signature & Seal (by vendor)

Signature & Seal (by vendor)